

CLASSIC SPECIFICATION GUIDE & PRICE LIST 2024

WOODS & FINISHES:

Natural Maple Standard



Natural Clear – M-NA

Maple Finishes

The following stains are available, add 10% to list





Richmond Cherry – M-RC Mahogany – M-MA



Honey Oak – M-HO





Victorian Cherry – M-VI



Wenge – M-WE





Natural Clear – O-NA

Red Oak Finishes

The following stains are available, add 10% to list







Richmond Cherry – O-RC Mahogany – O-MA



Honey Oak – O-HO



Java – M-JA

Java – O-JA



Victorian Cherry – O-VI



Wenge – O-WE

Natural Cherry Add 20% to list



Natural Clear – C-NA

Natural Walnut Add 20% to list



Natural Clear – W-NA

Cherry Finishes

The following stains are available, add 30% to list



Honey Oak – C-HO

Richmond Cherry – C-RC

Walnut Finishes

The following stain is available, add 30% to list



Java – W-JA

WILSONART® LAMINATES:

Solid, Abstract and Wood Grain Options



Frosty White 1573-60



Black 1595-60



4859-60



Walnut Heights 7965-38



Studio Teak 7960-38



Natural Almond

D30-60

Morro Zephyr Spiced Zephyr 4846-60



Wild Cherry 7054-60



Skyline Walnut 7964-38



Beige 1530-60



Maroochy Brush 4745-60



Fusion Maple 7909-60



Phantom Pearl 8211-38



Phantom Charcoal 8214-38



Fashion Grey D381-60

D92-60

Blue Agave


4919-60

Mambo

7948-60



Woolamai Brush 4746-60



Bannister Oak 7806-60



8200-38

Asian Night

7949-38

White Driftwood Grey Elm 8201-38



Dove Grey Slate Grey D91-60



Eggplant 4913-60



Cocobala 7942-38



Phantom Cocoa 8213-38



PALMER CLASSIC

ABET LAMINATES:

Solid Colour Options



METAL PAINT: Thermal Paint Colours



Orchidea

1881

Viola Campanula

1827

PALMER CLASSIC

EDGE BAND COLOURS:

PVC edge band colour options



HARDWOODS: All hardwood materials used in the manufacturing of Palmieri products shall be Northern grown hardwoods. Hardwoods will be air and kiln dried to a moisture content of 5-7%. All hardwoods shall be of grade "A" material, free of material stains, imperfections, conformity of grain, texture and color. Hardwood species shall be Northern grown Red Oak, Clear White Northern Maple and Birch. American Cherry and Honduras Mahogany and Walnut are available. Please inquire for pricing.

VENEER: Exposed face veneers shall be not less than 1/28" thick plain sliced veneers. Veneers are to be selected for conformity of grain direction and color. Veneers are to be stitched tightly in a book match, slip match or plain sliced configuration. Unexposed veneers are to be of hardwood but not selected for color, or grain quality. Veneers are not to be lap joined or reveal any tape or glue lines.

PARTICLE BOARD CORE: The particleboard shall be formed of wood chips, bonded with a water resistance adhesive. The particleboard material is to be of a high density 45 lbs/cu. ft. having a minimum average modules of rupture of 2400 psi and a minimum average modules of elasticity of 4,000,000 psi.

VENEER CORE: Veneer core is to be constructed with odd numbers of plies. Each ply is to be laminated in pairs and cross banded in opposite directions with grain direction at a 90 degree angle to the grain of the center core. All plies are to be free from knots, wrinkles, laps or other natural or manufacturing defects.

LUMBER CORE: Lumber core is to be of the highest quality grade. Grade "A" select stock. Lumber core shall be constructed of solid random width strips not less than 2" wide nor more than 3 1/2" wide by 1" thick. Wood strips will be free from knots or other defects. All strips will be tightly joined using water resistance adhesives.

HIGH PRESSURE LAMINATE: Work surface laminate shall be .050" thick and used with balancing backer sheet of no less than .028" thick. Laminate shall conform to standards set by the American Standards Institute/National Electrical Manufacturers Association (ANSI/NEMA) for thickness, performance and appearance. Printed colours, abstract patterns and wood grains are reproduced from representative segments of large sheets and may differ slightly from the actual product.

FINISHING PROCEDURES: All materials shall be inspected and treated with a final sanding and polishing operation before any staining and final finishing can be performed. All machine and mill marks are to be removed. Once the polishing and sanding has been performed, the furniture will then undergo the following stain and finishing procedures:

- Step 1 A base stain will be uniformly applied, wiped and then allowed to dry under factory controlled conditions.
- Step 2 A uniform coat of sealer will be applied and allowed to dry.
- Step 3 Sealer will be lightly sanded using 240 grit silicon paper.
- Step 4 A catalytic lacquer of 34-45 degree sheen is evenly applied and allowed to dry under factory controlled conditions.

METAL FINISHING PROCEDURES: All metal components are thoroughly cleaned and coated electrostatically with an epoxy powder coat paint finish. The metal components are then oven baked and cured for a lasting finish.

EDGE BANDS: All edge bands are manufactured in PVC, semi-rigid (Flex) and ABS. Standard edging size are normally 1.25" wide x 2 mm thick. These are made of the highest grade polymers and its materials are extensively tested prior to production using special test procedures and industry specification and quality standards.



Chocalate Tick

AC-FWG7424

AC- S11

MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
AP-NP	Newspaper Table	39 ¹ /2"	27"	30"	180 Lbs.	21 Cu Ft	\$ 4,215	TABLE RACK: Open frame construction consists of ⁷ / ₈ " thick x 3" wide solid hardwood, all edges eased with newspaper stick holders fitted on either side of rack to accommodate 10 wood newspaper sticks.
								END PANELS: Panel frame construction consists of a $1^{1}/16^{\circ}$ thick 3-ply particleboard core with plain sliced veneer both faces, $1^{3}/4^{\circ}$ thick x $2^{1}/2^{\circ}$ wide solid hardwood framed on four sides and three inset $1/2^{\circ}$ thick x $1^{3}/4^{\circ}$ wide solid vertical pilasters. All edges of panel frame and pilasters are eased.
AP-AS	Atlas Stand	30 ¹ /2"	29"	44 ¹ /2"	260 Lbs.	30 Cu Ft	\$ 6,281	TOP: Sloped top is constructed of $^{3}/_{4}$ " particleboard core with plastic laminate surfaces and fitted with a wood book rail $^{5}/_{8}$ " thick x $^{5}/_{8}$ " wide.
								CONSTRUCTION ASSEMBLY: Cabinet construction consists of a ³ / ₄ " thick 3-ply particleboard core back with plain sliced veneer both faces, five ³ / ₄ " thick 3-ply particleboard core pull-out shelves with ³ / ₄ " thick x 1 ³ / ₄ " high solid wood retainer lip operating on bottom mounted single extension drawer runners.



END PANELS:

Panel frame construction consists of a $1^{1}/16^{\circ}$ thick 3-ply particleboard core with plain sliced veneer both faces, $1^{3}/4^{\circ}$ thick x $2^{1}/2^{\circ}$ wide solid hardwood framed on four sides and three inset $1/2^{\circ}$ thick x $1^{3}/4^{\circ}$ wide solid vertical pilasters. All

edges of panel frame and pilasters are eased.

MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
AP-DC	Dictionary Stand	27 ¹ /2"	21	44 ¹ /2"	180 Lbs.	20 Cu Ft	\$ 4,671	TOP: Sloped top is constructed of $^3/_4$ " particleboard core with plastic laminate surfaces and fitted with a wood book rail $^5/_8$ " thick x $^5/_8$ " wide.
								CONSTRUCTION ASSEMBLY: Cabinet construction consists of a ³ / ₄ " thick 3-ply particleboard core back with plain sliced veneer both faces, a ³ / ₄ " thick 3-ply particleboard core adjustable shelf and a ³ / ₄ " thick 3-ply particleboard core fixed bottom shelf with ³ / ₄ " thick x 1 ³ / ₄ " high solid wood drop edge.
								END PANELS: Panel frame construction consists of a $1^{1}/16^{\circ}$ thick 3-ply particleboard core with plain sliced veneer both faces, $1^{3}/4^{\circ}$ thick x $2^{1}/2^{\circ}$ wide solid hardwood framed on four sides and three inset $1^{1}/2^{\circ}$ thick x $1^{3}/4^{\circ}$ wide solid vertical pilasters. All edges of panel frame and pilasters are eased.



MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
AP-DP	Display Table	66"	30 ¹ / ₂ "	39"	245 Lbs.	23 Cu Ft	\$ 10,370	DISPLAY CASE CONSTRUCTION: Wood frame is constructed of 1 ¹ /2" thick x 1 ¹ /2" wide solid hardwood with ¹ /4" thick glass on all 4 sides and top with all edges eased. One long back side of the case is equipped with sliding glass doors complete with lock. Display case size: 30" deep x 62" wide x 10" high.
AP-DP-FB	Display Table with Fabric Covered Bottom	66"	30 ¹ /2"	39"	245 Lbs.	23 Cu Ft	\$ 11,403	TOP: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Tops surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is ³ / ₄ " thick x 1 ⁵ / ₈ " solid hardwood at two long edges. END PANELS: Panel frame construction consists of a 1 ¹ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces, 1 ³ / ₄ " thick x 2 ¹ / ₂ " wide solid hardwood framed on four sides and
,	AP-DP	AP-DP-FB Display Table with	AP-DP-FB Display Table with W	AP-DP-FB Display Table with W D W D AP-DP Display Table With G6" 301/2"	NUMBER PRODUCT W D H AP-DP Display Table 66" 301/2" 39" AP-DP-FB Display Table with 66" 301/2" 39"	NUMBER PRODUCT W D H WEIGHT AP-DP Display Table 66" 301/2" 39" 245 Lbs. AP-DP-FB Display Table with 66" 301/2" 39" 245 Lbs.	NUMBER PRODUCT W D H WEIGHT VOLUME AP-DP Display Table 66" 301/2" 39" 245 Lbs. 23 Cu Ft AP-DP-FB Display Table with 66" 301/2" 39" 245 Lbs. 23 Cu Ft	NUMBER PRODUCT W D H WEIGHT VOLUME PRICE AP-DP Display Table 66" 301/2" 39" 245 Lbs. 23 Cu Ft \$ 10,370 AP-DP-FB Display Table with 66" 301/2" 39" 245 Lbs. 23 Cu Ft \$ 11,403



 MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
AP-AV	AV Browser	501/4"	23	42 ¹ /2"	260 Lbs.	36 Cu Ft	\$ 4,820	MULTIMEDIA DISPLAY BIN: Bin construction consisting of ³ / ₄ " thick 3-ply particleboard core with plain sliced veneer both faces and seven equally divided compartments, each 6 ¹ / ₄ " wide x 19" deep with six removable ¹ / ₄ " side dividers and will hold approximately 290 compact discs. END PANELS: Panel frame construction consists of a 1 ¹ / ₁₆ "" thick 3-ply particleboard core with plain sliced veneer both faces, 1 ³ / ₄ " thick x 2 ¹ / ₂ " wide solid hardwood framed on four sides and three inset ¹ / ₂ " thick x 1 ³ / ₄ " wide solid vertical pilasters. All edges of panel frame and pilasters are eased.



 MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
AP-MC-36-SS AP-MC-36-SA AP-MC-48-SS AP-MC-48-SA	Single Face Modular Carrels: 36" Starter 36" Adder 48" Starter 48" Adder	38 ¹ /2" 36 ¹ /4" 50 ¹ /2" 48 ¹ /4"	31" 31" 31" 31"	48" 48" 48" 48"	340 Lbs. 160 Lbs. 360 Lbs. 190 Lbs.	11 Cu Ft 11 Cu Ft 11 Cu Ft 11 Cu Ft	\$ 5,138 \$ 3,382 \$ 5,293 \$ 3,536	WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Tops surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is ³ / ₄ " thick x 1 ⁵ / ₈ " high solid hardwood with edges eased. Work surface is 28" deep x 29"high.
AP-MC-36-DS AP-MC-36-DA AP-MC-48-DS AP-MC-48-DA	Double Face Modular Carrels: 36" Starter 36" Adder 48" Starter 48" Adder	38 ¹ /2" 36 ¹ /4" 50 ¹ /2" 48 ¹ /4"	60 ¹ /2" 60 ¹ /2" 60 ¹ /2" 60 ¹ /2"	48" 48" 48" 48"	655 Lbs. 250 Lbs. 710 Lbs. 310 Lbs.	22 Cu Ft 22 Cu Ft 22 Cu Ft 22 Cu Ft	\$ 7,175 \$ 4,556 \$ 7,392 \$ 4,781	END PANELS: Panel frame construction consists of a 1 ¹ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces, 1 ³ / ₄ " thick x 2 ¹ / ₂ " wide solid hardwood framed on four sides and three inset ¹ / ₂ "thick x 1 ³ / ₄ " wide solid vertical pilasters. All edges of panel frame and pilasters are eased. Single face and pinwheel shall receive three vertical pilasters and double face shall receive five vertical pilasters. INTERMEDIATE PANELS: Panels are constructed of 1 ³ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces, 1 ³ / ₁₆ " thick x 2 ¹ / ₂ " wide solid hardwood framed on four sides with all edges eased.
								BACK PANEL: Back is constructed of $1^{1}/16^{\circ}$ thick 3-ply particleboard core with plain sliced veneer both faces and the top edge is banded with a $1^{1}/16^{\circ}$ thick x $2^{1}/4^{\circ}$ wide solid hardwood.
AP-MC-36-PW	36" Pinwheel	74 ¹ /2"	74 ¹ /2"	48"	780 Lbs.	48 Cu Ft	\$ 11,862	TOP SHELF: Shelf construction consists of ³ / ₄ " thick 3-ply particleboard core with plain sliced veneer both faces and the front edge is banded with a ¹ / ₄ " solid external edge complete with a ³ / ₄ "
AP-MC-48-PW	48" Pinwheel	91 ¹ /2"	91 ¹ /2"	48"	800 Lbs.	55 Cu Ft	\$ 12,282	thick x $1^{1}/2^{n}$ wide solid hardwood valance rail mounted to the underside. Shelf is 10^{n} deep positioned $15^{1}/2^{n}$ above the work surface.





 MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
AP-RC-36-SS AP-RC-36-SA AP-RC-48-SS AP-RC-48-SA	Single Face Reference Carrels: 36" Starter 36" Adder 48" Starter 48" Adder	38 ¹ /2" 36 ¹ /4" 50 ¹ /2" 48 ¹ /4"	31" 31" 31" 31"	48" 48" 48" 48"	340 Lbs. 160 Lbs. 360 Lbs. 190 Lbs.	11 Cu Ft 11 Cu Ft 11 Cu Ft 11 Cu Ft	\$ 5,256 \$ 3,374 \$ 5,411 \$ 3,521	WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Tops surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is ³ / ₄ " thick x 1 ⁵ / ₈ " high solid hardwood with edges eased. Tops will be set back from the back panel 2" to provide a wire drop and will be fitted with a retainer lip. Work surface is 26" deep and is adjustable at four increments 39", 32", 29" and 27" high.
AP-RC-36-DS AP-RC-36-DA AP-RC-48-DS AP-RC-48-DA	Double Face Reference Carrels: 36" Starter 36" Adder 48" Starter 48" Adder	38 ¹ /2" 36 ¹ /4" 50 ¹ /2" 48 ¹ /4"	60 ¹ /2" 60 ¹ /2" 60 ¹ /2" 60 ¹ /2"	48" 48" 48" 48"	655 Lbs. 250 Lbs. 710 Lbs. 310 Lbs.	22 Cu Ft 22 Cu Ft 22 Cu Ft 22 Cu Ft	\$ 7,159 \$ 4,532 \$ 7,369 \$ 4,758	END PANELS: Panel frame construction consists of a 1 ¹ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces, 1 ³ / ₄ " thick x 2 ¹ / ₂ " wide solid hardwood framed on four sides and three inset ¹ / ₂ " thick x 1 ³ / ₄ " wide solid vertical pilasters. All edges of panel frame and pilasters are eased. Single face and pinwheel shall receive three vertical pilasters and double face shall receive five vertical pilasters. INTERMEDIATE PANELS: Panels are constructed of 1 ³ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces, 1 ³ / ₁₆ " thick x 2 ¹ / ₂ " wide solid hardwood framed on four sides with all edges eased.
								BACK PANEL: Back is constructed of $1^{1}/16^{\circ}$ thick 3-ply particleboard core with plain sliced veneer both faces and the top edge is banded with a $1^{1}/16^{\circ}$ thick x $2^{1}/4^{\circ}$ wide solid hardwood.
AP-RC-36-PW	36" Pinwheel	74 ¹ /2"	74 ¹ / ₂ "	48"	780 Lbs.	48 Cu Ft	\$ 11,831	BOTTOM SHELF:
AP-RC-48-PW	48" Pinwheel	91 ¹ /2"	91 ¹ /2"	48"	800 Lbs.	55 Cu Ft	\$ 11,986	Shelf construction consists of $^3/_4$ " thick 3-ply particleboard core with plain sliced veneer both faces and the front edge is banded with a $^1/_4$ " solid external edge complete with a $^3/_4$ " thick x $^11/_2$ " wide solid hardwood valance rail mounted to the underside. Shelf is 10" deep positioned 21" above the floor.



 MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
AP-PAC-1-PB-29 AP-PAC-1-PB-32 AP-PAC-1-PB-39	1 Person PAC Table: Sitting Height Wheelchair Accessible Standing Height	37 ¹ /2" 37 ¹ /2" 37 ¹ /2"	36" 36" 36"	37" 40" 47"	130 Lbs. 130 Lbs. 135 Lbs.	13 Cu Ft 16 Cu Ft 23 Cu Ft	\$ 4,718 \$ 4,851 \$ 5,130	WORK SURFACE : Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Tops surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is ³ / ₄ " thick x 1 ⁵ / ₈ " solid hardwood at two long edges.
								DIVIDER RACK: Divider rack construction consists of ³ / ₄ " thick x 7" deep x 8" high solid hardwood side dividers and ³ / ₄ " thick 3-ply particleboard core back dividers with plain sliced veneer both faces and the top edge is banded with a ¹ / ₄ " solid external edge.
AP-PAC-2-PB-29 AP-PAC-2-PB-32 AP-PAC-2-PB-39	2 Person PAC Table: Sitting Height Wheelchair Accessible Standing Height	73 ¹ /2" 73 ¹ /2" 73 ¹ /2"	36" 36" 36"	37" 40" 47"	200 Lbs. 200 Lbs. 205 Lbs.	27 Cu Ft 33 Cu Ft 46 Cu Ft	\$ 5,535 \$ 5,675 \$ 5,924	END PANELS: Panel frame construction consists of a $1^1/16^{\circ}$ thick 3-ply particleboard core with plain sliced veneer both faces, $1^3/4^{\circ}$ thick x $2^1/2^{\circ}$ wide solid hardwood framed on four sides and three inset $1/2^{\circ}$ thick x $1^3/4^{\circ}$ wide solid vertical pilasters. All edges of panel frame and pilasters are eased.
								ELECTRICAL ACCESSORIES: Each seating position will be equipped with a 3" diameter black plastic grommet and a black painted metal back mount j-channel wire manager.
AP-PAC-3-PB-29 AP-PAC-3-PB-32 AP-PAC-3-PB-39	3 Person PAC Table: Sitting Height Wheelchair Accessible Standing Height	91 ¹ /2" 91 ¹ /2" 91 ¹ /2"	36" 36" 36"	37" 40" 47"	250 Lbs. 250 Lbs. 260 Lbs.	34 Cu Ft 41 Cu Ft 58 Cu Ft	\$ 6,087 \$ 6,211 \$ 6,474	



MODEL NUMBER	PRODUCT	W	D	н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
AP-R42 AP-R48	Round Table	42" 48"	42" 48"	29" 29"	90 Lbs. 100 Lbs.	8 Cu Ft 10 Cu Ft	\$ 2,815 \$ 2,953	WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Tops surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Two long edges of the rectangular tables will be banded with a ¹ / ₄ " wide x 1 ¹ / ₄ " thick solid hardwood external edge and the two ends will be banded with 2 ⁵ / ₈ " wide x 1 ¹ / ₄ " thick solid hardwood external edge. Circular tables will be banded with a ¹ / ₄ " wide x 1 ¹ / ₄ " thick solid hardwood external edge. Square tables will be banded on all 4 sides with 2 ⁵ / ₈ " wide x 1 ¹ / ₄ " thick solid hardwood external edges. All edges are eased.
AP-4242 AP-4848	Square Table	42" 48"	42" 48"	29" 29"	90 Lbs. 100 Lbs.	8 Cu Ft 10 Cu Ft	\$ 3,568 \$ 3,810	END FRAME: End frame construction consists of two $2^3/8^\circ$ x $2^3/8^\circ$ glued-up solid stock legs, two $1^1/4^\circ$ thick x $2^1/2^\circ$ wide solid hardwood horizontal rail members and five $3/4^\circ$ thick x $1^7/8^\circ$ wide solid vertical pilasters. All edges of end frame and pilasters are eased.
								APRON: Apron rail is constructed of 1 ¹ / ₄ " thick x 2 ¹ / ₂ " wide solid hardwood and fitted between the legs on either side of the end frame assembly. Apron rails for circular and square tables are ³ / ₄ " thick x 3 ³ / ₈ " wide solid hardwood and mechanically fasted between legs.
AP-6036 AP-6048	60" Wide Rectangular Table	60" 60"	36" 48"	29" 29"			\$ 4,718 \$ 5,061	WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
AP-7236 AP-7248	72" Wide Rectangular Table	72" 72"	36" 48"	29" 29"			\$ 4,936 \$ 5,293	
AP-8436 AP-8448	84" Wide Rectangular Table	84" 84"	36" 48"	29" 29"			\$ 5,146 \$ 5,527	
AP-9636 AP-9648	96" Wide Rectangular Table	96" 96"	36" 48"	29" 29"			\$ 5,372 \$ 5,752	



MODEL NUMBER	PRODUCT	W	D	Н
BA-NP	Newspaper Table	39"	27"	30"

WEIGHT	VOLUME	PRICE
180 Lbs.	30 Cu Ft	\$ 4,812

LIST

TABLE RACK:

DESCRIPTION

Open frame construction consists of $^{7}/8$ " thick x 3" wide solid hardwood, all edges eased with newspaper stick holders fitted on either side of rack to accommodate 10 wood newspaper sticks.

APRON RAIL:

Two $^{3}/_{4}$ " thick x 2" high solid hardwood rail shall be fitted between the panels on either side.

END PANELS:

Panel frame construction consists of a $1^1/16^n$ thick 3-ply particleboard core with plain sliced veneer both faces, two $1^1/2^n$ thick x $2^5/8^n$ wide solid hardwood sides, $1^1/2^n$ thick x $3^1/2^n$ top member and a $1^1/2^n$ thick x 5" wide bottom with a $2^1/2^n$ arched center. Center frame will be fitted with one horizontal and two vertical $1^1/2^n$ thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with $1^1/2^n$ thick x $1^1/2^n$ wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.

NOTE: List price shown is available for any of the 6 Bannister panel frame versions.



MODEL NUMBER	PRODUCT	W	D	Н
BA-AS	Atlas Stand	30"	29"	45"





LIST PRICE

WEIGHT

260 Lbs.

VOLUME

32 Cu Ft

Sloped top is constructed from 1¹/₄" thick 3-ply particleboard core. Slope top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge banded with a $\frac{3}{4}$ " thick x $\frac{1^3}{4}$ " high book support lip.

CONSTRUCTION ASSEMBLY

Cabinet construction consists of a ³/₄" thick 3-ply particleboard core back with plain sliced veneer both faces, five 3/4" thick 3-ply particleboard core pull-out shelves with 3/4" thick x 1-3/4" high solid wood retainer lip operating on bottom mounted single extension drawer runners.

END PANELS:

DESCRIPTION

Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two $1^{1}/2$ " thick x $2^{5}/8$ " wide solid hardwood sides, $1^{1}/2$ " thick x 2" arched top member and a $1^{1}/2$ " thick x $4^{1}/2$ " wide bottom with an arched end. Center frame will be fitted with three horizontal and two vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with $\frac{7}{16}$ " thick x $\frac{3}{4}$ " wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.

NOTE: List price shown is available for any of the 6 Bannister panel frame versions.



MODEL NUMBER	PRODUCT	W	D	Н
BA-DC	Dictionary Stand	27"	22"	45"



WEIGHT	VOLUME	LIST PRICE	DESCRIPTION

\$ 4,758

180 Lbs.

15 Cu Ft

TOP:

Sloped top is constructed from 1 ¹/₄" thick 3-ply particleboard core. Slope top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge banded with a ³/₄" thick x 1 ³/₄" high book support lip.

CONSTRUCTION ASSEMBLY

Cabinet construction consists of a 3/4" thick 3-ply particleboard core back with plain sliced veneer both faces, five 3/4" thick 3-ply particleboard core pull-out shelves with 3/4" thick x 1-3/4" high solid wood retainer lip operating on bottom mounted single extension drawer runners.

END PANELS:

Panel frame construction consists of a $1^1/16^n$ thick 3-ply particleboard core with plain sliced veneer both faces, two $1^1/2^n$ thick x $2^5/8^n$ wide solid hardwood sides, $1^1/2^n$ thick x 2^n arched top member and a $1^1/2^n$ thick x 2^n wide bottom with an arched end. Center frame will be fitted with three horizontal and two vertical $1^1/2^n$ thick x 2^n wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with $1^1/2^n$ thick x $1^1/2^n$ wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.

NOTE: List price shown is available for any of the 6 Bannister panel frame versions.



MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
BA-DP	Display Table	66 ¹ /2"	34 ¹ /2"	39"	245 Lbs.	20 Cu Ft	\$ 12,826	DISPLAY CASE CONSTRUCTION: Wood frame is constructed of 11/2" thick x 11/2" wide solid hardwood with 1/4" thick glass on all 4 sides and top with all edges eased. One long back side of the case is equipped with sliding glass doors complete with lock. Display case size: 30" deep x 62" wide x 10" high.
BA-DP-FB	Display Table with Fabric Bottom	66 ¹ /2"	34 ¹ / ₂ "	39"	170 Lbs.	20 Cu Ft	\$ 13,860	WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 ¹ / ₄ " thick x 2 ¹ / ₄ " wide solid external hardwood knife profile with ¹ / ₂ " rounded point and shall be mitered and radiused at corners. END PANELS: Panel frame construction consists of a 1 ¹ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces, two 1 ¹ / ₂ " thick x 2 ⁵ / ₈ " wide solid hardwood sides, 1 ¹ / ₂ " thick x 3 ¹ / ₂ " top member and a 1 ¹ / ₂ " thick x 5" wide bottom with a 2 ¹ / ₂ " arched center. Center frame will be fitted with one horizontal and two vertical ¹ / ₂ " thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with ⁷ / ₁₆ " thick x ³ / ₄ " wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.
								NOTE: List price shown is available for any of the 6 Bannister



panel frame versions.



 MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
BA-SC-S	1 Person Study Carrel Table	36"	24"	47"			\$ 8,076	WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 ¹ / ₄ " thick x 2 ¹ / ₄ " wide solid external hardwood knife profile with ¹ / ₂ " rounded point and shall be mitered and radiused at corners.
BA-SC-D	2 Person Study Carrel Table	36"	48"	47"			\$ 11,031	SUPERSTRUCTURE: 18" high Side panels, mid panel, back panels and shelves constructed from ³ / ₄ " veneer plywood. Top and front edge of rack and shelves are banded with ¹ / ₄ " solid hardwood, all edges eased. Fixed shelf 8 ³ / ₄ "" deep shall be fitted 14 ¹ / ₄ " clear above table.
BA-SC-Q	4 Person Study Carrel Table	69 ¹ /2"	48"	47"			\$ 14,482	END PANELS: Panel frame construction consists of a $1^1/16^n$ thick 3-ply particleboard core with plain sliced veneer both faces, two $1^1/2^n$ thick x $2^5/8^n$ wide solid hardwood sides, $1^1/2^n$ thick x $3^1/2^n$ top member and a $1^1/2^n$ thick x 5" wide bottom with a $2^1/2^n$ arched center. Center frame will be fitted with one horizontal and two vertical $1^1/2^n$ thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with $1^1/2^n$ thick x $1^1/2^n$ wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.
								NOTE: List price shown is available for any of the 6 Bannister panel frame versions.



with a $1^{1}/16^{\circ}$ thick x $2^{1}/4^{\circ}$ wide solid hardwood.



 MODEL NUMBER	PRODUCT	W	D	н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	Single Face Carrel							WORK SURFACE:
	Version 1: Acrylic Style:							Tops are constructed of $1^{1}/4^{\circ}$ thick 3-ply particleboard core.
BA-MC-V1A-36-SS	36" Starter	38"	30 ³ /4"	48"	200 Lbs.	10 Cu Ft	\$ 7,114	Top surface is laminated with a .050" thick high pressure
BA-MC-V1A-36-SA	36" Adder	36 ¹ /2"	30 ³ /4"	48"	150 Lbs.	7 Cu Ft	\$ 5,038	plastic laminate sheet and bottom surface laminated with
BA-MC-V1A-48-SS	48" Starter	50"	30 ³ /4"	48"	230 Lbs.	11 Cu Ft	\$ 7,292	a backing sheet not less than .020" thick for balanced
BA-MC-V1A-48-SA	48" Adder	48 ¹ /2"	30 ³ /4"	48"	180 Lbs.	8 Cu Ft	\$ 5,216	construction. Front edge shall receive a $1^{1}/4^{\circ}$ thick x $2^{1}/4^{\circ}$
								wide solid external hardwood knife profile with 1/2" rounded
	Double Face Carrel							point. Work surface is 28" deep x 29" high.
	Version 1: Acrylic Style:							
BA-MC-V1A-36-DS	36" Starter	38"	60"	48"	350 Lbs.	14 Cu Ft	\$ 10,813	END PANELS:
BA-MC-V1A-36-DA	36" Adder	36 ¹ /2"	60"	48"	240 Lbs.	11 Cu Ft	\$ 7,082	Version 1 - Acrylic Style: Panel frame construction consists of
BA-MC-V1A-48-DS	48" Starter	50"	60"	48"	410 Lbs.	16 Cu Ft	\$ 11,093	two $1^{1}/2^{1}$ x $2^{5}/8^{1}$ wide solid hardwood sides, $1^{1}/2^{1}$ thick x 2^{1}
BA-MC-V1A-48-DA	48" Adder	48 ¹ /2"	60"	48"	310 Lbs.	12 Cu Ft	\$ 7,362	arched top member and a $1^{1}/2^{11}$ thick x $4^{1}/2^{11}$ wide bottom
								with an arched end. Center frame will be fitted with two
								horizontal and two vertical $1^{1}/2^{\circ}$ thick x 2" wide stile members,
								creating a rectangle and square motif design. All spaces are
	Single Face Carrel							then fitted with ³ / ₈ " thick frosted acrylic inserts. All edges of
	Version 1: Molding Style:							panel frame are eased.
BA-MC-V1M-36-SS	36" Starter	38"	30 ³ /4"	48"	200 Lbs.	10 Cu Ft	\$ 7,516	Version 1 - Molding Style: Panel frame construction consists of
BA-MC-V1M-36-SA	36" Adder	36 ¹ /2"	30 ³ /4"	48"	150 Lbs.	7 Cu Ft	\$ 5,038	a 1 ¹ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer
BA-MC-V1M-48-SS	48" Starter	50"	30 ³ /4"	48"	230 Lbs.	11 Cu Ft	\$ 7,697	both faces, two $1^{1}/2^{\circ}$ thick x $2^{5}/8^{\circ}$ wide solid hardwood sides,
BA-MC-V1M-48-SA	48" Adder	48 ¹ /2"	30 ³ /4"	48"	180 Lbs.	8 Cu Ft	\$ 5,216	$1^{1}/2$ " thick x 2" arched top member and a $1^{1}/2$ " thick x $4^{1}/2$ "
								wide bottom with an arched end. Center frame will be fitted
	Double Face Carrel							with two horizontal and two vertical 1/2" thick x 2" wide stile
	Version 1: Molding Style:							members, creating a rectangle and square motif design.
BA-MC-V1M-36-DS		38"	60"	48"	350 Lbs.	14 Cu Ft	\$ 11,730	All spaces are then miter framed with $\frac{7}{16}$ " thick x $\frac{3}{4}$ " wide
BA-MC-V1M-36-DA	36" Adder	36 ¹ /2"	60"	48"	240 Lbs.	11 Cu Ft	\$ 7,082	angled solid hardwood trim creating a raised frame effect. All
BA-MC-V1M-48-DS		50"	60"	48"	410 Lbs.	16 Cu Ft	\$ 12,019	edges of panel frame and trim are eased.
BA-MC-V1M-48-DA	48" Adder	48 ¹ /2"	60"	48"	310 Lbs.	12 Cu Ft	\$ 7,362	5
			60"	48"			. ,	BACK PANEL:
								Back is constructed of 1 ¹ / ₁₆ " thick 3-ply particleboard core with
								plain sliced veneer both faces and the top edge is banded
								in all the second of the secon





	MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		1 Person PAC Table, V1 Acrylic:							WORK SURFACE:
	BA-PAC-1-V1A-29	Sitting Height	36"	36"	37"	130 Lbs.	12 Cu Ft	\$ 6,126	Tops are constructed of $1^{1}/4^{"}$ thick 3-ply particleboard core.
	BA-PAC-1-V1A-32	Wheelchair Accessible	36"	36"	40"	130 Lbs.	12 Cu Ft	\$ 6,234	Top surface is laminated with a .050" thick high pressure
	BA-PAC-1-V1A-39	Standing Height	36"	36"	47"	135 Lbs.	12 Cu Ft	\$ 6,522	plastic laminate sheet and bottom surface laminated with
									a backing sheet not less than .020" thick for balanced
									construction. Surrounding edges will be $1^{1}/4^{"}$ thick x $2^{1}/4^{"}$
									wide solid external hardwood knife profile with 1/2" rounded
									point and shall be mitered and radiused at corners.
									SUPERSTRUCTURE:
									Side panels constructed of ³ / ₄ " thick x 8" high solid hardwood
		2 Person PAC Table, V1 Acrylic:							and back panels constructed of 3/4" x 73/4" high veneer
	BA-PAC-2-V1A-29	Sitting Height	72"	36"	37"	200 Lbs.	23 Cu Ft	\$ 7,051	plywood core, top edge banded with 1/4" external hardwood.
	BA-PAC-2-V1A-32	Wheelchair Accessible	72"	36"	40"	200 Lbs.	23 Cu Ft	\$ 7,168	p-y
T	BA-PAC-2-V1A-39	Standing Height	72"	36"	47"	205 Lbs.	23 Cu Ft	\$ 7,478	END PANELS:
		3 3						,	Panel frame construction consists of two $1^{1}/2^{\circ}$ thick x $2^{5}/8^{\circ}$
									wide solid hardwood sides, $1^{1}/2^{1}$ thick x $3^{1}/2^{1}$ top member
•									and a $1^{1}/2^{\circ}$ thick x 5" wide bottom with a $2^{1}/2^{\circ}$ arched center.
									Center frame will be fitted with one horizontal and two vertical
									$1^{1}/2^{\circ}$ thick x 2" wide stile members, creating a rectangle and
									square motif design. All spaces are then fitted with ³ /8" thick
									frosted acrylic inserts. All edges of panel frame are eased.
		3 Person PAC Table, V1 Acrylic:							
	BA-PAC-3-V1A-29	Sitting Height	90"	36"	37"	250 Lbs.	28 Cu Ft	\$ 7,758	ELECTRICAL ACCESSORIES:
	BA-PAC-3-V1A-32	Wheelchair Accessible	90"	36"	40"	250 Lbs.	28 Cu Ft	\$ 7,867	Each seating position shall receive a 3" diameter black plastic
H-1	BA-PAC-3-V1A-39	Standing Height	90"	36"	47"	260 Lbs.	28 Cu Ft	\$ 8,194	grommet and a black metal j-channel for wire management.



MODEL NUMBER	PRODUCT	W	D	Н	W	/EIGHT	VOLUME	LIST PRICE	DESCRIPTION
BA-PAC-1-V1M-29 BA-PAC-1-V1M-32 BA-PAC-1-V1M-39	1 Person PAC Table, V1 Molding: Sitting Height Wheelchair Accessible Standing Height	36" 36" 36"	36" 36" 36"	37" 40" 47"	1.3	30 Lbs. 30 Lbs. 35 Lbs.	12 Cu Ft 12 Cu Ft 12 Cu Ft	\$ 6,747 \$ 6,864 \$ 7,159	WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 ¹ / ₄ " thick x 2 ¹ / ₄ " wide solid external hardwood knife profile with ¹ / ₂ " rounded point and shall be mitered and radiused at corners.
BA-PAC-2-V1M-29 BA-PAC-2-V1M-32 BA-PAC-2-V1M-39	2 Person PAC Table, V1 Molding: Sitting Height Wheelchair Accessible Standing Height	72" 72" 72"	36" 36" 36"	37" 40" 47"	20	00 Lbs. 00 Lbs. 05 Lbs.	23 Cu Ft 23 Cu Ft 23 Cu Ft	\$ 7,673 \$ 7,790 \$ 8,122	SUPERSTRUCTURE: Side panels constructed of ³ / ₄ " thick x 8" high solid hardwood and back panels constructed of ³ / ₄ " x 7 ³ / ₄ " high veneer plywood core, top edge banded with ¹ / ₄ " external hardwood. END PANELS: Panel frame construction consists of a 1 ¹ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces, two 1 ¹ / ₂ " thick x 2 ⁵ / ₈ " wide solid hardwood sides, 1 ¹ / ₂ " thick x 3 ¹ / ₂ " top member and a 1 ¹ / ₂ " thick x 5" wide bottom with a 2 ¹ / ₂ " arched center. Center frame will be fitted with one
BA-PAC-3-V1M-29 BA-PAC-3-V1M-32 BA-PAC-3-V1M-39	3 Person PAC Table, V1 Molding: Sitting Height Wheelchair Accessible Standing Height	90" 90" 90"	36" 36" 36"	37" 40" 47"	25	50 Lbs. 50 Lbs. 60 Lbs.	28 Cu Ft 28 Cu Ft 28 Cu Ft	\$ 8,372 \$ 8,496 \$ 8,838	horizontal and two vertical ¹ / ₂ " thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with ⁷ / ₁₆ " thick x ³ / ₄ " wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased. ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.





MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
BA-R36	Round Reading Table	36" Dia.		29"	70 Lbs.	4 Cu Ft	\$ 3,157	WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core.
BA-R42		42" Dia.		29"	90 Lbs.	5 Cu Ft	\$ 3,490	Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with
BA-R48		48" Dia.		29"	100 Lbs.	6 Cu Ft	\$ 3,700	a backing sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 ¹ / ₄ " thick x 2 ¹ / ₄ " wide solid external hardwood knife profile with ¹ / ₂ " rounded point and shall be mitered and radiused at corners.
BA-3636	Square Reading Table	36"	36"	29"	70 Lbs.	4 Cu Ft	\$ 3,575	APRON:
BA-4242		42"	42"	29"	90 Lbs.	6 Cu Ft	\$ 3,965	Apron rails for circular and square tables are $^{3}/_{4}$ " thick x $3^{3}/_{8}$ " wide solid hardwood and mechanically fasted between legs.
BA-4848		48"	48"	29"	100 Lbs.	6 Cu Ft	\$ 4,143	WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.





MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
BA-V1A-6036	Rectangle Reading Table	60"	36"	29"	175 Lbs.	9 Cu Ft	\$ 6,461	WORK SURFACE:
BA-V1A-6042	Version 1A – Acrylic	60"	42"	29"	160 Lbs.	7 Cu Ft	\$ 6,723	Tops are constructed of $1^{1}/4^{\circ}$ thick 3-ply particleboard core.
BA-V1A-6048		60"	48"	29"	230 Lbs.	9 Cu Ft	\$ 6,989	Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with
BA-V1A-7236		72"	36"	29"	190 Lbs.	8 Cu Ft	\$ 6,732	a backing sheet not less than .020" thick for balanced
BA-V1A-7242		72"	42"	29"	215 Lbs.	10 Cu Ft	\$ 7,003	construction. Surrounding edges will be $1^{1}/4^{\circ}$ thick x $2^{1}/4^{\circ}$
BA-V1A-7248		72"	48"	29"	230 Lbs.	10 Cu Ft	\$ 7,284	wide solid external hardwood knife profile with ¹ / ₂ " rounded point and shall be mitered and radiused at corners.
BA-V1A-8436		84"	36"	29"	230 Lbs.	8 Cu Ft	\$ 7,003	
BA-V1A-8442		84"	42"	29"	245 Lbs.	9 Cu Ft	\$ 7,292	END PANELS:
BA-V1A-8448		84"	48"	29"	290 Lbs.	10 Cu Ft	\$ 7,573	Version 1A: Panel frame construction consists of two $1^{1}/2^{"}$ thick x $2^{5}/8^{"}$ wide solid hardwood sides, $1^{1}/2^{"}$ thick x $3^{1}/2^{"}$
BA-V1A-9636		96"	36"	29"	290 Lbs.	10 Cu Ft	\$ 7,276	top member and a $1^{1}/2^{\circ}$ thick x 5" wide bottom with a $2^{1}/2^{\circ}$
BA-V1A-9642		96"	42"	29"	310 Lbs.	12 Cu Ft	\$ 7,573	arched center. Center frame will be fitted with one horizontal
BA-V1A-9648		96"	48"	29"	320 Lbs.	12 Cu Ft	\$ 7,867	and three vertical $1^{1}/2^{"}$ thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then fitted with $3/8^{"}$ thick frosted acrylic inserts. All edges of panel frame
B A-V1M-6036	Rectangle Reading Table	60"	36"	29"	175 Lbs.	9 Cu Ft	\$ 6,747	are eased.
BA-V1M-6042	Version 1M – Molding	60"	42"	29"	160 Lbs.	7 Cu Ft	\$ 7,028	Version 1M: Panel frame construction consists of a 1 ¹ / ₁₆ " thick
BA-V1M-6048	J	60"	48"	29"	230 Lbs.	9 Cu Ft	\$ 7,750	3-ply particleboard core with plain sliced veneer both faces, two $1^{1}/2^{\circ}$ thick x $2^{5}/8^{\circ}$ wide solid hardwood sides, $1^{1}/2^{\circ}$ thick
BA-V1M-7236		72"	36"	29"	190 Lbs.	8 Cu Ft	\$ 7,020	$x 3^{1}/2$ " top member and a $1^{1}/2$ " thick $x 5$ " wide bottom with
BA-V1M-7242		72"	42"	29"	215 Lbs.	10 Cu Ft	\$ 7,314	a 21/2" arched center. Center frame will be fitted with one
BA-V1M-7248		72"	48"	29"	230 Lbs.	10 Cu Ft	\$ 8,045	horizontal and three vertical ¹ / ₂ " thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are
BA-V1M-8436		84"	36"	29"	230 Lbs.	8 Cu Ft	\$ 7,292	then miter framed with 7/16" thick x 3/4" wide angled solid
BA-V1M-8442		84"	42"	29"	245 Lbs.	9 Cu Ft	\$ 7,593	hardwood trim creating a raised frame effect. All edges of
BA-V1M-8448		84"	48"	29"	290 Lbs.	10 Cu Ft	\$ 8,333	panel frame and trim are eased. Version 1S: Panel frame construction consists of a 1 ¹ /16" thick
BA-V1M-9636		96"	36"	29"	290 Lbs.	10 Cu Ft	\$ 7,562	3-ply particleboard core with plain sliced veneer both faces,
BA-V1M-9642		96"	42"	29"	310 Lbs.	12 Cu Ft	\$ 7,874	two $1^{1}/2^{\circ}$ thick x $2^{5}/8^{\circ}$ wide solid hardwood sides, $1^{1}/2^{\circ}$ thick
BA-V1M-9648		96"	48"	29"	320 Lbs.	12 Cu Ft	\$ 8,628	x $3^{1}/2^{n}$ top member and a $1^{1}/2^{n}$ thick x 5" wide bottom with a $2^{1}/2^{n}$ arched center. Center frame will be fitted with one horizontal and three vertical $1^{1}/2^{n}$ thick x 2" wide stile members, creating a rectangle and square motif design. All edges of panel frame are eased.



are eased.

MODEL NUMBER	PRODUCT	W	D	н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
EL-AS	Atlas Stand	30 ¹ /2"	29"	44 ¹ /2"	260 Lbs.	30 Cu Ft	\$ 5,106	TOP: Sloped top is constructed of $^3/_4$ " particleboard core with plastic laminate surfaces and fitted with a wood book rail $^5/_8$ " thick x $^5/_8$ " wide.
								CONSTRUCTION ASSEMBLY: Cabinet construction consists of a ³ / ₄ " thick 3-ply particleboard core back with plain sliced veneer both faces, five ³ / ₄ " thick 3-ply particleboard core pull-out shelves with ³ / ₄ " thick x 1 ³ / ₄ " high solid wood retainer lip operating on bottom mounted single extension drawer runners.
								END PANELS: Panel frame construction consists of a 1 ³ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a ¹ / ₄ " thick solid hardwood. Panels are fitted with two ¹ / ₂ " wide horizontal decorative metal bars spaced 5" apart. All edges of panel frame





 MODEL NUMBER	PRODUCT	W	D	н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
EL-DC	Dictionary Stand	27 ¹ /2"	21"	441/4"	180 Lbs.	20 Cu Ft	\$ 3,756	TOP: Sloped top is constructed of $^3/_4$ " particleboard core with plastic laminate surfaces and fitted with a wood book rail $^5/_8$ " thick x $^5/_8$ " wide.
								CONSTRUCTION ASSEMBLY: Cabinet construction consists of a ³ / ₄ " thick 3-ply particleboard core back with plain sliced veneer both faces, a ³ / ₄ " thick 3-ply particleboard core adjustable shelf and a ³ / ₄ " thick 3-ply particleboard core fixed bottom shelf with ³ / ₄ " thick x 1 ³ / ₄ " high solid wood drop edge.
								END PANELS: Panel frame construction consists of a 1 ³ /16" thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a ¹ /4" thick solid hardwood. Panels are fitted with two ¹ /2" wide horizontal decorative metal bars spaced 5" apart. All edges of panel frame are eased.



Back is constructed of 1³/16" thick 3-ply particleboard core with plain sliced veneer both faces, ¹/4" solid hardwood at top and

Shelf construction consists of ³/₄" thick 3-ply particleboard core with plain sliced veneer both faces and the front edge is banded with a ¹/₄" solid external edge. Shelf is 9" deep

positioned 16¹/₄" above the work surface.

bottom with eased edges.

TOP SHELF:



MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
EL-MC-36-SS EL-MC-36-SA EL-MC-48-SS EL-MC-48-SA	Single Face Modular Carrels: 36" Starter 36" Adder 48" Starter 48" Adder	37 ¹ /2" 36 ¹ /4" 49 ¹ /2" 48 ¹ /4"	31" 31" 31" 31"	48" 48" 48" 48"	340 Lbs. 165 Lbs. 370 Lbs. 200 Lbs.	11 Cu Ft 11 Cu Ft 11 Cu Ft 11 Cu Ft	\$ 3,593 \$ 2,868 \$ 3,686 \$ 2,961	WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is ¹ / ₄ " thick x 1 ¹ / ₄ " high solid external hardwood with edges eased. Work surface is 28" deep x 29" high.
EL-MC-36-DS EL-MC-36-DA EL-MC-48-DS EL-MC-48-DA	Double Face Modular Carrels: 36" Starter 36" Adder 48" Starter 48" Adder	37 ¹ /2" 36 ¹ /4" 49 ¹ /2" 48 ¹ /4"	59 ¹ /2" 59 ¹ /2" 59 ¹ /2" 59 ¹ /2"	48" 48" 48" 48"	715 Lbs. 250 Lbs. 715 Lbs. 310 Lbs.	22 Cu Ft 22 Cu Ft 22 Cu Ft 22 Cu Ft	\$ 5,231 \$ 3,880 \$ 5,380 \$ 4,027	END PANELS: Panel frame construction consists of a 1 ³ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a ¹ / ₄ " thick solid hardwood. Panels are fitted with two ¹ / ₂ " wide horizontal decorative metal bars spaced 5" apart. All edges of panel frame are eased. INTERMEDIATE PANELS Panels are constructed of 1 ³ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces, ¹ / ₄ " solid hardwood framed on four sides with all edges eased.
								BACK PANEL:



bottom with eased edges.

positioned 21" above the floor.

Shelf construction consists of ³/₄" thick 3-ply particleboard core with plain sliced veneer both faces and the front edge is banded with a ¹/₄" solid external edge. Shelf is 12" deep

BOTTOM SHELF:

MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
í	Single Face Reference Carrels:							WORK SURFACE:
EL-RC-36-SS	36" Starter	37 ¹ /2"	31"	48"	340 Lbs.	11 Cu Ft	\$ 3,801	Tops are constructed of 1 1/4" thick 3-ply particleboard core.
EL-RC-36-SA	36" Adder	36 ¹ / ₄ "	31"	48"	165 Lbs.	11 Cu Ft	\$ 3,001	Top surface is laminated with a .050" thick high pressure
EL-RC-48-SS	48" Starter	49 ¹ / ₂ "	31"	48"	370 Lbs.	11 Cu Ft	\$ 3,887	plastic laminate sheet and bottom surface laminated with
EL-RC-48-SA	48" Adder	48 ¹ /4"	31"	48"	200 Lbs.	11 Cu Ft	\$ 3,164	a backing sheet not less than .020" thick for balanced construction. Front work surface edge is ¹ / ₄ " thick x 1 ¹ / ₄ " high solid external hardwood with edges eased. Tops will be set back from the back panel 2" to provide a wire drop and will be fitted with a retainer lip. Work surface is 26" deep and is adjustable at four increments 39", 32", 29" and 27" high.
EL-RC-36-DS EL-RC-36-DA EL-RC-48-DS EL-RC-48-DA	Double Face Reference Carrels: 36" Starter 36" Adder 48" Starter 48" Adder	37 ¹ /2" 36 ¹ /4" 49 ¹ /2" 48 ¹ /4"	59 ¹ /2" 59 ¹ /2" 59 ¹ /2" 59 ¹ /2"	48" 48" 48" 48"	715 Lbs. 250 Lbs. 715 Lbs. 310 Lbs.	22 Cu Ft 22 Cu Ft 22 Cu Ft 22 Cu Ft	\$ 5,644 \$ 4,292 \$ 5,791 \$ 4,439	END PANELS: Panel frame construction consists of a 1 ³ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a ¹ / ₄ " thick solid hardwood. Panels are fitted with two ¹ / ₂ " wide horizontal decorative metal bars spaced 5" apart. All edges of panel frame are eased.
								INTERMEDIATE PANELS Panels are constructed of 1 ³ /16" thick 3-ply particleboard core with plain sliced veneer both faces, ¹ /4" solid hardwood framed on four sides with all edges eased.
								BACK PANEL: Back is constructed of 1 ³ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces, ¹ / ₄ " solid hardwood at top and





MODEL NUMBER	PRODUCT W	/ D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	1 Person PAC Tables:						WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core.
EL-PAC-1-29-W	Sitting Height, Wood Divider 36	6" 36'	' 37"	65 Lbs.	10 Cu Ft	\$ 4,493	Top surface is laminated with a .050" thick high pressure
EL-PAC-1-29-A	Sitting Height, Acrylic Divider 36			65 Lbs.	10 Cu Ft	\$ 4,727	plastic laminate sheet and bottom surface laminated with
LLT//CTZ///	Sitting Fleight, Acrylic Divider Se	5	31	05 283.	TO CUTE	7 1,727	a backing sheet not less than .020" thick for balanced
EL-PAC-1-32-W	Wheelchair Height, Wood Divider 36	6" 36'	40"	65 Lbs.	10 Cu Ft	\$ 4,563	construction. Surrounding edges will be banded with a 1/2"
EL-PAC-1-32-A	Wheelchair Height, Acrylic Divider 36			65 Lbs.	10 Cu Ft	\$ 4,797	thick x 1 ¹ /2" solid hardwood external edge. All edges are
						+ .,	eased.
EL-PAC-1-39-W	Standing Height, Wood Divider 36	6" 36'	47"	67 Lbs.	10 Cu Ft	\$ 4,609	
EL-PAC-1-39-A	Standing Height, Acrylic Divider 36			67 Lbs.	10 Cu Ft	\$ 4,851	TABLE TOP SUPPORTS:
	5 5 , 3						All tables 60" and longer will be fitted with a v-shaped, 14
							gauge steel keel. All tables 48" wide and 60" long and longe
							will be fitted with two parallel steel keels.
	2 Person (1 Place Back to Back) PAC Tables:						LEG ASSEMBLY: Legs are $2^3/8$ " x $2^3/8$ " glued up solid stock. The two inside edges are tapered down to $1^1/2$ " x $1^1/2$ ". The leg is attached to a 5" x 5" x $1^1/4$ " thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leg.
EL-PAC-1D-29-W	Sitting Height, Wood Divider 36	6" 48'	37"	65 Lbs.	10 Cu Ft	\$ 4,671	Two steel decorative angle bars are attached to the upper
EL-PAC-1 D-29-A	Sitting Height, Acrylic Divider 36			65 Lbs.	10 Cu Ft	\$ 4,968	outside corners of the leg spaced 5" apart. Plate and leg
	5 5 , ,					. ,	assembly shall be mounted to the underside of the table top
EL-PAC-1D-32-W	Wheelchair Height, Wood Divider 36	6" 48'	40"	65 Lbs.	10 Cu Ft	\$ 4,741	by means of threaded inserts embedded in the underside of
EL-PAC-1D-32-A	Wheelchair Height, Acrylic Divider 36		40"	65 Lbs.	10 Cu Ft	\$ 5,038	the top. Inserts are capable of receiving machine bolts.
EL-PAC-1D-39-W	Standing Height, Wood Divider 36	6" 48'	47"	67 Lbs.	10 Cu Ft	\$ 4,867	WOOD DIVIDERS:
EL-PAC-1D-39-A	Standing Height, Acrylic Divider 36			67 Lbs.	10 Cu Ft	\$ 5,162	Sloped side dividers constructed of ³ / ₄ " thick x 8" high solid hardwood and back divider constructed of ³ / ₄ " x 7 ³ / ₄ " high veneer particleboard, top edge banded with ¹ / ₄ " external hardwood.
							ACRYLIC DIVIDERS: Sloped side panels and rectangular back divider consisting of ¹ / ₄ " thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
							WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
							ELECTRICAL ACCESSORIES:



Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.



 MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	2 Person PAC Tables:							WORK SURFACE:
ì								Tops are constructed of $1^{1}/4^{\circ}$ thick 3-ply particleboard core.
EL-PAC-2-29-W	3 3	72"	36"	37"	100 Lbs.	21 Cu Ft	\$ 5,014	Top surface is laminated with a .050" thick high pressure
EL-PAC-2-29-A	Sitting Height, Acrylic Divider	72"	36"	37"	100 Lbs.	21 Cu Ft	\$ 5,752	plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced
EL-PAC-2-32-W	Wheelchair Height, Wood Divider	72"	36"	40"	100 Lbs.	21 Cu Ft	\$ 5,085	construction. Surrounding edges will be banded with a 1/2"
EL-PAC-2-32-A	Wheelchair Height, Acrylic Divider	72"	36"	40"	100 Lbs.	21 Cu Ft	\$ 5,821	thick x $1^{1}/2^{"}$ solid hardwood external edge. All edges are eased.
EL-PAC-2-39-W	Standing Height, Wood Divider	72"	36"	47"	100 Lbs.	21 Cu Ft	\$ 5,247	
EL-PAC-2-39-A	Standing Height, Acrylic Divider	72"	36"	47"	100 Lbs.	21 Cu Ft	\$ 5,986	TABLE TOP SUPPORTS: All tables 60" and longer will be fitted with a v-shaped, 14 gauge steel keel. All tables 48" wide and 60" long and longer will be fitted with two parallel steel keels.
7	4 Person (2 Place Back to Back) PAC Tables:							LEG ASSEMBLY: Legs are $2^3/8$ " x $2^3/8$ " glued up solid stock. The two inside edges are tapered down to $1^1/2$ " x $1^1/2$ ". The leg is attached to a 5" x 5" x $1/4$ " thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leg.
EL-PAC-2D-29-W	Sitting Height, Wood Divider	72"	48"	37"	100 Lbs.	21 Cu Ft	\$ 5,644	Two steel decorative angle bars are attached to the upper
EL-PAC-2D-29-A	Sitting Height, Acrylic Divider	72"	48"	37"	100 Lbs.	21 Cu Ft	\$ 6,234	outside corners of the leg spaced 5" apart. Plate and leg assembly shall be mounted to the underside of the table top
EL-PAC-2D-32-W	Wheelchair Height, Wood Divider		48"	40"	100 Lbs.	21 Cu Ft	\$ 5,714	by means of threaded inserts embedded in the underside of
EL-PAC-2D-32-A	Wheelchair Height, Acrylic Divider	72"	48"	40"	100 Lbs.	21 Cu Ft	\$ 6,304	the top. Inserts are capable of receiving machine bolts.
EL-PAC-2D-39-W	Standing Height, Wood Divider	72"	48"	47"	100 Lbs.	21 Cu Ft	\$ 5,831	WOOD DIVIDERS:
EL-PAC-2D-39-A	Standing Height, Acrylic Divider		48"	47"	100 Lbs.	21 Cu Ft	\$ 6,422	Sloped side dividers constructed of ³ / ₄ " thick x 8" high solid hardwood and back divider constructed of ³ / ₄ " x 7 ³ / ₄ " high veneer particleboard, top edge banded with ¹ / ₄ " external hardwood.
								ACRYLIC DIVIDERS: Sloped side panels and rectangular back divider consisting of ¹ / ₄ " thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
								WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
								ELECTRICAL ACCESSORIES:



Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.



MODEL NUMBER	PRODUCT	W	D	н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
EL-PAC-3-29-W EL-PAC-3-29-A	3 Person PAC Tables: Sitting Height, Wood Divider Sitting Height, Acrylic Divider	90" 90"	36" 36"	37" 37"	110 Lbs. 110 Lbs.	26 Cu Ft 26 Cu Ft	\$ 5,293 \$ 6,568	WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with
EL-PAC-3-32-W EL-PAC-3-32-A	Wheelchair Height, Wood Divide Wheelchair Height, Acrylic Divide		36" 36"	40" 40"	110 Lbs. 110 Lbs.	26 Cu Ft 26 Cu Ft	\$ 5,364 \$ 6,639	a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be banded with a ¹ /2" thick x 1 ¹ /2" solid hardwood external edge. All edges are
EL-PAC-3-39-W EL-PAC-3-39-A	Standing Height, Wood Divider Standing Height, Acrylic Divider		36" 36"	47" 47"	114 Lbs. 114 Lbs.	26 Cu Ft 26 Cu Ft	\$ 5,635 \$ 6,903	eased. TABLE TOP SUPPORTS: All tables 60" and longer will be fitted with a v-shaped, 14 gauge steel keel. All tables 48" wide and 60" long and longer will be fitted with two parallel steel keels.
	6 Person (3 Place Back to Back) PAC Tables:							LEG ASSEMBLY: Legs are $2^3/8$ " x $2^3/8$ " glued up solid stock. The two inside edges are tapered down to $1^1/2$ " x $1^1/2$ ". The leg is attached to a 5" x 5" x $1^1/4$ " thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leg.
EL-PAC-3D-29-W EL-PAC-3D-29-A	Sitting Height, Wood Divider Sitting Height, Acrylic Divider	90" 90"	48" 48"	37" 37"	110 Lbs. 110 Lbs.	26 Cu Ft 26 Cu Ft	\$ 6,033 \$ 7,168	Two steel decorative angle bars are attached to the upper outside corners of the leg spaced 5" apart. Plate and leg assembly shall be mounted to the underside of the table top
EL-PAC-3D-32-W EL-PAC-3D-32-A	Wheelchair Height, Wood Divide Wheelchair Height, Acrylic Divide		48" 48"	40" 40"	110 Lbs. 110 Lbs.	26 Cu Ft 26 Cu Ft	\$ 6,102 \$ 7,238	by means of threaded inserts embedded in the underside of the top. Inserts are capable of receiving machine bolts.
EL-PAC-3D-39-W EL-PAC-3D-39-A	Standing Height, Wood Divider Standing Height, Acrylic Divider	90" 90"	48" 48"	47" 47"	114 Lbs. 114 Lbs.	26 Cu Ft 26 Cu Ft	\$ 6,328 \$ 7,462	WOOD DIVIDERS: Sloped side dividers constructed of ³ / ₄ " thick x 8" high solid hardwood and back divider constructed of ³ / ₄ " x 7 ³ / ₄ " high veneer particleboard, top edge banded with ¹ / ₄ " external hardwood.
								ACRYLIC DIVIDERS: Sloped side panels and rectangular back divider consisting of ¹ / ₄ " thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
								WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.



ELECTRICAL ACCESSORIES:

Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.



MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	1 Person PAC Tables, Panel Base:							WORK SURFACE:
EL-PAC-1-PB-29-W	Sitting Height, Wood Divider	36"	36"	37"	65 Lbs.	10 Cu Ft	\$ 3,444	Tops are constructed of $1^{1}/4^{\circ}$ thick 3-ply particleboard core. Top surface is laminated with a .050° thick high pressure
EL-PAC-1-PB-29-A	Sitting Height, Acrylic Divider	36"	36"	37"	65 Lbs.	10 Cu Ft	\$ 3,903	plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced
EL-PAC-1-PB-32-W	Wheelchair Height, Wood Divider		36"	40"	65 Lbs.	10 Cu Ft	\$ 3,458	construction. Front work surface edge is 1/4" thick x 11/4" high
EL-PAC-1-PB-32-A	Wheelchair Height, Acrylic Divider	36"	36"	40"	65 Lbs.	10 Cu Ft	\$ 3,918	solid external hardwood with edges eased.
EL-PAC-1-PB-39-W	Standing Height, Wood Divider		36"	47"	67 Lbs.	10 Cu Ft	\$ 3,514	TABLE TOP SUPPORTS:
EL-PAC-1-PB-39-A	Standing Height, Acrylic Divider	36"	36"	47"	67 Lbs.	10 Cu Ft	\$ 3,973	All tables will be fitted with a 1" thick x 6" high 3-ply particleboard core wood keel. All tables 48" wide and 60" long and longer will be fitted with two parallel wood keels.
	2 Person (1 Place Back to Back) PAC Tables, Panel Base:							END PANELS: Panel frame construction consists of a 1 ³ /16" thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a ¹ /4" thick solid hardwood. Panels are fitted with two ¹ /2" wide horizontal decorative metal bars spaced 5" apart. All edges of panel
EL-PAC-1D-PB-29-V	W Sitting Height, Wood Divider	36"	48"	37"	65 Lbs.	10 Cu Ft	\$ 3,980	frame are eased.
EL-PAC-1D-PB-29-A	A Sitting Height, Acrylic Divider	36"	48"	37"	65 Lbs.	10 Cu Ft	\$ 4,493	WOOD DIVIDEDS
FL-PAC-1D-PB-32-V	W Wheelchair Height, Wood Divider	36"	48"	40"	65 Lbs.	10 Cu Ft	\$ 4,004	WOOD DIVIDERS: Sloped side dividers constructed of ³ / ₄ " thick x 8" high solid
	Wheelchair Height, Acrylic Divider		48"	40"	65 Lbs.	10 Cu Ft	\$ 4,516	hardwood and back divider constructed of ³ / ₄ " x 7 ³ / ₄ " high veneer particleboard, top edge banded with ¹ / ₄ " external
EL-PAC-1D-PB-39-V	W Standing Height, Wood Divider	36"	48"	47"	67 Lbs.	10 Cu Ft	\$ 4,042	hardwood.
EL-PAC-1 D-PB-39-A	A Standing Height, Acrylic Divider	36"	48"	47"	67 Lbs.	10 Cu Ft	\$ 4,563	ACRYLIC DIVIDERS: Sloped side panels and rectangular back divider consisting of ¹ / ₄ " thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
								WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
								ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grammat and a black motal is channel for wire management.



grommet and a black metal j-channel for wire management.

MODEL							LICT	
 MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	2 Person PAC Tables, Panel Base:							WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core.
EL-PAC-2-PB-29-W	Sitting Height, Wood Divider	72"	36"	37"	100 Lbs.	21 Cu Ft	\$ 3,770	Top surface is laminated with a .050" thick high pressure
EL-PAC-2-PB-29-A	Sitting Height, Acrylic Divider	72"	36"	37"	100 Lbs.	21 Cu Ft	\$ 4,727	plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced
EL-PAC-2-PB-32-W	Wheelchair Height, Wood Divide		36"	40"	100 Lbs.	21 Cu Ft	\$ 3,786	construction. Front work surface edge is $^{1}/_{4}$ " thick x $1^{1}/_{4}$ " high
EL-PAC-2-PB-32-A	Wheelchair Height, Acrylic Divide	r72"	36"	40"	100 Lbs.	21 Cu Ft	\$ 4,741	solid external hardwood with edges eased.
EL-PAC-2-PB-39-W	Standing Height, Wood Divider	72"	36"	47"	100 Lbs.	21 Cu Ft	\$ 3,832	TABLE TOP SUPPORTS:
EL-PAC-2-PB-39-A	Standing Height, Acrylic Divider	72"	36"	47"	100 Lbs.	21 Cu Ft	\$ 4,797	All tables will be fitted with a 1" thick x 6" high 3-ply
								particleboard core wood keel. All tables 48" wide and 60" long and longer will be fitted with two parallel wood keels.
								END PANELS: Panel frame construction consists of a 1 ³ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces and
I	4 Person (2 Place Back to Back) PAC Tables, Panel Base:							externally banded on all four sides with a 1/4" thick solid hardwood. Panels are fitted with two 1/2" wide horizontal
EL-PAC-2D-PB-29-W	/ Sitting Height, Wood Divider	72"	48"	37"	100 Lbs.	21 Cu Ft	\$ 4,416	decorative metal bars spaced 5" apart. All edges of panel frame are eased.
EL-PAC-2D-PB-29-A	5 5 .	72"	48"	37"	100 Lbs.	21 Cu Ft	\$ 5,480	name are cased.
	2	, _		<i>.</i>	. 0 0 2.0 5.	2. 00	Ų 3,100	WOOD DIVIDERS:
EL-PAC-2D-PB-32-W	/ Wheelchair Height, Wood Divide	r 72"	48"	40"	100 Lbs.	21 Cu Ft	\$ 4,439	Sloped side dividers constructed of $^{3}/_{4}$ " thick x 8" high solid
EL-PAC-2D-PB-32-A	Wheelchair Height, Acrylic Divide	r72"	48"	40"	100 Lbs.	21 Cu Ft	\$ 5,504	hardwood and back divider constructed of ³ /4" x 7 ³ /4" high veneer particleboard, top edge banded with ¹ /4" external
EL-PAC-2D-PB-39-W	/ Standing Height, Wood Divider	72"	48"	47"	100 Lbs.	21 Cu Ft	\$ 4,485	hardwood.
EL-PAC-2D-PB-39-A	Standing Height, Acrylic Divider	72"	48"	47"	100 Lbs.	21 Cu Ft	\$ 5,543	
								ACRYLIC DIVIDERS:
								Sloped side panels and rectangular back divider consisting
								of 1 /4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
								WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
								ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.





MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
>	3 Person PAC Tables, Panel Base:							WORK SURFACE:
EL-PAC-3-PB-29-W	Sitting Height, Wood Divider	90"	36"	37"	110 Lbs.	26 Cu Ft	\$ 4,011	Tops are constructed of 1 ¹ /4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure
EL-PAC-3-PB-29-A	Sitting Height, Wood Divider	90"	36"	37"	110 Lbs.	26 Cu Ft	\$ 5,504	plastic laminate sheet and bottom surface laminated with
LL-171C-5-1 D-27-11	Sitting Fielgrit, Aerylic Divider	70	30	57	110 Lb3.	20 Cu i t	١ ٥٠, ٥ ډ	a backing sheet not less than .020" thick for balanced
EL-PAC-3-PB-32-W	Wheelchair Height, Wood Divide	er 90"	36"	40"	110 Lbs.	26 Cu Ft	\$ 4,018	construction. Front work surface edge is $1/4$ " thick x $1^1/4$ " high
EL-PAC-3-PB-32-A	Wheelchair Height, Acrylic Divide		36"	40"	110 Lbs.	26 Cu Ft	\$ 5,511	solid external hardwood with edges eased.
								S .
EL-PAC-3-PB-39-W	Standing Height, Wood Divider		36"	47"	114 Lbs.	26 Cu Ft	\$ 4,073	TABLE TOP SUPPORTS:
EL-PAC-3-PB-39-A	Standing Height, Acrylic Divider	90"	36"	47"	114 Lbs.	26 Cu Ft	\$ 5,565	All tables will be fitted with a 1" thick x 6" high 3-ply
								particleboard core wood keel. All tables 48" wide and 60" long
								and longer will be fitted with two parallel wood keels.
	6 Person (3 Place Back to Back) PAC Tables, Panel Base:							END PANELS: Panel frame construction consists of a 1 ³ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a ¹ / ₄ " thick solid hardwood. Panels are fitted with two ¹ / ₂ " wide horizontal decorative metal bars spaced 5" apart. All edges of panel
EL-PAC-3D-PB-29-W	/ Sitting Height, Wood Divider	90"	48"	37"	110 Lbs.	26 Cu Ft	\$ 5,014	frame are eased.
EL-PAC-3D-PB-29-A	5 5	90"	48"	37"	110 Lbs.	26 Cu Ft	\$ 6,592	The time can be caused.
	5 5 , 5						. ,	WOOD DIVIDERS:
EL-PAC-3D-PB-32-W	Wheelchair Height, Wood Divide	er 90"	48"	40"	110 Lbs.	26 Cu Ft	\$ 5,038	Sloped side dividers constructed of 3/4" thick x 8" high solid
EL-PAC-3D-PB-32-A	Wheelchair Height, Acrylic Divide	er 90"	48"	40"	110 Lbs.	26 Cu Ft	\$ 6,616	hardwood and back divider constructed of ³ / ₄ " x 7 ³ / ₄ " high
								veneer particleboard, top edge banded with 1/4" external
	/ Standing Height, Wood Divider		48"	47"	114 Lbs.	26 Cu Ft	\$ 5,085	hardwood.
EL-PAC-3D-PB-39-A	Standing Height, Acrylic Divider	90"	48"	47"	114 Lbs.	26 Cu Ft	\$ 6,655	
								ACRYLIC DIVIDERS:
								Sloped side panels and rectangular back divider consisting
								of ¹ / ₄ " thick x 8" high frosted acrylic complete with diameter
								brushed steel stand-off.
								WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
								ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.



MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
EL-R36 EL-R42 EL-R48 EL-R60	Round Reading Tables	36" 42" 48" 60"	36" 42" 48" 60"	29" 29" 29" 29"	90 Lbs. 90 Lbs. 100 Lbs. 155 Lbs.	8 Cu Ft 8 Cu Ft 10 Cu Ft 10 Cu Ft	\$ 3,568 \$ 3,670 \$ 3,770 \$ 4,339	WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be banded with a ¹ / ₂ " thick x 1 ¹ / ₂ " solid hardwood external edge. All edges are eased.
EL-4242 EL-4848	Square ReadingTables	42" 48"	42" 48"	29" 29"	170 Lbs. 230 Lbs.	8 Cu Ft 10 Cu Ft	\$ 3,593 \$ 3,686	TABLE TOP SUPPORTS: All tables 60" and longer will be fitted with a v-shaped, 14 gauge steel keel. All tables 48" wide and 60" long and longer will be fitted with two parallel steel keels.
E L-6036	40" Wide Pectangle	60"	36"	70"	200 Lbs.	10 Cu Ft	\$ 3,817	LEG ASSEMBLY: Legs are 2 ³ / ₈ " x 2 ³ / ₈ " glued up solid stock. The two inside edges are tapered down to 1 ¹ / ₂ " x 1 ¹ / ₂ ". The leg is attached to a 5" x 5" x ¹ / ₄ " thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leg. Two steel decorative angle bars are attached to the upper
EL-6048	60" Wide Rectangle Reading Tables	60"	48"	29" 29"	270 Lbs.	13 Cu Ft	\$ 4,042	outside corners of the leg spaced 5" apart. Plate and leg assembly shall be mounted to the underside of the table top by means of threaded inserts embedded in the underside of
EL-7236 EL-7248	72" Wide Rectangle Reading Tables	72" 72"	36" 48"	29" 29"	230 Lbs. 290 Lbs.	12 Cu Ft 15 Cu Ft	\$ 3,918 \$ 4,158	the top. Inserts are capable of receiving machine bolts. WORK SURFACE HEIGHT:
EL-8436 EL-8448	84" Wide Rectangle Reading Tables	84" 84"	36" 48"	29" 29"	290 Lbs. 290 Lbs.	13 Cu Ft 18 Cu Ft	\$ 4,018 \$ 4,283	Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
EL-9636 EL-9648	96" Wide Rectangle Reading Tables	96" 96"	36" 48"	29" 29"	290 Lbs. 340 Lbs.	15 Cu Ft 20 Cu Ft	\$ 4,111 \$ 4,400	



MODEL NUMBER	PRODUCT	W	D	Н
50.00		248	201	40.0
FS-AS	Atlas Stand	31"	28"	43"

WEIGHT	VOLUME	PRICE
170 Lbs.	32 Cu Ft	\$ 5,223

LIST

TOP:

DESCRIPTION

Sloped top is constructed of $1^{1}/4^{"}$ thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be banded with a $^{3}/_{4}$ " wide x $1^{1}/_{4}$ " thick solid hardwood external edge, mitered and radiused to $^{1}/_{2}$ " at the top and eased at the bottom and fitted with a wood book rail $^{5}/_{8}$ " thick x $^{5}/_{8}$ " wide.

CONSTRUCTION ASSEMBLY:

Cabinet construction consists of a $^3/4$ " thick 3-ply particleboard core sides with plain sliced veneer both faces, a $^1/2$ " thick back, five $^3/4$ " thick 3-ply particleboard core pull-out shelves with $^3/4$ " thick x $1^3/4$ " high solid wood retainer lip operating on bottom mounted single extension drawer runners.

END PANELS:

Panel construction consists of a $1^{1}/16^{\circ}$ thick 3-ply particleboard core with plain sliced veneer both faces and $^{1}/4^{\circ}$ thick solid top and bottom edge. Front and back edge machined to receive $1^{1}/2^{\circ}$ x $1^{1}/2^{\circ}$ tubular, 16 gauge steel posts.



MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
FS-DC	Dictionary Stand	263/4"	19"	42"	70 Lbs.	15 Cu Ft	\$ 3,717	TOP: Sloped top is constructed of 1 ¹ /4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be banded with a ³ /4" wide x 1 ¹ /4" thick solid hardwood external edge, mitered and radiused to ¹ /2" at the top and eased at the bottom and fitted with a wood book rail ⁵ /8" thick x ⁵ /8" wide. CONSTRUCTION ASSEMBLY: Cabinet construction consists of ³ /4" thick 3-ply particleboard core sides with plain sliced veneer both faces, a ¹ /4" thick back, a ³ /4" thick 3-ply particleboard core adjustable shelf and a 1 ¹ /16" thick 3-ply particleboard core bottom. END PANELS: Panel construction consists of a 1 ¹ /16" thick 3-ply particleboard core with plain sliced veneer both faces and ¹ /4" thick solid top and bottom edge. Front and back edge machined to receive



each frame shall be fitted with a $^3/_4$ " diameter steel pentel and is mechanically fastened to a 5" x 5" steel plate creating a 2"

floating effect.

 MODEL NUMBER	PRODUCT	W	D	н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
FS-DP	Display Table	31 ¹ /2"	63 ¹ /2"	39"	180 Lbs.	40 Cu Ft	\$ 9,646	DISPLAY CASE CONSTRUCTION: Wood frame is constructed of $1^{1}/2^{\circ}$ thick x $1^{1}/2^{\circ}$ wide solid hardwood with $^{1}/4^{\circ}$ thick glass on all 4 sides and top with all edges eased. One long back side of the case is equipped with sliding glass doors complete with lock. Display case size: 30° deep x 62° wide x 10° high.
								WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is ³ / ₄ " thick x 1 ¹ / ₄ " solid external hardwood edge, mitered and radiused ¹ / ₂ " at the top and eased at the bottom.
								FRAME ASSEMBLY: Each frame assembly shall consist of two steel legs and a top horizontal stretcher constructed of 2" x 2" tubular 16 gauge steel. All welds and grinds will be smooth. Two 2" x 2" tubular 16 gauge stretchers will be mechanically fastened to each end frame assembly by means of bolt assembly. The top corners of





 MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
FS-SC-V1-36-SS	Single Face Modular Carrels Version 1: 36" Starter	37 ¹ /2"	31"	36"	180 Lbs.	10 Cu Ft	\$ 3,506	WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure
FS-SC-V1-36-SA	36" Adder	36"	31"	36"	130 Lbs.	7 Cu Ft	\$ 3,110	plastic laminate sheet and bottom surface laminated with
FS-SC-V1-48-SS	48" Starter	49 ¹ /2"	31"	36"	200 Lbs.	11 Cu Ft	\$ 3,639	a backing sheet not less than .020" thick for balanced
FS-SC-V1-48-SA	48" Adder	48"	31"	36"	160 Lbs.	8 Cu Ft	\$ 3,234	construction. Front work surface edge is ³ / ₄ " thick x 1 ¹ / ₄ " high solid external hardwood with ¹ / ₂ " radius at the top and eased at the bottom. Work surface is 28" deep x 29" high.
								END AND MID PANELS: Panel construction consists of a 1 ¹ /16" thick 3-ply particleboard core with plain sliced veneer both faces and ¹ /4" thick solid top and bottom edge. Front and back edge machined to receive 1 ¹ / ₂ " x 1 ¹ / ₂ " tubular, 16 gauge steel posts.
	Double Face Modular Carrels							DACK DANIEL.
F\$ \$C.\/1.3/ D\$	Version 1:	27172"	/ ጋ"	2/"	255 lbs	1.4. C E+	¢ 4 027	BACK PANEL:
FS-SC-V1-36-DS FS-SC-V1-36-DA	36" Starter 36" Adder	37 ¹ /2" 36"	62" 62"	36" 36"	255 Lbs.	14 Cu Ft	\$ 4,827	Back is constructed of 1 ¹ / ₁₆ " thick 3-ply particleboard core with
FS-SC-V1-36-DA FS-SC-V1-48-DS	48" Starter	49 ¹ /2"	62"	36"	160 Lbs. 290 Lbs.	11 Cu Ft 16 Cu Ft	\$ 4,253 \$ 5,053	plain sliced veneer both faces, ¹ /4" solid hardwood at top and bottom with eased edges.
FS-SC-V1-48-DA	48" Adder	49.72	62"	36"	210 Lbs.	12 Cu Ft	\$ 4,485	pottom with eased edges.





 MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
FS-SC-V2-36-SS FS-SC-V2-36-SA FS-SC-V2-48-SS FS-SC-V2-48-SA	Single Face Modular Carrels Version 2: 36" Starter 36" Adder 48" Starter 48" Adder	37 ¹ /2" 36" 49 ¹ /2" 48"	31" 31" 31" 31"	36" 36" 36" 36"	180 Lbs. 130 Lbs. 200 Lbs. 160 Lbs.	10 Cu Ft 7 Cu Ft 11 Cu Ft 8 Cu Ft	\$ 3,918 \$ 3,365 \$ 4,042 \$ 3,498	WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is ³ / ₄ " thick x 1 ¹ / ₄ " high solid external hardwood with ¹ / ₂ " radius at the top and eased at the bottom. Work surface is 28" deep x 29" high.
FS-SC-V2-36-DS FS-SC-V2-36-DA FS-SC-V2-48-DS	Double Face Modular Carrels Version 2: 36" Starter 36" Adder 48" Starter	37 ¹ /2" 36" 49 ¹ /2"	62" 62" 62"	36" 36" 36"	255 Lbs. 160 Lbs. 290 Lbs.	14 Cu Ft 11 Cu Ft 16 Cu Ft	\$ 5,527 \$ 4,656 \$ 5,760	END AND MID PANELS: Panel construction consists of a 1 ¹ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces. Upper portion is fitted with ¹ / ₄ " thick frosted acrylic screen and ¹ / ₄ " thick solid bottom edge. Front and back edge machined to receive 1 ¹ / ₂ " x 1 ¹ / ₂ " tubular, 16 gauge steel posts. BACK PANEL: Back is constructed of 1 ¹ / ₁₆ " thick 3-ply particleboard core with plain sliced veneer both faces, ¹ / ₄ " solid hardwood at top and
FS-SC-V2-48-DA	48" Adder	48"	62"	36"	210 Lbs.	12 Cu Ft	\$ 4,889	bottom with eased edges.



Shelf construction consists of ³/₄" thick 3-ply particleboard core with plain sliced veneer both faces and the front edge is banded with a ¹/₄" solid external edge. Shelf is 12" deep

positioned 21" above the floor.

MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
FS-RC-36-SS FS-RC-36-SA FS-RC-48-SS FS-RC-48-SA	Single Face Reference Carrels: 36" Starter 36" Adder 48" Starter 48" Adder	37 ¹ /2" 36 ¹ /4" 49 ¹ /4" 48 ¹ /4"	31" 31" 31" 31"	48 ¹ /2" 48 ¹ /2" 48 ¹ /2" 48 ¹ /2"	200 Lbs. 150 Lbs. 230 Lbs. 180 Lbs.	10 Cu Ft 7 Cu Ft 11 Cu Ft 8 Cu Ft	\$ 3,817 \$ 3,382 \$ 3,965 \$ 3,529	WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is ³ / ₄ " thick x 1 ¹ / ₄ " high solid external hardwood with ¹ / ₂ " radius at the top and eased at the bottom. Tops will be set back from the back panel 2" to provide a wire drop and will be fitted with a retainer lip. Work surface is 26" deep and is adjustable at four increments 39", 32", 29" and 27" high.
FS-RC-36-DS FS-RC-36-DA FS-RC-48-DS FS-RC-48-DA	Double Face Reference Carrels: 36" Starter 36" Adder 48" Starter 48" Adder	37 ¹ /2" 36 ¹ /4" 49 ¹ /4" 48 ¹ /4"	60 ¹ /2" 60 ¹ /2" 60 ¹ /2" 60 ¹ /2"	48 ¹ /2" 48 ¹ /2" 48 ¹ /2" 48 ¹ /2"	275 Lbs. 180 Lbs. 310 Lbs. 230 Lbs.	14 Cu Ft 11 Cu Ft 16 Cu Ft 12 Cu Ft	\$ 5,210 \$ 4,570 \$ 5,659 \$ 5,029	END AND MID PANELS: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces and 1/4" thick solid top and bottom edge. Front and back edge machined to receive 1 1/2" x 1 1/2" tubular, 16 gauge steel posts. BACK PANEL: Back is constructed of 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, 1/4" solid hardwood at top and bottom with eased edges.
								BOTTOM SHELF:





	MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		1 Person PAC Tables:							WORK SURFACE:
									Tops are constructed of $1^{1}/4^{\circ}$ thick 3-ply particleboard core.
	FS-PAC-1-29-W	Sitting Height, Wood Divider	36"	36"	37"	100 Lbs.	10 Cu Ft	\$ 4,485	Top surface is laminated with a .050" thick high pressure
	FS-PAC-1-29-A	Sitting Height, Acrylic Divider	36"	36"	37"	100 Lbs.	10 Cu Ft	\$ 4,727	plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced
	FS-PAC-1-32-W	Wheelchair Height, Wood Divider	36"	36"	40"	100 Lbs.	10 Cu Ft	\$ 4,563	construction. Work surface edge is ³ / ₄ " thick x 1 ¹ / ₄ " solid
	FS-PAC-1-32-A	Wheelchair Height, Acrylic Divider	36"	36"	40"	100 Lbs.	10 Cu Ft	\$ 4,797	external hardwood edge, mitered and radiused ¹ / ₂ " at the top and eased at the bottom.
	FS-PAC-1-39-W	Standing Height, Wood Divider	36"	36"	47"	100 Lbs.	10 Cu Ft	\$ 4,633	
	FS-PAC-1-39-A	Standing Height, Acrylic Divider	36"	36"	47"	100 Lbs.	10 Cu Ft	\$ 4,867	FRAME ASSEMBLY: Each frame assembly shall consist of two steel legs and a top horizontal stretcher constructed of 2" x 2" tubular 16 gauge steel. All welds and grinds will be smooth. Two 2" x 2" tubular 16 gauge stretchers will be mechanically fastened to each end frame assembly by means of bolt assembly. The top corners of each frame shall be fitted with a 3/4" diameter steel pentel and
		2 Person (1 Place Back to Back) PAC Tables:							is mechanically fastened to a 5" \times 5" steel plate creating a 2" floating effect.
1 11 1	FS-PAC-1D-29-W	Sitting Height, Wood Divider	36"	48"	37"	100 Lbs.	10 Cu Ft	\$ 4,741	WOOD DIVIDERS:
	FS-PAC-1 D-29-A	Sitting Height, Acrylic Divider	36"	48"	37"	100 Lbs.	10 Cu Ft	\$ 5,038	Sloped side dividers constructed of ³ / ₄ " thick x 8" high solid hardwood and back divider constructed of ³ / ₄ " x 7 ³ / ₄ " high
	FS-PAC-1D-32-W	Wheelchair Height, Wood Divider	36"	48"	40"	100 Lbs.	10 Cu Ft	\$ 4,812	veneer particleboard, top edge banded with ¹ / ₄ " external
	FS-PAC-1D-32-A	Wheelchair Height, Acrylic Divider		48"	40"	100 Lbs.	10 Cu Ft	\$ 5,106	hardwood.
	FS-PAC-1D-39-W	Standing Height, Wood Divider	36"	48"	47"	100 Lbs.	10 Cu Ft	\$ 4,882	ACRYLIC DIVIDERS:
	FS-PAC-1D-39-A	Standing Height, Acrylic Divider	36"	48"	47"	100 Lbs.	10 Cu Ft	\$ 5,177	Sloped side panels and rectangular back divider consisting of $^{1}/_{4}$ " thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
									WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
									ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.





MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	2 Person PAC Tables:							WORK SURFACE:
	Z I EISOITI //C TADIES.							Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core.
FS-PAC-2-29-W	Sitting Height, Wood Divider	72"	36"	37"	150 Lbs.	21 Cu Ft	\$ 5,270	Top surface is laminated with a .050" thick high pressure
FS-PAC-2-29-A	Sitting Height, Acrylic Divider	72"	36"	37"	150 Lbs.	21 Cu Ft	\$ 6,009	plastic laminate sheet and bottom surface laminated with
50.54.6.5.55.187			5.44	4.0.11	4.50.11	54.5.5	A = 2.11	a backing sheet not less than .020" thick for balanced
FS-PAC-2-32-W	Wheelchair Height, Wood Divide		36"	40"	150 Lbs.	21 Cu Ft	\$ 5,341	construction. Work surface edge is ³ / ₄ " thick x 1 ¹ / ₄ " solid
FS-PAC-2-32-A	Wheelchair Height, Acrylic Divide	r / 2"	36"	40"	150 Lbs.	21 Cu Ft	\$ 6,080	external hardwood edge, mitered and radiused $^{1}/_{2}$ " at the top and eased at the bottom.
FS-PAC-2-39-W	Standing Height, Wood Divider	72"	36"	47"	150 Lbs.	21 Cu Ft	\$ 5,411	and cased at the socion.
FS-PAC-2-39-A	Standing Height, Acrylic Divider		36"	47"	150 Lbs.	21 Cu Ft	\$ 6,149	FRAME ASSEMBLY: Each frame assembly shall consist of two steel legs and a top horizontal stretcher constructed of 2" x 2" tubular 16 gauge steel. All welds and grinds will be smooth. Two 2" x 2" tubular 16 gauge stretchers will be mechanically fastened to each end frame assembly by means of bolt assembly. The top corners of each frame shall be fitted with a 3/4" diameter steel pentel and
	4 Person (2 Place Back to Back) PAC Tables:							is mechanically fastened to a 5" x 5" steel plate creating a 2" floating effect.
FS-PAC-2D-29-W	Sitting Height, Wood Divider	72"	48"	37"	150 Lbs.	21 Cu Ft	\$ 5,752	WOOD DIVIDERS:
FS-PAC-2D-29-A	Sitting Height, Acrylic Divider	72"	48"	37"	150 Lbs.	21 Cu Ft	\$ 6,453	Sloped side dividers constructed of ³ / ₄ " thick x 8" high solid hardwood and back divider constructed of ³ / ₄ " x 7 ³ / ₄ " high
FS-PAC-2D-32-W	Wheelchair Height, Wood Divide	r 72"	48"	40"	150 Lbs.	21 Cu Ft	\$ 5,821	veneer particleboard, top edge banded with 1/4" external
FS-PAC-2D-32-A	Wheelchair Height, Acrylic Divide		48"	40"	150 Lbs.	21 Cu Ft	\$ 6,522	hardwood.
FS-PAC-2D-39-W	Standing Height, Wood Divider	72"	48"	47"	150 Lbs.	21 Cu Ft	\$ 5,893	ACRYLIC DIVIDERS:
FS-PAC-2D-39-A	Standing Height, Acrylic Divider		48"	47"	150 Lbs.	21 Cu Ft	\$ 6,592	Sloped side panels and rectangular back divider consisting of ¹ / ₄ " thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
								WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
								ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.





MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	3 Person PAC Tables:							WORK SURFACE:
FC DAG 2 20 1V/	Civil III i I v VV I I Di i I	0011	271	2.71	105.11	2/ 6 5	ć	Tops are constructed of 1 1/4" thick 3-ply particleboard core.
								Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with
F3-FAC-3-29-A	sitting Height, Acrylic Divider	90	30	37	185 LDS.	26 Cu Fl	\$ 7,012	a backing sheet not less than .020" thick for balanced
FS-PAC-3-32-\X/	Wheelchair Height Wood Divide	r 90"	36"	40"	185 l bs	26 Cu Ft	\$ 5.814	construction. Work surface edge is $^{3}/_{4}$ " thick x 1 $^{1}/_{4}$ " solid
								external hardwood edge, mitered and radiused ¹ / ₂ " at the top
		, 0		. 0	. 05 2.55.	20 00	Ų 1,00L	and eased at the bottom.
FS-PAC-3-39-W	Standing Height, Wood Divider	90"	36"	47"	185 Lbs.	26 Cu Ft	\$ 5,885	
FS-PAC-3-39-A			36"	47"	185 Lbs.	26 Cu Ft	\$ 7,152	FRAME ASSEMBLY:
								Each frame assembly shall consist of two steel legs and a top horizontal stretcher constructed of 2" x 2" tubular 16 gauge steel. All welds and grinds will be smooth. Two 2" x 2" tubular 16 gauge stretchers will be mechanically fastened to each end frame assembly by means of bolt assembly. The top corners of each frame shall be fitted with a 3/4" diameter steel pentel and
	6 Person (3 Place Back to Back)							is mechanically fastened to a 5" x 5" steel plate creating a 2"
	PAC Tables:							floating effect.
								WOOD DIVIDERS:
FS-PAC-3D-29-A	Sitting Height, Acrylic Divider	90"	48"	3/"	185 Lbs.	26 Cu Ft	\$ 7,549	Sloped side dividers constructed of ³ / ₄ " thick x 8" high solid
LC DVC 3D 33 ///	Whoolshair Hoight Wood Divido	vr 00"	40"	40"	10E lbs	24 Cu F+	¢ / 201	hardwood and back divider constructed of ³ / ₄ " x 7 ³ / ₄ " high veneer particleboard, top edge banded with ¹ / ₄ " external
								hardwood.
13-17(C-3D-32-71	Wheeleriali Fleight, Aerylie Divide	.1 70	70	70	TOD LDS.	20 Cu i t	\$ 7,010	Hallawood.
FS-PAC-3D-39-W	Standing Height, Wood Divider	90"	48"	47"	185 Lbs.	26 Cu Ft	\$ 6.453	ACRYLIC DIVIDERS:
FS-PAC-3D-39-A			48"	47"	185 Lbs.	26 Cu Ft	\$ 7,697	Sloped side panels and rectangular back divider consisting of ¹ / ₄ " thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
								WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
								ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.
	FS-PAC-3-29-W FS-PAC-3-29-A FS-PAC-3-32-W FS-PAC-3-39-W FS-PAC-3-39-A FS-PAC-3D-29-W FS-PAC-3D-29-A FS-PAC-3D-32-W FS-PAC-3D-32-W FS-PAC-3D-39-W	RUMBER PRODUCT 3 Person PAC Tables: FS-PAC-3-29-W FS-PAC-3-29-A FS-PAC-3-32-W FS-PAC-3-32-A FS-PAC-3-39-W FS-PAC-3-39-W FS-PAC-3-39-A Standing Height, Wood Divider Standing Height, Wood Divider Standing Height, Acrylic Divider 6 Person (3 Place Back to Back) PAC Tables: FS-PAC-3D-29-W FS-PAC-3D-29-A Sitting Height, Wood Divider Sitting Height, Acrylic Divider FS-PAC-3D-32-W FS-PAC-3D-32-W FS-PAC-3D-32-A Wheelchair Height, Wood Divider Wheelchair Height, Acrylic Divider Standing Height, Wood Divider	A Person PAC Tables: FS-PAC-3-29-W Sitting Height, Wood Divider 90" FS-PAC-3-29-A Sitting Height, Acrylic Divider 90" FS-PAC-3-32-W Wheelchair Height, Wood Divider 90" FS-PAC-3-32-A Wheelchair Height, Acrylic Divider 90" FS-PAC-3-39-W Standing Height, Wood Divider 90" FS-PAC-3-39-A Standing Height, Acrylic Divider 90" Standing Height, Acrylic Divider 90" Standing Height, Acrylic Divider 90" FS-PAC-3D-29-W Sitting Height, Wood Divider 90" FS-PAC-3D-29-A Sitting Height, Acrylic Divider 90" FS-PAC-3D-32-W Wheelchair Height, Wood Divider 90" Wheelchair Height, Acrylic Divider 90" Wheelchair Height, Acrylic Divider 90" Standing Height, Wood Divider 90"	Sitting Height, Wood Divider 90" 36" FS-PAC-3-29-W Sitting Height, Wood Divider 90" 36" FS-PAC-3-29-A Sitting Height, Wood Divider 90" 36" FS-PAC-3-32-W Wheelchair Height, Wood Divider 90" 36" FS-PAC-3-32-A Wheelchair Height, Acrylic Divider 90" 36" FS-PAC-3-39-W Standing Height, Wood Divider 90" 36" FS-PAC-3-39-A Standing Height, Acrylic Divider 90" 36" FS-PAC-3-39-A Standing Height, Acrylic Divider 90" 36" FS-PAC-3D-29-W Sitting Height, Wood Divider 90" 48" FS-PAC-3D-29-A Sitting Height, Acrylic Divider 90" 48" FS-PAC-3D-32-W Wheelchair Height, Wood Divider 90" 48" FS-PAC-3D-32-W Standing Height, Acrylic Divider 90" 48" FS-PAC-3D-32-W Standing Height, Wood Divider 90" 48" FS-PAC-3D-39-W Standing Height, Wood Divider 90" 48"	A Person PAC Tables: FS-PAC-3-29-W Sitting Height, Wood Divider 90" 36" 37" FS-PAC-3-32-W Wheelchair Height, Wood Divider 90" 36" 40" FS-PAC-3-32-A Wheelchair Height, Acrylic Divider 90" 36" 40" FS-PAC-3-39-W Standing Height, Wood Divider 90" 36" 47" FS-PAC-3-39-W Standing Height, Acrylic Divider 90" 36" 47" FS-PAC-3-39-A Standing Height, Acrylic Divider 90" 36" 47" FS-PAC-3-39-A Standing Height, Acrylic Divider 90" 36" 47" FS-PAC-3-39-W Standing Height, Acrylic Divider 90" 36" 47" FS-PAC-3D-29-W Sitting Height, Acrylic Divider 90" 48" 37" FS-PAC-3D-29-A Sitting Height, Acrylic Divider 90" 48" 40" FS-PAC-3D-32-W Wheelchair Height, Wood Divider 90" 48" 40" FS-PAC-3D-32-A Wheelchair Height, Acrylic Divider 90" 48" 40" FS-PAC-3D-39-W Standing Height, Wood Divider 90" 48" 40"	NUMBER PRODUCT W D H WEIGHT	NUMBER PRODUCT W D H WEIGHT VOLUME	NUMBER PRODUCT W D H WEIGHT VOLUME PRICE





MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
FS-R42 FS-R48	Round Reading Tables	42" 48"	42" 48"	29" 29"	90 Lbs. 100 Lbs.	5 Cu Ft 6 Cu Ft	\$ 4,120 \$ 4,283	WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is ³ / ₄ " thick x 1 ¹ / ₄ " solid external hardwood edge, mitered and radiused ¹ / ₂ " at the top and eased at the bottom.
FS-4242 FS-4848	Square ReadingTables	42" 48"	42" 48"	29" 29"	90 Lbs. 100 Lbs.	6 Cu Ft 6 Cu Ft	\$ 3,568 \$ 3,700	FRAME ASSEMBLY: Each frame assembly shall consist of two steel legs and a top horizontal stretcher constructed of 2" x 2" tubular 16 gauge steel. All welds and grinds will be smooth. Two 2" x 2" tubular 16 gauge stretchers will be mechanically fastened to each end frame assembly by means of bolt assembly. The top corners of each frame shall be fitted with a ³ / ₄ " diameter steel pentel and is mechanically fastened to a 5" x 5" steel plate creating a 2" floating effect. Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
FS-6036 FS-6048	60" Wide Rectangle Reading Tables	60" 60"	36" 48"	29" 29"	110 Lbs. 135 Lbs.	7 Cu Ft 9 Cu Ft	\$ 4,027 \$ 4,183	
FS-7236 FS-7248	72" Wide Rectangle Reading Tables	72" 72"	36" 48"	29" 29"	125 Lbs. 160 Lbs.	8 Cu Ft 10 Cu Ft	\$ 4,168 \$ 4,377	
FS-8436 FS-8448	84" Wide Rectangle Reading Tables	84" 84"	36" 48"	29" 29"	142 Lbs. 180 Lbs.	8 Cu Ft 10 Cu Ft	\$ 4,423 \$ 4,633	
FS-9636 FS-9648	96" Wide Rectangle Reading Tables	96" 96"	36" 48"	29" 29"	140 Lbs. 200 Lbs.	10 Cu Ft 12 Cu Ft	\$ 4,594 \$ 4,820	




hardwood mitered corners.



MODEL NUMBER	PRODUCT	W	D	н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
PT-NP	Newspaper Table	36"	26"	38"	190 Lbs.	25 Cu Ft	\$ 6,802	TABLE RACK: Open frame construction consists of ⁷ / ₈ " thick x 3" wide solid hardwood, all edges eased with newspaper stick holders fitted on either side of rack to accommodate 10 wood newspaper sticks. END PANELS: Panel frame construction consists of a 2 ¹ / ₂ " thick built-up particleboard core with plain sliced veneer interior face. Front face of panels shall be designed using rift sawn veneers 2" wide running horizontally and vertically around the perimeter meeting at mitered corners. Panels are framed on top and two vertical sides with ¹ / ₈ " thick x 2 ¹ / ₂ " wide solid hardwood. The center of the panel is routed to accept a ¹ / ₈ " deep x ³ / ₁₆ " wide solid ebony inlay. Podium base construction consists of a 3" thick built-up particleboard core with ¹ / ₄ " thick x 4" high solid



MODEL NUMBER	PRODUCT	W	D	Н
PT-AS	Atlas Stand	32 ¹ /2"	29 ¹ / ₂ "	44 ¹ /2"



WEIGHT	VOLUME	LIST PRICE	DESCRIPTION

\$ 7,245

270 Lbs.

33 Cu Ft

TOP:

Sloped top is constructed of ³/₄" particleboard core with plastic laminate surfaces and fitted with a wood book rail 5/8" thick x ⁵/8" wide.

CONSTRUCTION ASSEMBLY:

Cabinet construction consists of a ³/₄" thick 3-ply particleboard core back with plain sliced veneer both faces, five 3/4" thick 3-ply particleboard core pull-out shelves with $^{3}/_{4}$ " thick x $1^{3}/_{4}$ " high solid wood retainer lip operating on bottom mounted single extension drawer runners.

END PANELS:

Panel frame construction consists of a 2¹/₂" thick built-up particleboard core with plain sliced veneer interior face. Front face of panels shall be designed using rift sawn veneers 2" wide running horizontally and vertically around the perimeter meeting at mitered corners. Panels are framed on top and two vertical sides with 1/8" thick x $2^{1}/2$ " wide solid hardwood. The center of the panel is routed to accept a $^{1}/_{8}$ " deep x $^{3}/_{16}$ " wide solid ebony inlay. Podium base construction consists of a 3" thick builtup particleboard core with 1/4" thick x 4" high solid hardwood mitered corners.



END PANELS:

mitered corners.

Panel frame construction consists of a $2^1/2^{\circ}$ thick built-up particleboard core with plain sliced veneer interior face. Front face of panels shall be designed using rift sawn veneers 2" wide running horizontally and vertically around the perimeter meeting at mitered corners. Panels are framed on top and two vertical sides with $^1/8^{\circ}$ thick x $2^1/2^{\circ}$ wide solid hardwood. The center of the panel is routed to accept a $^1/8^{\circ}$ deep x $^3/16^{\circ}$ wide solid ebony inlay. Podium base construction consists of a 3" thick built-up particleboard core with $^1/4^{\circ}$ thick x 4" high solid hardwood

 MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
PT-DC	Dictionary Stand	28 ¹ /4"	16 ³ /4"	441/2"	190 Lbs.	16 Cu Ft	\$ 5,247	TOP: Sloped top is constructed of $^3/_4$ " particleboard core with plastic laminate surfaces and fitted with a wood book rail $^5/_8$ " thick x $^5/_8$ " wide.
								CONSTRUCTION ASSEMBLY: Cabinet construction consists of a ³ / ₄ " thick 3-ply particleboard core back with plain sliced veneer both faces, a ³ / ₄ " thick 3-ply particleboard core adjustable shelf and a ³ / ₄ " thick 3-ply particleboard core fixed bottom shelf with ³ / ₄ " thick x 1 ³ / ₄ " high solid wood drop edge.



MODEL NUMBER	PRODUCT	W	D	н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
PT-DP	Display Table	301/2"	62 ¹ /2"	39"	255 Lbs.	23 Cu Ft	\$ 13,510	DISPLAY CASE CONSTRUCTION: Wood frame is constructed of 1 ¹ /2" thick x 1 ¹ /2" wide solid hardwood with ¹ /4" thick glass on all four sides and top with all edges eased. One long back side of the case is equipped with sliding glass doors complete with lock. Display case size: 30" deep x 62" wide x 10" high.
PT-DP-FB	Display Table Fabric Covered Bottom	301/2"	62 ¹ /2"	39"	255 Lbs.	23 Cu Ft	\$ 14,544	WORK SURFACE: Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is ¹ / ₂ " thick x 1 ¹ / ₄ " thick solidhardwood on all 4 sides.
								END PANELS: Panel frame construction consists of a 3" thick built-up particleboard core with plain sliced veneer interior face. End panels shall be designed with a 41/4" wide x 1/2" deep indentation separating two raised panel faces. The center of the panel is routed to accept a 1/8" deep x 3/16" wide solid ebony inlay. Front face of panels shall be designed using rift sawn veneers 2" wide running horizontally and vertically around the perimeter meeting at mitered corners. Panels are framed on top and two vertical sides with 1/8" thick x 21/2" wide solid hardwood. Podium base construction consists of a 31/2" thick built-up particleboard core with 1/4" thick x 4"



high solid hardwood mitered on four sides of the panel and

throughout the indentation.

MODEL NUMBER	PRODUCT	W	D	Н
PT-AV	AV Browser	52 ¹ /4"	23 ¹ /2"	42 ¹ /2"

MULTIMEDIA DISPLAY BIN:

DESCRIPTION

Constructed from ³/₄" thick 3-ply particleboard core with grade "A" face veneer. Storage bin is divided into 7 compartments each 6¹/₄" wide complete with six removable black ¹/₄" thick masonite dividers. Bottom of bin will be lined with black ribbed rubber. Bin capacity approximately 290 compact discs. Unit may also accommodate tapes.

END PANELS:

LIST PRICE

\$ 6,794

VOLUME

37 Cu Ft

WEIGHT

260 Lbs.

Panel frame construction consists of a 2¹/₂" thick built-up particleboard core with plain sliced veneer interior face. Front face of panels shall be designed using rift sawn veneers 2" wide running horizontally and vertically around the perimeter meeting at mitered corners. Panels are framed on top and two vertical sides with ¹/₈" thick x 2¹/₂" wide solid hardwood. The center of the panel is routed to accept a ¹/₈" deep x ³/₁₆" wide solid ebony inlay. Podium base construction consists of a 3" thick built-up particleboard core with ¹/₄" thick x 4" high solid hardwood mitered corners.

ebony inlay. Front face of panels shall be designed using rift sawn veneers 2" wide running horizontally and vertically around the perimeter meeting at mitered corners, Panels are framed on top and two vertical sides with $^{1}/_{8}$ " thick x $^{2}/_{2}$ " wide solid hardwood. Podium base construction consists of a $^{3}/_{2}$ " thick built-up particleboard core with $^{1}/_{4}$ " thick x 4" high solid hardwood mitered on four sides of the panel and

throughout the indentation.

MODEL NUMBER	PRODUCT	W	D	н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
PT-IT-DS-4P	4 Person Index Table Double Sided Double Tier	60"	48"	52 ³ /4"	440 Lbs.	64 Cu Ft	\$ 11,901	WORK SURFACE: Tops are constructed of 2" thick built-up particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Two long edges of the rectangular tables will be banded with a 2" wide x 1 1/4" thick solid hardwood external edge and tapered creating a 7" chamfered knife edge. The side shall be externally banded with 1/8" thick x 2" high solid hardwood. All edges are eased.
PT-IT-DS-6P	6 Person Index Table Double Sided Double Tier	90"	48"	52 ³ /4"	470 Lbs.	96 Cu Ft	\$ 13,107	SUPERSTRUCTURE: 23 ³ / ₄ " high side panels, mid panel, back panels and shelves constructed from ³ / ₄ " veneer plywood. Top of the side and back panels shall be banded with a ³ / ₄ " thick x 2" high solid, the two vertical edges shall be banded with ¹ / ₈ " thick hardwood. Panels shall be tapered down from a top dimension of 17" wide to 20" wide at the bottom. The center of the panel is routed to accept a ¹ / ₈ " deep x ³ / ₁₆ " wide solid ebony inlay. Fixed shelf 8 ³ / ₄ " deep shall be fitted 13" clear above table.
								END PANELS: Panel frame construction consists of a 3" thick built-up particleboard core with plain sliced veneer interior face. End panels shall be designed with a 41/4" wide x 1/2" deep indentation separating two raised panel faces. The center of the panel is routed to accept a 1/8" deep x 3/16" wide solid



MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
PT-MC-SS	Single Modular Carrel	35 ³ /4"	26 ¹ /2"	48"	140 Lbs.	16 Cu Ft	\$ 7,408	WORK SURFACE: Tops are constructed of 2" thick built-up particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Working edges of the rectangular tables will be banded with a 2" wide x 1 1/4" thick solid hardwood external edge and tapered creating a 7" chamfered knife edge. The side shall be externally banded with 1/8" thick x 2" high solid hardwood. All edges are eased.
PT-MC-DS	Double Modular Carrel Four Place Modular Carrel	35 ³ / ₄ " 70 ¹ / ₂ "	48"	48"	210 Lbs. 310 Lbs.	32 Cu Ft	\$ 11,653 \$ 12,609	SUPERSTRUCTURE: 19" high side panels, mid panel, back panels and shelves constructed from ³ / ₄ " veneer plywood. Top of the side and back panels shall be banded with a ³ / ₄ " thick x 2" high solid, the two vertical edges shall be banded with ¹ / ₈ " thick solid hardwood. Single carrel panels shall be tapered down from a top dimension of 15 ⁷ / ₈ " wide to 17 ³ / ₈ " wide at the bottom. Double carrel panels shall be tapered down from a top dimension of 27" wide to 30" wide at the bottom. The center of the panel is routed to accept a ¹ / ₈ " deep x ³ / ₁₆ " wide solid ebony inlay. Fixed shelf 9" deep shall be fitted 15" clear above the table.
								END PANELS: Panel frame construction consists of a 3" thick built-up particleboard core with plain sliced veneer interior face. End panels shall be designed with a 4 ¹ /4" wide x ¹ /2" deep indentation separating two raised panel faces. The center of the panel is routed to accept a ¹ /8" deep x ³ /16" wide solid ebony inlay. Front face of panels shall be designed using rift sawn veneers 2" wide running horizontally and vertically around the perimeter meeting at mitered corners, Panels are framed on top and two vertical sides with ¹ /8" thick x 2 ¹ /2" wide solid hardwood. Podium base construction consists of a 3 ¹ /2" thick built-up particleboard core with ¹ /4" thick x 4" high solid hardwood mitered on four sides of the panel and



throughout the indentation.

 MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
								WORK SURFACE:
	1 Person PAC Tables:							Tops are constructed of 2" thick built-up particleboard core.
PT-PAC-1-29	Sitting Height	36"	36"	37"	135 Lbs.	13 Cu Ft	\$ 7,323	Top surface is laminated with a .050" thick high pressure
PT-PAC-1-32	Wheelchair Accessible	36"	36"	40"	135 Lbs.	16 Cu Ft	\$ 7,354	plastic laminate sheet and bottom surface laminated with
PT-PAC-1-39	Standing Height	36"	36"	47"	140 Lbs.	23 Cu Ft	\$ 7,447	a backing sheet not less than .020" thick for balanced construction. Front edge of the rectangular tables will be banded with a 2" wide x $1^{1}/4$ " thick solid hardwood external edge and tapered creating a 7" chamfered knife edge. The rear and sides shall be externally banded with $1/8$ " thick x 2" high solid hardwood. All edges are eased.
PT-PAC-2-29 PT-PAC-2-32	2 Person PAC Tables: Sitting Height Wheelchair Accessible	72" 72"	36" 36"	37" 40"	205 Lbs. 205 Lbs.	27 Cu Ft 33 Cu Ft	\$ 7,882 \$ 7,921	WOOD DIVIDERS: Sloped side dividers constructed of ³ / ₄ " thick x 8" high solid hardwood and back divider constructed of ³ / ₄ " thick x 7 ³ / ₄ " high veneer particleboard, top edge banded with ¹ / ₄ " external hardwood.
PT-PAC-2-32 PT-PAC-2-39		72"	36"	47"	205 Lbs. 210 Lbs.	46 Cu Ft	\$ 8,007	END PANELS:
F1-FAC-2-37	Standing Height	72	30	47	ZTO LDS.	46 Cu ri	\$ 8,007	Panel frame construction consists of a 2 ¹ / ₂ " thick built-up particleboard core with plain sliced veneer interior face. Front face of panels shall be designed using rift sawn veneers 2" wide running horizontally and vertically around the perimeter meeting at mitered corners. Panels are framed on top and two vertical sides with ¹ / ₈ " thick x 2 ¹ / ₂ " wide solid hardwood. The center of the panel is routed to accept a ¹ / ₈ " deep x ³ / ₁₆ " wide solid ebony inlay. Podium base construction consists of a 3" thick built-up particleboard core with ¹ / ₄ " thick x 4" high solid
DT D 4 G D D 0	3 Person PAC Tables:		5.48		2/2//	24.6	4 0 500	hardwood mitered corners.
PT-PAC-3-29	Sitting Height	90"	36"	37"	260 Lbs.	34 Cu Ft	\$ 8,520	
PT-PAC-3-32	Wheelchair Accessible	90"	36"	40"	260 Lbs.	41 Cu Ft	\$ 8,557	WORK SURFACE HEIGHT:
PT-PAC-3-39	Standing Height	90"	36"	47"	270 Lbs.	58 Cu Ft	\$ 8,645	Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
								ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.



MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
PT-PAC-1 D-29 PT-PAC-1 D-32 PT-PAC-1 D-39	2 Person (1 Place Back to Back) PAC Tables: Sitting Height Wheelchair Accessible Standing Height	36" 36" 36"	60" 60" 60"	37" 40" 47"	260 Lbs. 260 Lbs. 270 Lbs.	22 Cu Ft 27 Cu Ft 38 Cu Ft	\$ 11,521 \$ 11,583 \$ 11,745	WORK SURFACE: Tops are constructed of 2" thick built-up particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Two long edges of the rectangular tables will be banded with a 2" wide x 1 ¹ / ₄ " thick solid hardwood external edge and tapered creating a 7" chamfered knife edge. The rear and sides shall be externally banded with ¹ / ₈ " thick x 2" high solid hardwood. All edges are eased.
PT-PAC-2D-29 PT-PAC-2D-32 PT-PAC-2D-39	4 Person (2 Place Back to Back) PAC Tables: Sitting Height Wheelchair Accessible Standing Height	72" 72" 72"	60" 60" 60"	37" 40" 47"	400 Lbs. 400 Lbs. 410 Lbs.	45 Cu Ft 54 Cu Ft 77 Cu Ft	\$ 12,507 \$ 12,568 \$ 12,725	WOOD DIVIDERS: Sloped side dividers constructed of ³ / ₄ " thick x 8" high solid hardwood and back divider constructed of ³ / ₄ " thick x 7 ³ / ₄ " high veneer particleboard, top edge banded with ¹ / ₄ " external hardwood. END PANELS: Panel frame construction consists of a 3" thick built-up particleboard core with plain sliced veneer interior face. End panels shall be designed with a 4 ¹ / ₄ " wide x ¹ / ₂ " deep indentation separating two raised panel faces. The center of the panel is routed to accept a ¹ / ₈ " deep x ³ / ₁₆ " wide solid
PT-PAC-3D-29 PT-PAC-3D-32 PT-PAC-3D-39	6 Person (3 Place Back to Back) PAC Tables: Sitting Height Wheelchair Accessible Standing Height	90" 90" 90"	60" 60" 60"	37" 40" 47"	500 Lbs. 500 Lbs. 520 Lbs.	56 Cu Ft 68 Cu Ft 96 Cu Ft	\$ 13,355 \$ 13,418 \$ 13,572	ebony inlay. Front face of panels shall be designed using rift sawn veneers 2" wide running horizontally and vertically around the perimeter meeting at mitered corners. Panels are framed on top and two vertical sides with 1/8" thick x 21/2" wide solid hardwood. Podium base construction consists of a 31/2" thick built-up particleboard core with 1/4" thick x 4" high solid hardwood mitered on four sides of the panel and throughout the indentation. WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
								ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.



	MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	PT-R42 PT-R48	Round Reading Tables	42" 48"	42" 48"	29" 29"	90 Lbs. 100 Lbs.	8 Cu Ft 10 Cu Ft	\$ 4,058 \$ 4,253	WORK SURFACE: Rectangle and Square Tops are constructed of 1 ¹ / ₄ " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges 1 ⁵ / ₈ " thick x 2 ¹ / ₄ " wide solid external hardwood knife profile with ³ / ₈ " rounded point and shall be mitered and radiused at corners. Circular tables shall receive a 1 ¹ / ₄ " thick x 2 ¹ / ₄ " wide solid wood edge
MI	PT-4242 PT-4848	Square ReadingTables	42" 48"	42" 48"	29" 29"	90 Lbs. 100 Lbs.	8 Cu Ft 10 Cu Ft	\$ 3,412 \$ 3,622	band and fabricated in four sections with eased edges. APRON: Apron rails for circular and square tables are ³ / ₄ " thick x 3 ³ / ₈ " wide solid hardwood and mechanically fasted between legs.
									WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
	PT-6036 PT-6048	60" Wide Rectangle Reading Tables	60" 60"	36" 48"	29" 29"	170 Lbs. 230 Lbs.	10 Cu Ft 13 Cu Ft	\$ 4,168 \$ 4,416	
	PT-7236 PT-7248	72" Wide Rectangle Reading Tables	72" 72"	36" 48"	29" 29"	200 Lbs. 270 Lbs.	12 Cu Ft 15 Cu Ft	\$ 4,369 \$ 4,640	
	PT-8436 PT-8448	84" Wide Rectangle Reading Tables	84" 84"	36" 48"	29" 29"	250 Lbs. 280 Lbs.	13 Cu Ft 18 Cu Ft	\$ 4,578 \$ 4,858	
	PT-9636 PT-9648	96" Wide Rectangle Reading Tables	96" 96"	36" 48"	29" 29"	310 Lbs. 320 Lbs.	15 Cu Ft 20 Cu Ft	\$ 4,781 \$ 5,085	





MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
► PT-6048-PB	60" Wide Rectangle Panel Base Reading Table	60"	48"	29"	250 Lbs.	21 Cu Ft	\$ 9,398	WORK SURFACE: Tops are constructed of 2" thick built-up particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with
PT-7248-PB	72" Wide Rectangle Panel Base Reading Table	72"	48"	29"	310 Lbs.	30 Cu Ft	\$ 9,531	a backing sheet not less than .020" thick for balanced construction. Two long edges of the rectangular tables will be banded with a 2" wide x 1 ¹ / ₄ " thick solid hardwood external edge and tapered creating a 7" chamfered knife edge. The side shall be externally banded with ¹ / ₈ " thick x 2" high solid
PT-8448-PB	84" Wide Rectangle Panel Base Reading Table	84"	48"	29"	250 Lbs.	21 Cu Ft	\$ 9,997	hardwood. All edges are eased. END PANELS:
PT-9648-PB	96" Wide Rectangle Panel Base Reading Table	96"	48"	29"	330 Lbs.	34 Cu Ft	\$ 10,128	Panel frame construction consists of a 3" thick built-up particleboard core with plain sliced veneer interior face. End panels shall be designed with a 41/4" wide x 1/2" deep indentation separating two raised panel faces. The center of the panel is routed to accept a 1/8" deep x 3/16" wide solid ebony inlay. Front face of panels shall be designed using rift sawn veneers 2" wide running horizontally and vertically around the perimeter meeting at mitered corners. Panels are framed on top and two vertical sides with 1/8" thick x 21/2" wide solid hardwood. Podium base construction consists of a 31/2" thick built-up particleboard core with 1/4" thick x 4" high solid hardwood mitered on four sides of the panel and throughout the indentation.





	MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	LX-200-32-SQ LX-200-39-SQ	Open Shelf Unit	36" 36"	27" 27"	32" 39"	Square Square	225 Lbs. 225 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,763 \$ 3,763	Unit complete with fixed bottom 39" high unit has two adjustable shelves. 32" high unit complete with one adjustable shelf.
	LX-200-32-CH LX-200-39-CH		36" 36"	27" 27"	32" 39"	Chamfered Chamfered	225 Lbs. 225 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,871 \$ 3,871	
	LX-200-32-BN LX-200-39-BN		36" 36"	27" 27"	32" 39"	Bullnose Bullnose	225 Lbs. 225 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,871 \$ 3,871	
- '-	LX-201-32-SQ LX-201-39-SQ	Cupboard Unit	36" 36"	27" 27"	32" 39"	Square Square	225 Lbs. 225 Lbs.	30 Cu Ft 30 Cu Ft	\$ 4,687 \$ 4,687	Doors function on 95 degree hinges complete with lock. 39" high unit comes complete with two adjustable shelves. 32"
	LX-201-32-CH LX-201-39-CH		36" 36"	27" 27"	32" 39"	Chamfered Chamfered	225 Lbs. 225 Lbs.	30 Cu Ft 30 Cu Ft	\$ 4,797 \$ 4,797	high unit receives one adjustable shelf.
	LX-201-32-BN LX-201-39-BN		36" 36"	27" 27"	32" 39"	Bullnose Bullnose	225 Lbs. 225 Lbs.	30 Cu Ft 30 Cu Ft	\$ 4,797 \$ 4,797	



	MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	LX-202T-32-SQ LX-202T-39-SQ	Closed Triangular Corner Unit	27" 27"	27" 27"	32" 39"	Square Square	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,594 \$ 4,594	Triangular closed faced corner unit. Unit is used to form a 90 degree angle in a circulation desk configuration.
	LX-202T-32-CH LX-202T-39-CH		27" 27"	27" 27"	32" 39"	Chamfered Chamfered	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,702 \$ 4,702	
	LX-202T-32-BN LX-202T-39-BN		27" 27"	27" 27"	32" 39"	Bullnose Bullnose	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,702 \$ 4,702	
	LX-202C-32-SQ LX-202C-39-SQ	Closed Curved Corner Unit	27" 27"	27" 27"	32" 39"	Square Square	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,913 \$ 4,913	Curved closed unit, used to form a 90 degree angle in a circulation desk configuration.
A A A	LX-202C-32-CH LX-202C-39-CH		27" 27"	27" 27"	32" 39"	Chamfered Chamfered	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 5,022 \$ 5,022	
	LX-202C-32-BN LX-202C-39-BN		27" 27"	27" 27"	32" 39"	Bullnose Bullnose	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 5,022 \$ 5,022	
	LX-202S-32-SQ LX-202S-39-SQ	Closed Square Corner Unit	27" 27"	27" 27"	32" 39"	Square Square	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,129 \$ 4,129	Square closed corner unit used to form a 90 degree angle in a circulation desk configuration. Unit complete with closed flush panel design.
	LX-202S-32-CH LX-202S-39-CH		27" 27"	27" 27"	32" 39"	Chamfered Chamfered	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,235 \$ 4,235	pairer design.
	LX-202S-32-BN LX-202S-39-BN		27" 27"	27" 27"	32" 39"	Bullnose Bullnose	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,235 \$ 4,235	





 MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
LX-203-32-SQ LX-203-39-SQ	Knee Space Unit with Cash and Pencil Drawe		27" 27"	32" 39"	Square Square	210 Lbs. 210 Lbs.	30 Cu Ft 30 Cu Ft	\$ 4,493 \$ 4,493	Unit complete with one pencil drawer, one locking cash drawer and a fixed shelf. Cash drawer will be $5^{1}/2^{\circ}$ high x 12" wide.
LX-203-32-CH LX-203-39-CH		36" 36"	27" 27"	32" 39"	Chamfered Chamfered	210 Lbs. 210 Lbs.	30 Cu Ft 30 Cu Ft	\$ 4,602 \$ 4,602	
LX-203-32-BN LX-203-39-BN		36" 36"	27" 27"	32" 39"	Bullnose Bullnose	210 Lbs. 210 Lbs.	30 Cu Ft 30 Cu Ft	\$ 4,602 \$ 4,602	



MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
LX-204-32-SQ LX-204-39-SQ	Open Triangle Corner Unit	27" 27"	27" 27"	32" 39"	Square Square	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,111 \$ 4,111	Triangular open face corner unit is used to form a 90 degree angle in a circulation desk configuration. 39" high unit complete with two adjustable shelves. 32" high unit complete
LX-204-32-CH LX-204-39-CH		27" 27"	27" 27"	32" 39"	Chamfered Chamfered	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,229 \$ 4,229	with one adjustable shelf.
LX-204-32-BN LX-204-39-BN		27" 27"	27" 27"	32" 39"	Bullnose Bullnose	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,229 \$ 4,229	
LX-204B-32-SQ LX-204B-39-SQ	Open Binder Post Corner Unit	27" 27"	27" 27"	32" 39"	Square Square	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,671 \$ 4,671	This unit is an open unit complete with 10 ¹ /4" thick black painted hardboard dividers per shelf, used for storage of
LX-204B-32-CH LX-204B-39-CH	1 03t COTTLET OTTIL	27" 27"	27" 27"	32" 39"	Chamfered Chamfered	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,781 \$ 4,781	binders. Unit also forms a 90 degree angle in a circulation desk configuration.
LX-204B-32-BN LX-204B-39-BN		27" 27"	27" 27"	32" 39"	Bullnose Bullnose	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,781 \$ 4,781	
LX-204C-32-SQ LX-204C-39-SQ	Open Curved Corner Unit	27" 27"	27" 27"	32" 39"	Square Square	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,120 \$ 4,120	Curved corner unit is used to form a 90 degree angle in a circulation desk configuration. 39" high unit complete with two fixed shelves. 32" high complete with one fixed shelf.
LX-204C-32-CH LX-204C-39-CH		27" 27"	27" 27"	32" 39"	Chamfered Chamfered	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,235 \$ 4,235	ς ···· _{\-} ······· -···· ······
LX-204C-32-BN LX-204C-39-BN		27" 27"	27" 27"	32" 39"	Bullnose Bullnose	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,235 \$ 4,235	



	MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	LX-206-32-SQ LX-206-39-SQ	Single Drawer Charge Unit with Shelf	36" 36"	27" 27"	32" 39"	Square Square	220 Lbs. 220 Lbs.	30 Cu Ft 30 Cu Ft	\$ 4,477 \$ 4,477	Unit complete with one single drawer and one adjustable shelf. Drawer will be $5^{1}/2^{\circ}$ high.
	LX-206-32-CH LX-206-39-CH		36" 36"	27" 27"	32" 39"	Chamfered Chamfered	220 Lbs. 220 Lbs.	30 Cu Ft 30 Cu Ft	\$ 4,587 \$ 4,587	
	LX-206-32-BN LX-206-39-BN		36" 36"	27" 27"	32" 39"	Bullnose Bullnose	220 Lbs. 220 Lbs.	30 Cu Ft 30 Cu Ft	\$ 4,587 \$ 4,587	
	LX-207-32-SQ	Single Drawer	36"	27"	32"	Square	210 Lbs.	30 Cu Ft	\$ 4,369	Unit complete with one single drawer. Drawer will be $5^{1}/2^{11}$
	LX-207-39-SQ LX-207-32-CH LX-207-39-CH	Charge Unit	36" 36" 36"	27" 27" 27"	39" 32" 39"	Square Chamfered Chamfered	210 Lbs. 210 Lbs. 210 Lbs.	30 Cu Ft 30 Cu Ft 30 Cu Ft	\$ 4,369 \$ 4,477 \$ 4,477	high x 20" deep.
	LX-207-32-BN LX-207-39-BN		36" 36"	27" 27"	32" 39"	Bullnose Bullnose	210 Lbs. 210 Lbs.	30 Cu Ft 30 Cu Ft	\$ 4,477 \$ 4,477	
NO AND	LX-208-32-SQ LX-208-39-SQ	Book Return Unit	36" 36"	27" 27"	32" 39"	Square Square	175 Lbs. 175 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,708 \$ 3,708	Unit will fit a T-100 depressible book truck. (Sold separately) Front panel complete with a 3" high x 14" long slanted book chute. Front edges of chute banded with 1/4" solid hardwood.
MATA	LX-208-32-CH LX-208-39-CH		36" 36"	27" 27"	32" 39"	Chamfered Chamfered	175 Lbs. 175 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,817 \$ 3,817	
	LX-208-32-BN LX-208-39-BN		36" 36"	27" 27"	32" 39"	Bullnose Bullnose	175 Lbs. 175 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,817 \$ 3,817	



 MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
LX-209-3632-SQ LX-209-3639-SQ	36" Wide Desk Unit with Surround	36" 36"	27" 27"	32" 39"	Square Square	190 Lbs. 190 Lbs.	30 Cu Ft 30 Cu Ft	\$ 4,120 \$ 4,120	Unit is 36", 48", 60" or 72" wide x 27" deep complete with a 29" high work surface. A V-shaped metal keel will be fastened to the
LX-209-3632-CH LX-209-3639-CH		36" 36"	27" 27"	32" 39"	Chamfered Chamfered	190 Lbs. 190 Lbs.	30 Cu Ft 30 Cu Ft	\$ 4,229 \$ 4,229	underside of the work surface for added support or the 60" and 72" wide units.
LX-209-3632-BN LX-209-3639-BN		36" 36"	27" 27"	32" 39"	Bullnose Bullnose	190 Lbs. 190 Lbs.	30 Cu Ft 30 Cu Ft	\$ 4,229 \$ 4,229	
LX-209-4832-SQ	48" Wide Desk Unit	48"	27"	32"	Square	250 Lbs.	40 Cu Ft	\$ 4,276	
LX-209-4839-SQ LX-209-4832-CH LX-209-4839-CH	with Surround	48" 48" 48"	27" 27" 27"	39" 32" 39"	Square Chamfered Chamfered	250 Lbs. 250 Lbs. 250 Lbs.	40 Cu Ft 40 Cu Ft 40 Cu Ft	\$ 4,276 \$ 4,423 \$ 4,423	
LX-209-4832-BN LX-209-4839-BN		48" 48"	27" 27"	32" 39"	Bullnose Bullnose	250 Lbs. 250 Lbs.	40 Cu Ft 40 Cu Ft	\$ 4,423 \$ 4,423	
LX-209-6032-SQ LX-209-6039-SQ	60" Wide Desk Unit with Surround	60" 60"	27" 27"	32" 39"	Square Square	320 Lbs. 320 Lbs.	50 Cu Ft 50 Cu Ft	\$ 4,563 \$ 4,563	
LX-209-6032-CH LX-209-6039-CH		60" 60"	27" 27"	32" 39"	Chamfered Chamfered	320 Lbs. 320 Lbs.	50 Cu Ft 50 Cu Ft	\$ 4,751 \$ 4,751	
LX-209-6032-BN LX-209-6039-BN		60" 60"	27" 27"	32" 39"	Bullnose Bullnose	320 Lbs. 320 Lbs.	50 Cu Ft 50 Cu Ft	\$ 4,751 \$ 4,751	
LX-209-7232-SQ	72" Wide Desk Unit	72"	27"	32"	Square	390 Lbs.	60 Cu Ft	\$ 4,718	
LX-209-7239-SQ LX-209-7232-CH LX-209-7239-CH	with Surround	72" 72" 72"	27" 27" 27"	39" 32" 39"	Square Chamfered Chamfered	390 Lbs. 390 Lbs. 390 Lbs.	60 Cu Ft 60 Cu Ft 60 Cu Ft	\$ 4,718 \$ 4,936 \$ 4,936	
LX-209-7232-BN LX-209-7239-BN		72" 72"	27" 27"	32" 39"	Bullnose Bullnose	390 Lbs. 390 Lbs.	60 Cu Ft 60 Cu Ft	\$ 4,936 \$ 4,936	



 MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
LX-209CD-32-SQ LX-209CD-39-SQ	Corner Desk Unit with Surround	65" 65"	29" 29"	32" 39"	Square Square	500 Lbs. 500 Lbs.	70 Cu Ft 70 Cu Ft	\$ 6,133 \$ 6,133	Unit has 27" wide knee space complete with a 29" high work surface and a surround. Corner desk unit is used to form a 90 degree angle in a circulation desk configuration.
LX-209CD-32-CH LX-209CD-39-CH		65" 65"	29" 29"	32" 39"	Chamfered Chamfered	500 Lbs. 500 Lbs.	70 Cu Ft 70 Cu Ft	\$ 6,461 \$ 6,461	
LX-209CD-32-BN LX-209CD-39-BN		65" 65"	29" 29"	32" 39"	Bullnose Bullnose	500 Lbs. 500 Lbs.	70 Cu Ft 70 Cu Ft	\$ 6,461 \$ 6,461	



MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
LX-219-3632-SQ LX-219-3639-SQ	36" Wide Desk Unit	36" 36"	27" 27"	32" 39"	Square Square	190 Lbs. 190 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,606 \$ 3,606	Unit is 36", 48", 60" or 72" wide x 27" deep complete with no surround. A V-shaped metal keel will be fastened to the
LX-219-3632-CH		36"	27"	32"	Chamfered	170 Lbs.	30 Cu Ft	\$ 3,717	underside of the work surface for added support on the 60" and 72" wide units.
LX-219-3639-CH		36"	27"	39"	Chamfered	190 Lbs.	30 Cu Ft	\$ 3,717	and 72 Wide units.
LX-219-3632-BN LX-219-3639-BN		36" 36"	27" 27"	32" 39"	Bullnose Bullnose	190 Lbs. 190 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,717 \$ 3,717	
B(217 3037 BIV		30	27	37	Ballitose	170 E83.	30 Cart	Ų 3,7 T7	
LX-219-4832-SQ	48" Wide Desk Unit	48"	27"	32"	Square	250 Lbs.	40 Cu Ft	\$ 3,763	
LX-219-4839-SQ	40 WIGE DESK OFFIL	48"	27"	39"	Square	250 Lbs.	40 Cu Ft	\$ 3,763	
LX-219-4832-CH LX-219-4839-CH		48" 48"	27" 27"	32" 39"	Chamfered Chamfered	250 Lbs. 250 Lbs.	40 Cu Ft 40 Cu Ft	\$ 3,910 \$ 3,910	
LX-219-4832-BN		48"	27"	32"	Bullnose	250 Lbs.	40 Cu Ft	\$ 3,710	
LX-219-4839-BN		48"	27"	39"	Bullnose	250 Lbs.	40 Cu Ft	\$ 3,910	
LX-219-6032-SQ	60" Wide Desk Unit	60"	27"	32"	Square	320 Lbs.	50 Cu Ft	\$ 4,050	
LX-219-6039-SQ		60"	27"	39"	Square	320 Lbs.	50 Cu Ft	\$ 4,050	
LX-219-6032-CH LX-219-6039-CH		60" 60"	27" 27"	32" 39"	Chamfered Chamfered	320 Lbs. 320 Lbs.	50 Cu Ft 50 Cu Ft	\$ 4,229 \$ 4,229	
LX-219-6032-BN		60"	27"	32"	Bullnose	320 Lbs.	50 Cu Ft	\$ 4,229	
LX-219-6039-BN		60"	27"	39"	Bullnose	320 Lbs.	50 Cu Ft	\$ 4,229	
LX-219-7232-SQ	72" Wide Desk Unit	72"	27"	יירכ"	Sauaro	390 Lbs.	60 Cu Ft	\$ 4,198	
LX-219-7239-SQ	72 Wide Desk Offit	72"	27"	32" 39"	Square Square	390 Lbs.	60 Cu Ft	\$ 4,178	
LX-219-7232-CH LX-219-7239-CH		72" 72"	27" 27"	32" 39"	Chamfered Chamfered	390 Lbs. 390 Lbs.	60 Cu Ft 60 Cu Ft	\$ 4,423 \$ 4,423	
LX-219-7232-BN		72"	27"	32"	Bullnose	390 Lbs.	60 Cu Ft	\$ 4,423	
LX-219-7239-BN		72"	27"	39"	Bullnose	390 Lbs.	60 Cu Ft	\$ 4,423	

 MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
LX-219CD-32-SQ LX-219CD-39-SQ LX-219CD-32-CH	Corner Desk Unit	65" 65"	29" 29" 29"	32" 39" 32"	Square Square Chamfered	500 Lbs. 500 Lbs. 500 Lbs.	70 Cu Ft 70 Cu Ft 70 Cu Ft	\$ 5,488 \$ 5,488 \$ 5,821	Unit has 27" wide knee space. Corner desk unit is used to form a 90 degree angle in a circulation desk configuration.
LX-219CD-39-CH LX-219CD-32-BN LX-219CD-39-BN		65" 65" 65"	29" 29" 29"	39" 32" 39"	Chamfered Bullnose Bullnose	500 Lbs. 500 Lbs. 500 Lbs.	70 Cu Ft 70 Cu Ft 70 Cu Ft	\$ 5,821 \$ 5,821 \$ 5,821	
LX-217-32-SQ LX-217-39-SQ	45 Degree Wedge Corner Unit	20 ⁵ /8" 20 ⁵ /8"	27" 27"	32" 39"	Square Square	135 Lbs. 135 Lbs.	15 Cu Ft 15 Cu Ft	\$ 4,198 \$ 4,198	Triangular closed wedge corner unit, used to form a 45 degree angle in a circulation desk configuration.
LX-217-32-CH LX-217-39-CH	Corner offic	20 ⁵ /8" 20 ⁵ /8"	27" 27"	32" 39"	Chamfered Chamfered	135 Lbs. 135 Lbs.	15 Cu Ft 15 Cu Ft	\$ 4,307 \$ 4,307	all gle in a circulation acsk confliguration.
LX-217-32-BN LX-217-39-BN		20 ⁵ /8" 20 ⁵ /8"	27" 27"	32" 39"	Bullnose Bullnose	135 Lbs. 135 Lbs.	15 Cu Ft 15 Cu Ft	\$ 4,307 \$ 4,307	
LX-223-32-SQ	ADA Unit	36"	27"	32"	Square	190 Lbs.	30 Cu Ft	\$ 3,662	Unit used for wheelchair access for either patrons or library staff. Please specify how unit is to be positioned when ordering.
LX-223-32-CH LX-223-32-BN		36" 36"	27" 27"	32" 32"	Chamfered Bullnose	190 Lbs.	30 Cu Ft	\$ 3,770 \$ 3,770	. issue specing how and is to se positioned when ordering.





	MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	LX-212-32-SQ	Closed Cupboard	36"	27"	32"	Square	270 Lbs.	30 Cu Ft	\$ 5,348	Unit complete with one single drawer 51/2" high x 20" deep,
10	LX-212-32-CH	with Single Drawer	36"	27"	32"	Chamfered	270 Lbs.	30 Cu Ft	\$ 5,458	cupboard doors and one adjustable shelf. Doors function using 95 degree hinges with lock and door pulls. 32" high unit supplied without adjustable shelf
	LX-212-32-BN		36"	27"	32"	Bullnose	270 Lbs.	30 Cu Ft	\$ 5,458	zabbilea witi loat adiastable zi ieli
	LX-213-39-SQ	Hard Drive and	36"	27"	39"	Square	270 Lbs.	30 Cu Ft	\$ 6,685	Unit complete with two locking box drawers and two file
A A A A A	LX-213-39-CH	Drawer Unit	36"	27"	39"	Chamfered	270 Lbs.	30 Cu Ft	\$ 6,802	drawers. Box drawers used to store and lock away discs. Cupboard used to store hard-drive. Door uses 95 degree hinges
	LX-213-39-BN		36"	27"	39"	Bullnose	270 Lbs.	30 Cu Ft	\$ 6,802	with lock and door pulls. 32" high unit has no box drawers.
	LX-214-32-SQ LX-214-39-SQ	Hard Drive and Open Shelf Unit	36" 36"	27" 27"	32" 39"	Square Square	260 Lbs. 260 Lbs.	30 Cu Ft 30 Cu Ft	\$ 5,262 \$ 5,262	Unit complete with one locking box drawer and open shelves. Cupboard used to store hard-drive. Door uses 95 degree hinges
	LX-214-32-CH	Open shell offic	36"	27"	32"	Chamfered	260 Lbs.	30 Cu Ft	\$ 5,380	with lock and door pulls. 32" high unit has no box drawers.
	LX-214-39-CH		36"	27"	39"	Chamfered	260 Lbs.	30 Cu Ft	\$ 5,380	
	LX-214-32-BN LX-214-39-BN		36" 36"	27" 27"	32" 39"	Bullnose Bullnose	260 Lbs. 260 Lbs.	30 Cu Ft 30 Cu Ft	\$ 5,380 \$ 5,380	
	LX-215-32-SQ LX-215-39-SQ	Drawer and Cupboard Unit	36" 36"	27" 27"	32" 39"	Square Square	270 Lbs. 270 Lbs.	30 Cu Ft 30 Cu Ft	\$ 6,770 \$ 6,770	Unit complete with one locking box drawer, two file drawers, and a cupboard compartment complete with two adjustable
	LX-215-32-CH LX-215-39-CH		36" 36"	27" 27"	32" 39"	Chamfered Chamfered	270 Lbs. 270 Lbs.	30 Cu Ft 30 Cu Ft	\$ 6,887 \$ 6,887	shelves. Door uses 95 degree hinges with lock and door pulls. 32" high unit is supplied without a box drawer and has only one adjustable shelf in cupboard section.
	LX-215-32-BN LX-215-39-BN		36" 36"	27" 27"	32" 39"	Bullnose Bullnose	270 Lbs. 270 Lbs.	30 Cu Ft 30 Cu Ft	\$ 6,887 \$ 6,887	
	LX-216-32-SQ LX-216-39-SQ	Open Shelf and Drawer Unit	36" 36"	27" 27"	32" 39"	Square Square	270 Lbs. 270 Lbs.	30 Cu Ft 30 Cu Ft	\$ 6,492 \$ 6,492	Unit complete with one locking box drawer and two file drawers, and two adjustable shelves. 32" high unit comes without box
	LX-216-32-CH LX-216-39-CH		36" 36"	27" 27"	32" 39"	Chamfered Chamfered	270 Lbs. 270 Lbs.	30 Cu Ft 30 Cu Ft	\$ 6,599 \$ 6,599	drawer and only one adjustable shelf.
	LX-216-32-BN LX-216-39-BN		36" 36"	27" 27"	32" 39"	Bullnose Bullnose	270 Lbs. 270 Lbs.	30 Cu Ft 30 Cu Ft	\$ 6,599 \$ 6,599	



 MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
LX-218-32-SQ LX-218-39-SQ LX-218-32-CH LX-218-39-CH	Curved Desk Unit	65" 65" 65"	29" 29" 29" 29"	32" 39" 32" 39"	Square Square Chamfered Chamfered	320 Lbs. 320 Lbs. 320 Lbs. 320 Lbs.	50 Cu Ft 50 Cu Ft 50 Cu Ft 50 Cu Ft	\$ 7,214 \$ 7,214 \$ 7,573 \$ 7,573	Unit has a 27" wide knee space. Curved desk unit is used to form a 90 degree angle in a circulation desk configuration.
LX-218-32-BN LX-218-39-BN		65" 65"	29" 29"	32" 39"	Bullnose Bullnose	320 Lbs. 320 Lbs.	50 Cu Ft 50 Cu Ft	\$ 7,573 \$ 7,573	
LX-218S-32-SQ	Curved Desk Unit	65"	29"	32"	Square	500 Lbs.	70 Cu Ft	\$ 7,975	Unit has 27" wide knee space complete with a 29" high work
LX-218S-32-CH LX-218S-39-CH	with Surround	65" 65" 65"	29" 29" 29"	39" 32" 39"	Square Chamfered Chamfered	500 Lbs. 500 Lbs. 500 Lbs.	70 Cu Ft 70 Cu Ft 70 Cu Ft	\$ 7,975 \$ 8,380 \$ 8,380	surface and a surround. Corner desk unit is used to form a 90 degree angle in a circulation desk configuration.
LX-218S-32-BN LX-218S-39-BN		65" 65"	29" 29"	32" 39"	Bullnose Bullnose	500 Lbs. 500 Lbs.	70 Cu Ft 70 Cu Ft	\$ 8,380 \$ 8,380	





MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
LX-225-SQ	Curved Desk Patron	65"	8 ¹ / ₂ "	7"	Square	70 Lbs.	7 Cu Ft	\$ 3,334	Patron compatible with LX216 curved corner desk u
LX-225-CH	Ledge	65"	8 ¹ /2"	7"	Chamfered	70 Lbs.	7 Cu Ft	\$ 3,498	
LX-225-BN		65"	8 ¹ /2"	7"	Bullnose	70 Lbs.	7 Cu Ft	\$ 3,498	
								4.4.040	
LX-220-36-SQ	36" Wide Straight Patron Ledge	36"	81/2"	7"	Square	30 Lbs.	3 Cu Ft	\$ 1,313	Patron ledge compatible with all standard units. Available 36", 48", 60" or 72" wide.
LX-220-36-CH		36"	8 ¹ / ₂ "	7"	Chamfered	30 Lbs.	3 Cu Ft	\$ 1,423	
LX-220-36-BN		36"	8 ¹ / ₂ "	7"	Bullnose	30 Lbs.	3 Cu Ft	\$ 1,423	
LX-220-48-SQ	48" Wide Straight	48"	81/2"	7"	Square	40 Lbs.	4 Cu Ft	\$ 1,400	
LX-220-48-CH	Patron Ledge	48"	81/2"	7"	Chamfered	40 Lbs.	4 Cu Ft	\$ 1,540	
LX-220-48-BN		48"	8 ¹ /2"	7"	Bullnose	40 Lbs.	4 Cu Ft	\$ 1,540	
LX-220-60-SQ	60" Wide Straight	60"	8 ¹ / ₂ "	7"	Square	50 Lbs.	5 Cu Ft	\$ 1,486	
LX-220-60-CH	Patron Ledge	60"	8 ¹ /2"	7"	Chamfered	50 Lbs.	5 Cu Ft	\$ 1,664	
LX-220-60-BN		60"	8 ¹ /2"	7"	Bullnose	50 Lbs.	5 Cu Ft	\$ 1,664	
LX-220-72-SQ	72" Wide Straight	72"	8 ¹ /2"	7"	Square	60 Lbs.	6 Cu Ft	\$ 1,571	
LX-220-72-CH	Patron Ledge	72"	8 ¹ / ₂ "	7"	Chamfered	60 Lbs.	6 Cu Ft	\$ 1,788	
LX-220-72-BN		72"	8 ¹ /2"	7"	Bullnose	60 Lbs.	6 Cu Ft	\$ 1,788	





 MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
LX-220S-SQ	Square Corner	27"	8 ¹ /2"	7"	Square	40 Lbs.	4 Cu Ft	\$ 1,952	Patron ledge compatible with LX202S square corner units.
LX-220S-CH	Patron Ledge	27"	81/2"	7"	Chamfered	40 Lbs.	4 Cu Ft	\$ 2,060	
LX-220S-BN		27"	81/2"	7"	Bullnose	40 Lbs.	4 Cu Ft	\$ 2,060	
LX-220C-SQ LX-220C-CH LX-220C-BN	Curved Corner Patron Ledge	27" 27" 27"	8 ¹ /2" 8 ¹ /2" 8 ¹ /2"	7" 7" 7"	Square Chamfered Bullnose	40 Lbs. 40 Lbs. 40 Lbs.	4 Cu Ft 4 Cu Ft 4 Cu Ft	\$ 2,339 \$ 2,463 \$ 2,463	Patron ledge compatible with LX202C, LX204B, LX204C curved corner units.
LX-220CD-SQ LX-220CD-CH LX-220CD-BN	Corner Desk Patron Ledge	65" 65" 65"	8 ¹ /2" 8 ¹ /2" 8 ¹ /2"	7" 7" 7"	Square Chamfered Bullnose	70 Lbs. 70 Lbs. 70 Lbs.	7 Cu Ft 7 Cu Ft 7 Cu Ft	\$ 3,033 \$ 3,258 \$ 3,258	Patron ledge compatible with LX219CD Corner desk unit





	MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
A CA	LX-222-32-SQ LX-222-39-SQ	Finish End Panels	32" 32"	27 ¹ /4" 27 ¹ /4"		Square Square	50 Lbs. 50 Lbs.	30 Cu Ft 30 Cu Ft	\$ 957 \$ 957	27 ¹ / ₄ " deep x 1 ¹ / ₄ " thick
AA	LX-222-32-CH LX-222-39-CH		32" 32"	27 ¹ /4" 27 ¹ /4"		Chamfered Chamfered	50 Lbs. 50 Lbs.	30 Cu Ft 30 Cu Ft	\$ 957 \$ 957	
	LX-222-32-BN LX-222-39-BN		32" 32"	27 ¹ /4" 27 ¹ /4"		Bullnose Bullnose	50 Lbs. 50 Lbs.	30 Cu Ft 30 Cu Ft	\$ 957 \$ 957	





 MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
GS-200-32-SQ GS-200-39-SQ	Open Shelf Unit	34" 34"	30" 30"	32" 39"	Square Square	235 Lbs. 235 Lbs.	30 Cu Ft 30 Cu Ft	\$ 2,846 \$ 2,846	Unit complete with fixed bottom and two adjustable shelves. 32" high unit complete with one adjustable shelf. End and intermediate panels are not included. Ensure that end panels
GS-200-32-BN GS-200-39-BN		34" 34"	30" 30"	32" 39"	Bullnose Bullnose	235 Lbs. 235 Lbs.	30 Cu Ft 30 Cu Ft	\$ 2,953 \$ 2,953	(GS-EP) or intermediate panels (GS-MP) are included in desk configurations.
GS-201-32-SQ GS-201-39-SQ	Cupboard Unit	34" 34"	30" 30"	32" 39"	Square Square	260 Lbs. 260 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,770 \$ 3,770	Unit comes complete with two adjustable shelves. Doors function using 95 degree hinges with lock and door pulls. 32" high unit
GS-201-32-BN GS-201-39-BN		34" 34"	30" 30"	32" 39"	Bullnose Bullnose	260 Lbs. 260 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,880 \$ 3,880	receives one adjustable shelf. End and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.
GS-202T-32-SQ GS-202T-39-SQ	Closed Triangular Corner Unit	30" 30"	30" 30"	32" 39"	Square Square	160 Lbs. 160 Lbs.	25 Cu Ft 25 Cu Ft	\$ 3,606 \$ 3,606	Triangular closed face corner unit. Unit is used to form a 90 degree angle in a circulation desk configuration. End and
GS-202T-32-BN GS-202T-39-BN		30" 30"	30" 30"	32" 39"	Bullnose Bullnose	160 Lbs. 160 Lbs.	25 Cu Ft 25 Cu Ft	\$ 3,724 \$ 3,724	intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.
GS-202C-32-SQ GS-202C-39-SQ	Closed Curved Corner Unit	30" 30"	30" 30"	32" 39"	Square Square	160 Lbs. 160 Lbs.	25 Cu Ft 25 Cu Ft	\$ 4,889 \$ 4,889	Curved closed corner unit used to form a 90 degree angle in a circulation desk configuration. End and intermediate panels are
GS-202C-32-BN GS-202C-39-BN	CONTEN CAME	30" 30"	30" 30"	32" 39"	Bullnose Bullnose	160 Lbs. 160 Lbs.	25 Cu Ft 25 Cu Ft	\$ 5,006 \$ 5,006	not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.
GS-202S-32-SQ GS-202S-39-SQ	Closed Square Corner Unit	30" 30"	30" 30"	32" 39"	Square Square	160 Lbs. 160 Lbs.	25 Cu Ft 25 Cu Ft	\$ 3,273 \$ 3,273	Square corner unit used to form a 90 degree angle in a circulation desk configuration. Unit complete with closed
GS-202S-32-BN GS-202S-39-BN		30" 30"	30" 30"	32" 39"	Bullnose Bullnose	160 Lbs. 160 Lbs.	25 Cu Ft 25 Cu Ft	\$ 3,389 \$ 3,389	flush panel design. End and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.
GS-203-32-SQ GS-203-39-SQ	Knee Space Unit with Cash and Pencil Drawe		30" 30"	32" 39"	Square Square	210 Lbs. 210 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,514 \$ 3,514	Unit complete with one pencil drawer, one locking cash drawer and a fixed shelf. Cash drawer will be 5 ¹ / ₂ " high x 12" wide. End
GS-203-32-BN GS-203-39-BN		34" 34"	30" 30"	32" 39"	Bullnose Bullnose	210 Lbs. 210 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,622 \$ 3,622	and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.



 MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
GS-204-32-SQ GS-204-39-SQ	Open Triangle Corner Unit	30" 30"	30" 30"	32" 39"	Square Square	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 3,056 \$ 3,056	Triangular open face corner unit complete with two adjustable shelves. Unit is used to form a 90 degree angle in a circulation desk configuration. 32" high unit complete
GS-204-32-BN GS-204-39-BN		30" 30"	30" 30"	32" 39"	Bullnose Bullnose	150 Lbs. 150 Lbs.	25 Cu Ft 25 Cu Ft	\$ 3,180 \$ 3,180	with one adjustable shelf. End and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.
GS-206-32-SQ GS-206-39-SQ	Single Drawer Charge Unit	34" 34"	30" 30"	32" 39"	Square Square	220 Lbs. 220 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,389 \$ 3,389	Unit complete with one single drawer. Drawer will be $5^{1}/2^{\circ}$ high x 20° deep. End and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP)
GS-206-32-BN GS-206-39-BN		34" 34"	30" 30"	32" 39"	Bullnose Bullnose	220 Lbs. 220 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,498 \$ 3,498	are included in desk configurations.
GS-207-32-SQ GS-207-39-SQ	Single Drawer Open Shelf Unit	34" 34"	30" 30"	32" 39"	Square Square	250 Lbs. 250 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,606 \$ 3,606	Unit complete with one single drawer and two adjustable shelves. Drawer will be $5^1/2$ " high x 20" deep. 32" high unit
GS-207-32-BN GS-207-39-BN		34" 34"	30" 30"	32" 39"	Bullnose Bullnose	250 Lbs. 250 Lbs.	30 Cu Ft 30 Cu Ft	\$ 3,724 \$ 3,724	complete with one adjustable shelf. End and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.
GS-208-32-SQ GS-208-39-SQ	Book Return Unit	34" 34"	30" 30"	32" 39"	Square Square	185 Lbs. 185 Lbs.	30 Cu Ft 30 Cu Ft	\$ 2,729 \$ 2,729	Unit will fit a T-100 depressible book truck. (Sold separately) Front panel complete with a 3" high x 14" long slanted book
GS-208-32-BN GS-208-39-BN		34" 34"	30" 30"	32" 39"	Bullnose Bullnose	185 Lbs. 185 Lbs.	30 Cu Ft 30 Cu Ft	\$ 2,836 \$ 2,836	chute. Front edges of chute banded with ¹ / ₄ " solid hardwood. End and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.





	MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	GS-209-3632-SQ	34" Wide Desk Unit	34"	30"	32"	Square	200 Lbs.	30 Cu Ft	\$ 3,234	Unit is 34", 46", 58" or 70" wide x 30" deep complete with a
	GS-209-3639-SQ	with Patron	34"	30"	39"	Square	200 Lbs.	30 Cu Ft	\$ 3,234	29" high work surface. Alternate work surface heights may be specified at no additional charge. Patron ledge is at 39" or 32"
The second second	GS-209-3632-BN		34"	30"	32"	Bullnose	200 Lbs.	30 Cu Ft	\$ 3,334	high. A V-shaped metal keel will be fastened to the underside
	GS-209-3639-BN		34"	30"	39"	Bullnose	200 Lbs.	30 Cu Ft	\$ 3,334	of the work surface for added support on the 58" and 70" wide units. End and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.
	GS-209-4832-SQ	46" Wide Desk Unit	46"	30"	32"	Square	250 Lbs.	40 Cu Ft	\$ 3,421	
	GS-209-4839-SQ	with Patron	46"	30"	39"	Square	250 Lbs.	40 Cu Ft	\$ 3,421	
	GS-209-4832-BN		46"	30"	32"	Bullnose	250 Lbs.	40 Cu Ft	\$ 3,560	
	GS-209-4839-BN		46"	30"	39"	Bullnose	250 Lbs.	40 Cu Ft	\$ 3,560	
	GS-209-6032-SQ	58" Wide Desk Unit	58"	30"	32"	Square	320 Lbs.	50 Cu Ft	\$ 3,739	
	GS-209-6039-SQ	with Patron	58"	30"	39"	Square	320 Lbs.	50 Cu Ft	\$ 3,739	
	GS-209-6032-BN		58"	30"	32"	Bullnose	320 Lbs.	50 Cu Ft	\$ 3,910	
	GS-209-6039-BN		58"	30"	39"	Bullnose	320 Lbs.	50 Cu Ft	\$ 3,910	
	GS-209-7232-SQ	70" Wide Desk Unit	70"	30"	32"	Square	390 Lbs.	60 Cu Ft	\$ 3,926	
	GS-209-7239-SQ	with Patron	70"	30"	39"	Square	390 Lbs.	60 Cu Ft	\$ 3,926	
	GS-209-7232-BN		70"	30"	32"	Bullnose	390 Lbs.	60 Cu Ft	\$ 4,129	
	GS-209-7239-BN		70"	30"	39"	Bullnose	390 Lbs.	60 Cu Ft	\$ 4,129	
	GS-209CD-32-SQ	Corner Desk Unit	68 ³ /4"	32"	32"	Square	500 Lbs.	70 Cu Ft	\$ 5,814	Unit has a 27" wide knee space complete with a 29" high
	GS-209CD-39-SQ	with Surround	68 ³ /4"	32"	39"	Square	500 Lbs.	70 Cu Ft	\$ 5,814	work surface and a surround. Unit also forms a 90 degree angle in a circulation desk configuration. End and intermediate
THE RESERVE OF THE RE	GS-209CD-32-BN		68 ³ /4"	32"	32"	Bullnose	500 Lbs.	70 Cu Ft	\$ 6,474	panels are not included. Ensure that end panels (GS-EP) or
	GS-209CD-39-BN		68 ³ /4"	32"	39"	Bullnose	500 Lbs.	70 Cu Ft	\$ 6,474	intermediate panels (GS-MP) are included in desk configurations.





MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
GS-219-3632-SQ GS-219-3639-SQ	34" Wide Desk Unit	34" 34"	30" 30"	32" 39"	Square Square	200 Lbs. 200 Lbs.	30 Cu Ft 30 Cu Ft	\$ 2,628 \$ 2,628	Unit is 34", 46", 58" or 70" wide x 30" deep no patron ledge. A V-shaped metal keel will be fastened to the underside of
GS-219-3632-BN GS-219-3639-BN		34" 34"	30" 30"	32" 39"	Bullnose Bullnose	200 Lbs. 200 Lbs.	30 Cu Ft 30 Cu Ft	\$ 2,736 \$ 2,736	the work surface for added support on the 58" and 70" wide units. End and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.
GS-219-4832-SQ GS-219-4839-SQ	46" Wide Desk Unit	46" 46"	30" 30"	32" 39"	Square Square	250 Lbs. 250 Lbs.	40 Cu Ft 40 Cu Ft	\$ 2,775 \$ 2,775	
GS-219-4832-BN GS-219-4839-BN		46" 46"	30" 30"	32" 39"	Bullnose Bullnose	250 Lbs. 250 Lbs.	40 Cu Ft 40 Cu Ft	\$ 2,846 \$ 2,846	
GS-219-6032-SQ GS-219-6039-SQ	58" Wide Desk Unit	58" 58"	30" 30"	32" 39"	Square Square	320 Lbs. 320 Lbs.	50 Cu Ft 50 Cu Ft	\$ 3,056 \$ 3,056	
GS-219-6032-BN GS-219-6039-BN		58" 58"	30" 30"	32" 39"	Bullnose Bullnose	320 Lbs. 320 Lbs.	50 Cu Ft 50 Cu Ft	\$ 3,234 \$ 3,234	
GS-219-7232-SQ GS-219-7239-SQ	70" Wide Desk Unit	70" 70"	30" 30"	32" 39"	Square Square	390 Lbs. 390 Lbs.	60 Cu Ft 60 Cu Ft	\$ 3,203 \$ 3,203	
GS-219-7232-BN GS-219-7239-BN		70" 70"	30" 30"	32" 39"	Bullnose Bullnose	390 Lbs. 390 Lbs.	60 Cu Ft 60 Cu Ft	\$ 3,421 \$ 3,421	
GS-219CD-32-SQ GS-219CD-39-SQ	Corner Desk Unit	68 ³ /4"	32" 32"	32" 39"	Square Square	500 Lbs. 500 Lbs.	70 Cu Ft 70 Cu Ft	\$ 4,640 \$ 4,640	Unit has a 27" wide knee space. Unit also forms a 90 degree angle in a circulation desk configuration. End and intermediate panels are not included. Ensure that end panels (GS-EP) or
GS-219CD-32-BN GS-219CD-39-BN		68 ³ /4" 68 ³ /4"	32" 32"	32" 39"	Bullnose Bullnose	500 Lbs. 500 Lbs.	70 Cu Ft 70 Cu Ft	\$ 4,991 \$ 4,991	intermediate panels (GS-MP) are included in desk configurations.





	MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	T VOLUME	LIST PRICE	DESCRIPTION
	GS-212-39-SQ	Closed Cupboard	34"	30"	39"	Square	270 Lbs	30 Cu Ft	\$ 4,346	Unit complete with one single drawer $5^{1}/2^{\circ}$ high x 20° deep,
	with Single Drawer GS-212-39-BN	with Single Drawer	34"	30"	39"	Bullnose	270 Lbs.	30 Cu Ft	\$ 4,453	cupboard doors and one adjustable shelf. Doors function using 95 degree hinges with lock and door pulls. 32" high unit has no adjustable shelf. End and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.
7,277,4	GS-213-39-SQ	Hard Drive and	34"	30"	39"	Square	270 Lbs	30 Cu Ft	\$ 6,732	Unit complete with two locking box drawers and two file
	GS-213-39-BN	Drawer Unit	34"	30"	39"	Bullnose	270 Lbs	30 Cu Ft	\$ 6,840	drawers. Box drawers used to store and lock away discs. Cupboard used to store hard-drive. Door uses 95 degree hinges with lock and door pulls. 32" high unit has no box drawers. End and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.
	GS-214-32-SQ	Hard Drive and	34"	30" 30"	32" 39"	Square	260 Lbs		\$ 5,310 \$ 5,310	Unit complete with one box drawer above hard-drive
	GS-214-39-SQ	Open Shelf Unit	34"	30		Square	260 Lbs.			compartment used to store and lock away discs, cupboard, used to store hard-drive, and two adjustable shelves. Door
	GS-214-32-BN GS-214-39-BN			Bullnose Bullnose			\$ 5,418 \$ 5,418	uses 95 degree hinges with lock and door pulls. 32" high unit has no box drawer and only one adjustable shelf. End and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.		
	CC 215 22 CO	Danisa	2.41	20"	22"	C	270 11-	20 6 5.	6 / 755	
1	GS-215-32-SQ GS-215-39-SQ	Drawer and Cupboard Unit	34" 34"	30" 30"	32" 39"	Square Square	270 Lbs 270 Lbs		\$ 6,755 \$ 6,755	Unit complete with one locking box drawer, two file drawers, and a cupboard compartment complete with two adjustable shelves. Door uses 95 degree hinges with, lock and door pulls.
	GS-215-32-BN GS-215-39-BN		34" 34"	30" 30"	32" 39"	Bullnose Bullnose	270 Lbs 270 Lbs		\$ 6,864 \$ 6,864	32" high unit has no box drawer and only one adjustable shelf in cupboard section. End and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.
A H	GS-216-32-SQ GS-216-39-SQ	Open Shelf and Drawer Unit	34" 34"	30" 30"	32" 39"	Square Square	270 Lbs 270 Lbs		\$ 6,530 \$ 6,530	Unit complete with one locking box drawer and two file drawers, and two adjustable shelves. 32" high unit has no box drawer and only one adjustable shelf. End and intermediate
	GS-216-32-BN GS-216-39-BN		34" 34"	30" 30"	32" 39"	Bullnose Bullnose	270 Lbs 270 Lbs		\$ 6,639 \$ 6,639	panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.



 MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
GS-218-32-SQ GS-218-39-SQ GS-218-32-BN GS-218-39-BN	Curved Desk Unit	68" 68" 68"	32" 32" 32" 32"	32" 39" 32" 39"	Square Square Bullnose Bullnose	320 Lbs. 320 Lbs. 320 Lbs. 320 Lbs.	50 Cu Ft 50 Cu Ft 50 Cu Ft 50 Cu Ft	\$ 6,522 \$ 6,522 \$ 6,848 \$ 6,848	Unit has a 27" wide knee space. Unit used to form a 90 degree angle in a circulation desk configuration. End and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.
GS-218S-32-SQ GS-218S-39-SQ GS-218S-32-BN GS-218S-39-BN	Curved Corner Desk with Surround	68" 68" 68"	32" 32" 32" 32"	32" 39" 32" 39"	Square Square Bullnose Bullnose	500 Lbs. 500 Lbs. 500 Lbs. 500 Lbs.	70 Cu Ft 70 Cu Ft 70 Cu Ft 70 Cu Ft	\$ 7,758 \$ 7,758 \$ 8,147 \$ 8,147	Unit has 27" wide knee space complete with a 29" high work surface and a surround. Corner desk unit is used to form a 90 degree angle in a circulation desk configuration. End and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.
GS-223-32-SQ GS-223-32-BN	ADA Unit	68" 68"	32" 32"	32" 32"	Square Bullnose	200 Lbs. 500 Lbs.	30 Cu Ft 70 Cu Ft	\$ 2,705 \$ 2,822	Unit used for wheelchair access for either patrons or library staff. Please specify how unit is to be positioned when ordering. End and intermediate panels are not included. Ensure that end panels (GS-EP) or intermediate panels (GS-MP) are included in desk configurations.





	MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	GS-225-SQ	Curved Corner Desk	68"	8 ¹ / ₂ "	7"	Square	70 Lbs.	7 Cu Ft	\$ 3,732	Patron ledge is compatible with GS218 curved corner
	GS-225-BN	Patron Ledge	68"	8 ¹ /2"	7"	Bullnose	70 Lbs.	7 Cu Ft	\$ 3,918	desk unit
	GS-220-36-SQ	36" Wide Straight Patron Ledge	36"	8 ¹ / ₂ "	7"	Square	30 Lbs.	3 Cu Ft	\$ 1,313	Patron ledge compatible with all standard units. Available 36", 48", 60" or 72" wide.
	GS-220-36-BN	3	36"	81/2"	7"	Bullnose	30 Lbs.	3 Cu Ft	\$ 1,423	
	GS-220-48-SQ	48" Wide Straight	48"	81/2"	7"	Square	40 Lbs.	4 Cu Ft	\$ 1,400	
	GS-220-48-BN	Patron Ledge	48"	81/2"	7"	Bullnose	40 Lbs.	4 Cu Ft	\$ 1,540	
	GS-220-60-SQ	60" Wide Straight	60"	81/2"	7"	Square	50 Lbs.	5 Cu Ft	\$ 1,478	
	GS-220-60-BN	Patron Ledge	60"	81/2"	7"	Bullnose	50 Lbs.	5 Cu Ft	\$ 1,664	
	GS-220-72-SQ	72" Wide Straight	72"	8 ¹ /2"	7"	Square	60 Lbs.	6 Cu Ft	\$ 1,563	
	GS-220-72-BN	Patron Ledge	72"	8 ¹ / ₂ "	7"	Bullnose	60 Lbs.	6 Cu Ft	\$ 1,780	
	GS-220S-SQ	Square Corner	29"	8 ¹ / ₂ "	7"	Square	40 Lbs.	4 Cu Ft	\$ 1,983	Patron ledge compatible with GS202S square
	GS-220S-BN	Patron Ledge	29"	81/2"	7"	Bullnose	40 Lbs.	4 Cu Ft	\$ 2,107	corner units.
	GS-220C-SQ	Curved Corner	29"	8 ¹ / ₂ "	7"	Square	40 Lbs.	4 Cu Ft	\$ 2,254	Patron ledge compatible with SC202C curved
	GS-220C-BN	Patron Ledge	29"	81/2"	7"	Bullnose	40 Lbs.	4 Cu Ft	\$ 2,370	corner unit.
	GS-220CD-SQ	Corner Desk	68 ³ /4"	81/2"	7"	Square	70 Lbs.	7 Cu Ft	\$ 3,116	Patron ledge compatible with GS219CD Corner
G	GS-220CD-BN	Patron Ledge	68 ³ /4"	81/2"	7"	Bullnose	70 Lbs.	7 Cu Ft	\$ 3,451	desk unit.



	MODEL NUMBER	PRODUCT	W	D	Н	EDGE	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
AA	GS-EP-32 GS-EP-39	End Panels	32" 39"	30 ¹ /2" 30 ¹ /2"			50 Lbs. 50 Lbs.	30 Cu Ft 30 Cu Ft	\$ 964 \$ 964	$1^{1}/4$ " thick x $30^{1}/2$ " deep. Circulation desk end panel.
AA	GS-MP-32 GS-MP-39	Intermediate Panels	32" 39"	30 ¹ /2" 30 ¹ /2"			50 Lbs. 50 Lbs.	30 Cu Ft 30 Cu Ft	\$ 1,088 \$ 1,088	





 MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
CD-M20	Mobile Pedestal: Open Shelf	20 ¹ /2"	20 ¹ /2"	26 ¹ /2"	65 Lbs.	8 Cu.Ft	\$ 2,293	Unit complete with plastic laminate top, 4 dual swivel casters and one adjustable shelf.
CD-M30	Mobile Pedestal: Cupboard Unit	20 ¹ /2"	20 ¹ /2"	26 ¹ /2"	70 Lbs.	8 Cu.Ft	\$ 2,836	Unit complete with plastic laminate top, 4 dual swivel casters and one adjustable shelf. Cupboard doors function on concealed hinges complete with lock.
CD-M40	Mobile Pedestal: Drawer Unit	20 ¹ /2"	20 ¹ /2"	26 ¹ /2"	75 Lbs.	8 Cu.Ft	\$ 3,102	Unit complete with plastic laminate top, 4 dual swivel casters, two box drawers, one file drawer and lock.
CD-M50	Mobile File Unit	20 ¹ /2"	20 ¹ /2"	26 ¹ /2"	75 Lbs.	8 Cu.Ft	\$ 3,164	Unit complete with plastic laminate top, 4 dual swivel caster, two files drawers and lock.



	MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	CD-250-BF	Hanging Pedestal: 1 Box, 1 File	18"	21 ⁵ /8"	201/2"	50 Lbs.	4 Cu.Ft	\$ 1,958	Hanging pedestal complete with one box drawer and one file drawer and lock. Constructed of 3/4" thick veneer particleboard core.
	CD-250-B3	Handing Pedestal: 3 Box	18"	21 ⁵ /8"	20 ¹ /2"	50 Lbs.	4 Cu.Ft	\$ 2,193	Hanging pedestal complete with 3 box drawers and lock. Constructed of 3/4" thick veneer particleboard core.
	CD-250-F2	Hanging Pedestal: 2 File	18"	21 ⁵ /8"	20 ¹ /2"	50 Lbs.	4 Cu.Ft	\$ 2,309	Hanging pedestal complete with 2 file drawers and lock. Constructed of 3/4" thick veneer particle core.
	CD-250-2BF	Hanging Pedestal: 2 Box, 1 File	18"	21 ⁵ /8"	20 ¹ /2"	50 Lbs.	4 Cu.Ft	\$ 2,363	Hanging pedestal complete with 2 box drawers and 1 file drawer and lock. Constructed of 3/4" thick veneer particle core.
-	CD-250-CPU	Hanging Pedestal: CPU Storage	11 ³ /4"	211/2"	20"	70 Lbs.	6 Cu.Ft	\$ 1,710	CPU pedestal with locking compartment to accommodate hard drive. Inside compartment measures. 10-1/4" wide x 21-3/4" high x 22" deep. Ventilation holes 2" x 12" are cut out on top and bottom of each side of pedestal. Cabinet constructed from 3/4" thick 3-ply veneer particleboard, assembled together by means of tongue and groove assembly. Front door operates with the use of chrome piano hinge complete with lock.





MODEL NUMBER	PRODUCT	W	D	Н	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
CD-250-P	Pencil Drawer	18"	18 ³ /4"	3 ³ /8"	10 Lbs.	0.5 Cu.Ft	\$ 785	Hanging pencil drawer constructed from 1/2" thick mahogany veneer plywood, bottom constructed of 1/4". Drawer front constructed from 3/4" thick x 3" high 3-ply particleboard core with grade "A" select veneer faces. Drawer assembled together by means of tongue and groove assembly. Drawers run on blum slides.
CD-250-PK	Pull-out Keyboard	23 ¹ /2"	17″	3 ³ /4"	15 Lbs.	0.5 Cu.Ft	\$ 793	Keyboard tray 9-1/4" deep x 22" wide inside dimension. Keyboard constructed from black ABS plastic. Tray slides out on ball bearing drawer slides and locks into place. Unit comes complete with mounting brackets.
CD-250-AK	Articulating Keyboard	23 ³ /4"	11"	3/4"	15 Lbs.	0.5 Cu.Ft	\$ 793	Unit complete with a 9-1/4" deep x 22" wide inside dimension keyboard tray. Keyboard constructed from ABS plastic, sits and functions on an adjustable retractable metal neck. Tray swivels a full 360 degrees and tilts up 15 degrees. Available in black only.
CD-200-32 CD-200-39	Swing Gate 32" Swing Gate 39"	34" 34"	1"	22" 29"	10 Lbs. 10 Lbs.	1 Cu.Ft 1 Cu.Ft	\$ 1,983 \$ 1,983	Gate constructed from 1" thick 3-ply veneer core, grade "A" veneer both faces. All edges banded with 1/4" solid external hardwood. Gate mounting support constructed from 3/4" thick x 3" wide solid hardwood. Gate swings using double action spring-loaded hinges.





Palmieri Furniture Limited ("Palmieri") warrants that its products and collections are free from defects in materials and workmanship for the life of the product, except as set forth below. Palmieri Limited Lifetime Warranty is valid from the date of delivery.

Exceptions to the Limited Lifetime Warranty: Seating: two (2) years

Goods sold hereunder are covered by a Limited Lifetime Warranty, free against defects in material and workmanship provided the goods and services are subjected to normal use and service. The applicable warranty period commences from shipping date to Purchaser of any item of the goods, whichever occurs first, or any other warranty period otherwise stipulated in writing by Palmieri under this sale. For components not supplied by Palmieri, the original manufacturer's warranty shall apply to the extent assignable by Palmieri. The obligation under this warranty is limited to the repair or replacement, at Palmieri's option, of defective parts F.O.B. point of shipment provided that prompt notice of any defect is given by Purchaser to Palmieri in writing within the applicable warranty period and that upon the Purchaser's return of the defective parts to Palmieri or, if designated by Palmieri, to the location where the works are made, properly packed and with transportation charges prepaid by Purchaser, an inspection thereof shall reveal to Palmieri's satisfaction that Purchaser's claim is valid under the terms of this warranty. Purchaser shall assume all responsibility and expense for dismantling, removal, re-installation and freight in connection with the foregoing. The same obligations and conditions extend to replacement parts furnished by Palmieri hereunder.

Palmieri does not assume liability for installation, labour or consequential damages. Palmieri makes no warranty other than the one set forth herein. All other warranties, legal, expressed or implied, including but not limited to any expressed or implied warranty of merchantability, of fitness for the intended use thereof or against infringement are hereby expressly excluded. The applicable warranty ceases to be effective if the goods are altered or repaired other than by persons authorized or approved by Palmieri to perform such work. Repairs or replacement deliveries do not interrupt or prolong the term of the warranty. The warranty ceases to be effective if Purchaser fails to handle and use the goods sold hereunder in a safe and reasonable manner and in accordance with any written instructions from the manufacturers.

Warranty Does Not Apply To Product Failure Or Loss Resulting From:

Abuse, misuse or accident, alteration or modification of product by customer or third party, normal wear and tear, improper installation, handling or incorrect use. The substitution of part components or hardware not approved or authorized by Palmieri, acts of God, unauthorized repairs, improper storage, and environmental conditions such as irregular temperature control either inside or outside the environment.

Warranty Provides Exclusive Remedies:

If a product fails under ordinary use as a result of a defect in material or workmanship, Palmieri will: (A) repair, or (B) replace the furniture. The replacement or repair of the Furniture or Seating will be at the discretion of Palmieri. If the defect or workmanship cannot be remedied on site, repairs can be made at the factory. (C) If the product repair or replacement is not commercially practicable or cannot be remade in a timely manner Palmieri will refund the purchase price of the affected product. A product "Defect" means: an inadequacy in the materials or workmanship of the product that (A) existed at the time when you received the product from Palmieri or Palmieri authorized Reseller and (B) causes a failure of the product to perform under ordinary use in accordance with the materials and documentation accompanying the product. "Ordinary Use" means: use of the product (A) in accordance with all applicable local, state or federal laws, codes and regulations and (B) in accordance with manufacturer recommendations and or instructions in the materials and documentation accompanying the product or through shop drawings. A "Palmieri Authorized Reseller" means: any dealer that is legally permitted to conduct business in the jurisdiction where the product is sold and is duly authorized by Palmieri to sell the product.

Warranty work must be approved by authorized personnel of Palmieri Furniture Limited in Richmond Hill, Ontario, Canada.

A copy of the original purchase order must accompany all claims.

Warranty Does Not Cover:

Matching of colours, stains, textures, grains and any other variations in materials. Select and Custom Surfaces and materials are only warranted for their application on the specified product and are not covered by our warranty, except as warranted by the original supplier, for quality, colorfastness, shade variations or abrasion and textiles purchased for Palmieri product.

This limited warranty is the sole remedy for product defect and no other express or implied warranty is provided. Warranty is not transferable and valid only for the original purchaser acquiring a product from Palmieri or a Palmieri authorized reseller for the purchaser's own use and not for resale, remarketing or distribution. Limited Lifetime Warranty (25 years)

GENERAL

The following Terms and Conditions of Quote and Sale shall apply to any sale of goods and services by Palmieri Furniture Limited (hereinafter called "Palmieri"). Purchaser shall be deemed to have full knowledge of the terms and conditions herein and such terms and conditions shall be binding if either the goods and services referred to herein are delivered to and accepted by Purchaser, or if Purchaser does not within five (5) days from the date hereof deliver to Palmieri written objection to said terms and conditions or any part thereof.

In the event of any conflict or inconsistency between the terms and conditions of sale herein and the terms and conditions contained in Purchaser's order or in any other form issued by Purchaser, whether or not any such form has been acknowledged or accepted by Palmieri, Palmieri's terms and conditions herein shall prevail. No waiver, alteration or modification of these terms and conditions shall be binding upon Palmieri unless made in writing and signed by a duly authorized representative of Palmieri.

1. QUOTATIONS / PRODUCT QUOTED

Unless otherwise stated, Palmieri's quotations shall be null and void unless accepted by Purchaser within thirty (30) days from the date of quotation. Quotes may be subject to change before order placement, due to increased material costs and or other factors that could impact the final cost of production and our final understanding of the product required. If the items quoted do not reflect the intended product requirements of the customer, Palmieri will not be held responsible for increased costs for those product changes. We reserve the right to edit or re-quote any portion of a previously submitted quotation subject to our final understanding of the product required by the client.

2. PALMIERI DRAWINGS

Palmieri provides drawings for Custom & Standard product we produce to our clients upon request. We consider these drawings to be Private and Confidential and are provided for the sole purpose and use of our clients to understand the product we are providing. The use of these confidential materials is limited to the transaction between the parties and at no point are these confidential materials to be sent to any of our competitors or parties quoting for the same purpose.

A minimum \$ 85.00 NET Engineering Administrative Fee will apply for Custom Product Drawings (Note: The first set of Custom product drawings will be free of charge)

A minimum \$ 120.00 NET Engineering Administrative Fee will apply for all Standard Product Drawings

PALMER CLASSIC

3. TERMS OF PAYMENT

For authorized customers; Orders at a \$ 75,000.00 threshold will require a mandatory 25% deposit. Orders over and above \$ 100,000.00 requires a mandatory (25%) deposit at time of order, a mandatory (25%) deposit prior to product shipment and the balance to be paid within thirty (30) days of date of shipment. Payment not be made to Palmieri when due, Palmieri reserves the right to charge Purchaser with interest on such overdue payments. Interest of 2% per month (24% per annum) is charged on all overdue accounts, unless otherwise specified. The charging of such interest shall not be construed as obligating Palmieri to grant any extension of time in the terms of payment. All goods remain the property of Palmieri, until balance is paid in full to Palmieri.

4. TITLE

Title to the goods or any part thereof shall not pass from Palmieri to Purchaser until all payments due hereunder have been duly made, except as otherwise expressly stipulated herein. The goods shall be and remain personal or moveable property, notwithstanding their mode of attachment to realty or other property. If default is made in any of the payments herein, Purchaser agrees that Palmieri may retain all payments which have been made on account of the purchase price as liquidated damages, and Palmieri shall be free to enter the premises where the goods may be located and remove them as Palmieri's property, without prejudice to Palmieri's right to recover any further expenses or damages Palmieri may suffer by reason of such nonpayment.

5. TAXES

Prices do not include Goods & Services Tax, Provincial or Municipal sales, use, value-added or similar tax. All applicable taxes are extra. Our Harmonized Sales Tax (HST) registration number is R104055066.

6. THE AGREEMENT

An acceptance and official confirmation of Purchasers' order by signing Palmieri's Order Confirmation the Purchaser therefore is accepting terms and conditions as expressed herein Palmieri's Terms and Conditions of Quote and Sale by Palmieri and shall constitute the complete agreement, subject to the terms and conditions of sale herein set forth, and shall supersede all previous quotations, orders or agreements.

7. LEAD TIME / DELIVERY / DELAYS

Lead time is determined only when final material/finish selection and drawing approvals are received by Palmieri from the client. The accuracy of Palmieri's lead times, is created to the best of our ability with the information provided to us. Confirmed lead time is conveyed to the client by means of Order Confirmation. They do not preclude the client from checking the accuracy of your requirement and our Order Confirmation. Any noted discrepancies are to be reported immediately to Palmieri Customer Service Department for correction and reissue of revised Order Confirmation. By signing and dating the Order Confirmation the client accepts the terms and conditions of quote and sale.

Lead time on our Order Confirmation do not account for delays that could potentially occur for special materials specified by the client that are outside of our standard finishes and materials program that are out of our control and will affect the lead time on the order. Palmieri will notify the client immediately when these delays occur and adjust the lead time accordingly.

Delivery schedules are approximate and are based on prevailing market conditions applicable respectively at

the time of Palmieri's quotation and Palmieri's acceptance of clients' order, if certain portions of an order are completed by the quoted lead time while other portions have experienced delays outside of our control. The client may choose to part ship the order at their discretion and expense. Otherwise the entire order will ship with the delayed portion at a later date. Palmieri may extend delivery schedules or may, at its option, cancel Purchaser's order in full or in part without liability other than to return any deposit or prepayment which is unearned by reason of the cancellation.

8. CHANGES AND CANCELLATION

Orders accepted by Palmieri are not subject to changes or cancellation by Purchaser without the written consent of Palmieri. In such cases where Palmieri authorizes changes or cancellation, Palmieri reserves the right to charge the Purchaser with reasonable costs based upon expenses already incurred and commitments made by Palmieri, including, without limitation, any labour done, material purchased and also including Supplier's usual overhead and reasonable profit and cancellation charges from Palmieri's suppliers. Palmieri will communicate to the Purchaser additional costs incurred by way of Revised Order Confirmation. Revised Order Confirmation will include applicable costs incurred and modification to lead times (if applicable). The Purchaser must provide Palmieri written confirmation of additional costs, before any changes can be processed on the order.

A minimum charge of \$ 100.00 NET Change Order Request fee will apply

A minimum charge of \$ 150.00 NET Cancel Order Request fee will apply

9. SHIPPING LOCATION / SHIPPING QUOTES / COST OF TRANSPORTATION

Unless otherwise stated, all prices are F.O.B. our factory in Richmond Hill, Ontario, Canada.

Customary methods of transportation shall be selected by Palmieri and such transportation will be at Purchaser's expense. Shipping quotations are made at time of furniture quotation and are outside the control of Palmieri. Shipping quotes are valid for ten (10) business days from the time of quote. We do our best to maintain shipping costs as quoted, however all shipping weights and cubic feet shown are approximate only, various construction materials and packaging methods may add to the weights given. All quoted prices, unless otherwise stated on the quotation, are based on the current exchange rates, tariffs, fuel surcharges and costs of manufacture and are subject to change by Palmieri with or without notice until Purchaser's acceptance. Palmieri does not assume responsibility or liability for shipping costs, product during transit, or variances from the shipping weights or cubic feet shown in our specification guides. Special methods of transportation will be used upon Purchaser's request and at Purchaser's additional expense, provided reasonable notice of Purchaser's transportation requirements are given by Purchaser to Palmieri prior to shipment. Palmieri will notify the client prior to shipping product if shipping costs as quoted change, at which point the client must approve the adjusted shipping costs.

10. RECEIVING PRODUCT / REPORTING DAMAGE / STORAGE OF PRODUCT

Upon receipt of Palmieri product, the receiver of the goods must immediately inspect the product to ensure it is free of shipping damage. If the product is deemed in good order, the receiver of the product must ensure



PALMERICLASSIC

to sign off on the accompanying carriers Bill of lading in good condition. Except for obligations stated under "Warranty" herein, Palmieri' responsibility for the product ceases once the product has been received and signed off in good order and is the full responsibility of the receiver and subsequently the owner.

In the event shipping damage is discovered during receipt of shipment, it is the responsibility of the receiver to ensure all noted damage is recorded on the carrier's Bill of Lading prior to sign off. All noted shipping damage claims must be reported to Palmieri within <u>24 hours</u> of receipt of the product onsite, failure to do so will result in the claim being deemed null and void. All shipping damage claims are to be reported directly to Palmieri's Shipping Manager. Please call our toll free number at <u>1-800-413-4440 ext. 33</u> or submit the claim by Fax directly to <u>1-905-731-9878</u>. Palmieri will not accept any shipping damage claims submitted <u>after 24 hours</u> and it shall be conclusively presumed that the goods were delivered in good condition.

Storage of product, Palmieri will not be held responsible for any potential damages or shortages for product shipped and received by Purchaser and is subsequently placed into storage and not inspected within 24 hours of receipt.

11. INSTALLATION / SHORTAGES / BACK CHARGES

Unless otherwise expressly stipulated, the goods shall be installed by and at the risk and expense of Purchaser.

In the event that Palmieri is requested to supervise such installation, Palmieri's responsibility shall be limited to exercising that degree of skill customary in the trade in supervising installations of the same type. Purchaser shall remain responsible for all other aspects of the work including compliance with the local regulations. It is the responsibility of the Purchaser to ensure hardware and parts are received in good order. Packing slip and hardware list to be provided by Palmieri with every order at time of shipping. Purchaser has the responsibility to notify Palmieri immediately without delay of issues that arise; subsequently Palmieri will take action to provide prompt resolution.

Shortages must be reported to Palmieri within <u>24 hours</u> of receipt of the goods and failure to do so may be at the expense of the Purchaser.

If deemed missing hardware and parts short shipped from the factory, Palmieri will arrange to ship freight prepaid to destination. Palmieri will only be responsible for replacement costs of missing hardware and parts, any labour costs incurred will be the responsibility of the Purchaser and will not be approved by Palmieri.

Back Charges will only be approved if we deemed a defect in the material or workmanship is found during the installation period resulting in a return trip to the job-site to complete installation. It shall remain the sole discretion of Palmieri to approve (A) repair or (B) replace the furniture and any labour costs incurred by the Purchaser.

12. FORCE MAJEURE

Palmieri shall not be responsible or liable for any loss or damage incurred by Purchaser herein resulting from causes beyond the reasonable control of Palmieri including, but without limitation, abuse, misuse or accident, alteration or modification of product by customer or third party, normal wear and tear, improper installation, handling or incorrect use, unauthorized repairs, the substitution of part components or hardware not approved or authorized by Palmieri, improper storage, and environmental conditions such as irregular temperature control

either inside or outside the environment, acts of God, fire, flood, delays in transportation, or the failure of Palmieri's suppliers to meet their delivery promises. The acceptance of delivery of the goods by Purchaser shall constitute a waiver of all claims for loss or damage due to any delay whatsoever.

13. RETURNED GOODS

No goods may be returned to Palmieri for a credit or exchanged without Palmieri's prior written consent.

Palmieri reserves the right to accept all returns and subject to a handling/restocking charge or to decline all returns. Even after Palmieri has authorized the return of goods for credit, Palmieri reserves the right to adjust the amount of any credit given to Purchaser on return of the goods based on the conditions of the goods on arrival in Palmieri's warehouse. Credit for returned goods will be issued to Purchaser only where such goods are returned by Purchaser and not by any subsequent owner of the goods. Goods will be considered for return only if they are in their original condition and packaging. Palmieri Goods Return Authorization Form to be issued and must accompany all shipments returning back to the factory. Return freight must be prepaid by Purchaser. A minimum 20% re-stocking fee will apply.



create. communicate. collaborate.

Palmieri Furniture Ltd.

 1230 Reid Street
 T: 905 731 9300

 Richmond Hill
 F: 905 731 9878

 Ontario Canada L4B 1C4
 TF: 800 413 4440

E: info@palmierifurniture.com W: www.palmierifurniture.com

