

END PANELS & TOPS SPECIFICATION GUIDE & PRICE LIST 2024

WOODS & FINISHES:

Natural Maple Standard



Natural Clear – M-NA

Maple Finishes

The following stains are available, add 10% to list







Richmond Cherry – M-RC Mahogany – M-MA





Java – M-JA



Victorian Cherry – M-VI



Wenge – M-WE





Natural Clear – O-NA

Red Oak Finishes

The following stains are available, add 10% to list







Richmond Cherry – O-RC Mahogany – O-MA



Java – O-JA



Victorian Cherry – O-VI



Wenge – O-WE

Natural Cherry Add 20% to list



Natural Clear – C-NA

Natural Walnut



Natural Clear – W-NA

Cherry Finishes

The following stains are available, add 30% to list



Honey Oak – C-HO

Richmond Cherry – C-RC

Walnut Finishes

The following stain is available, add 30% to list



Java – W-JA

WILSONART® LAMINATES:

Solid, Abstract and Wood Grain Options





Black 1595-60



4859-60





Natural Almond D30-60



Indigo D379-60



Spiced Zephyr Morro Zephyr



Walnut Heights 7965-38



Studio Teak 7960-38



Wild Cherry 7054-60



Skyline Walnut 7964-38



Beige 1530-60



Maroochy Brush 4745-60



Fusion Maple 7909-60



Phantom Pearl 8211-38



Phantom Charcoal 8214-38





Woolamai Brush Blue Agave 4746-60



Bannister Oak 7806-60



8200-38

Asian Night

7949-38

White Driftwood Grey Elm 8201-38



Dove Grey D92-60

4919-60

Mambo

7948-60



Eggplant 4913-60



Cocobala 7942-38



Phantom Cocoa 8213-38

ABET LAMINATES:

Solid Colour Options



METAL PAINT: Thermal Paint Colours



Orchidea 1881 Viola Campanula

1827

PALMIERI END PANELS & TOPS

EDGE BAND COLOURS:

PVC edge band colour options



HARDWOODS: All hardwood materials used in the manufacturing of Palmieri products shall be Northern grown hardwoods. Hardwoods will be air and kiln dried to a moisture content of 5-7%. All hardwoods shall be of grade "A" material, free of material stains, imperfections, conformity of grain, texture and color. Hardwood species shall be Northern grown Red Oak, Clear White Northern Maple and Birch. American Cherry and Honduras Mahogany and Walnut are available. Please inquire for pricing.

VENEER: Exposed face veneers shall be not less than 1/28" thick plain sliced veneers. Veneers are to be selected for conformity of grain direction and color. Veneers are to be stitched tightly in a book match, slip match or plain sliced configuration. Unexposed veneers are to be of hardwood but not selected for color, or grain quality. Veneers are not to be lap joined or reveal any tape or glue lines.

PARTICLE BOARD CORE: The particleboard shall be formed of wood chips, bonded with a water resistance adhesive. The particleboard material is to be of a high density 45 lbs/cu. ft. having a minimum average modules of rupture of 2400 psi and a minimum average modules of elasticity of 4,000,000 psi.

VENEER CORE: Veneer core is to be constructed with odd numbers of plies. Each ply is to be laminated in pairs and cross banded in opposite directions with grain direction at a 90 degree angle to the grain of the center core. All plies are to be free from knots, wrinkles, laps or other natural or manufacturing defects.

LUMBER CORE: Lumber core is to be of the highest quality grade. Grade "A" select stock. Lumber core shall be constructed of solid random width strips not less than 2" wide nor more than 3 1/2" wide by 1" thick. Wood strips will be free from knots or other defects. All strips will be tightly joined using water resistance adhesives.

HIGH PRESSURE LAMINATE: Work surface laminate shall be .050" thick and used with balancing backer sheet of no less than .028" thick. Laminate shall conform to standards set by the American Standards Institute/National Electrical Manufacturers Association (ANSI/NEMA) for thickness, performance and appearance. Printed colours, abstract patterns and wood grains are reproduced from representative segments of large sheets and may differ slightly from the actual product.

FINISHING PROCEDURES: All materials shall be inspected and treated with a final sanding and polishing operation before any staining and final finishing can be performed. All machine and mill marks are to be removed. Once the polishing and sanding has been performed, the furniture will then undergo the following stain and finishing

- Step 1 A base stain will be uniformly applied, wiped and then allowed to dry under factory controlled conditions.
- Step 2 A uniform coat of sealer will be applied and allowed to dry.
- Step 3 Sealer will be lightly sanded using 240 grit silicon paper.
- Step 4 A catalytic lacquer of 34-45 degree sheen is evenly applied and allowed to dry under factory controlled conditions.

METAL FINISHING PROCEDURES: All metal components are thoroughly cleaned and coated electrostatically with an epoxy powder coat paint finish. The metal components are then oven baked and cured for a lasting finish.

EDGE BANDS: All edge bands are manufactured in PVC, semi-rigid (Flex) and ABS. Standard edging size are normally 1.25" wide x 2 mm thick. These are made of the highest grade polymers and its materials are extensively tested prior to production using special test procedures and industry specification and quality standards.



Chocalate Tick

AC-FWG7424

AC- S11

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Bannister - Canopy Top:							Canopy tops shall be 1-1/4" thick 3-ply high density particle core. Top shall receive a .050" thick plastic laminate surface
	CT-BA-14-36	Single Face, 14" Depth	36"	14"	1 1/4"	30 Lbs.		\$ 629	and a backer sheet of .020" thick for balanced construction.
	CT-BA-14-72		72"	14"	1 1/4"	60 Lbs.		\$ 877	The edges shall be banded with a 3/4" thick x 1-1/4" high solid
	CT-BA-14-108		108"	14"	1 1/4"	90 Lbs.		\$ 1,119	external band with the bottom edge chamfered forming a knife
	CT-BA-14-144		144"	14"	1 1/4"	120 Lbs.		\$ 1,571	edge detail. Edges shall be banded to top after the top and
	CT-BA-14-180		180"	14"	1 1/4"	150 Lbs.		\$ 1,741	bottom laminate sheets have been applied. Edges shall be butt
	CT-BA-14-216		216"	14"	1 1/4"	180 Lbs.		\$ 1,983	joined together. Single face tops shall receive edges on 2 short
200	CT-BA-14-252		252"	14"	1 1/4"	210 Lbs.		\$ 2,363	and 1 long edge and double face tops shall receive edges on
	CT-BA-14-288		288"	14"	1 1/4"	240 Lbs.		\$ 2,605	2 long edges and short edges banded on end units only. Tops longer than 108" shall be joined together using tight joined fasteners.
	CT-BA-26-36	Double Face, 26" Depth	36"	26"	1 1/4"	60 Lbs.		\$ 1,019	
	CT-BA-26-72		72"	26"	1 1/4"	120 Lbs.		\$ 1,447	NOTES:
	CT-BA-26-108		108"	26"	1 1/4"	180 Lbs.		\$ 1,952	
	CT-BA-26-144		144"	26"	1 1/4"	240 Lbs.		\$ 2,417	*Canopy tops do not include any hardware.
	CT-BA-26-180		180"	26"	1 1/4"	300 Lbs.		\$ 2,923	
	CT-BA-26-216		216"	26"	1 1/4"	360 Lbs.		\$ 3,436	*When ordering tops exact dimensions must be specified,
	CT-BA-26-252		252"	26"	1 1/4"	420 Lbs.		\$ 3,903	nominal dimensions are inadequate.
	CT-BA-26-288		288"	26"	1 1 / 4"	480 Lbs.		\$ 4,408	
	CT-BA-30-36 CT-BA-30-72 CT-BA-30-108 CT-BA-30-144 CT-BA-30-216 CT-BA-30-252 CT-BA-30-288	Double Face, 30" Depth	36" 72" 108" 144" 180" 216" 252" 288"	30" 30" 30" 30" 30" 30" 30"	1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4"	75 Lbs. 150 Lbs. 180 Lbs. 255 Lbs. 330 Lbs. 405 Lbs. 480 Lbs. 555 Lbs.		\$ 1,105 \$ 1,593 \$ 2,014 \$ 2,722 \$ 3,141 \$ 3,568 \$ 4,283 \$ 4,681	



MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Beta - Canopy Top:							Canopy tops shall be 1-1/4" thick 3-ply high density particle core. Top shall receive a .050" thick plastic laminate surface
CT-BT-14-36	Single Face, 14" Depth	36"	14"	1 1/4"	30 Lbs.		\$ 420	and a backer sheet of .020" thick for balanced construction.
CT-BT-14-72		72"	14"	1 1/4"	60 Lbs.		\$ 583	The edges shall be banded with a 1/4" thick x 1-1/4" high solid
CT-BT-14-108		108"	14"	1 1/4"	90 Lbs.		\$ 785	internal band. Edges shall be banded to top before laminate
CT-BT-14-144		144"	14"	1 1/4"	120 Lbs.		\$ 1,174	sheets have been applied, all edges shall be eased. Single
CT-BT-14-180		180"	14"	1 1/4"	150 Lbs.		\$ 1,354	face tops shall receive edges on 2 short and 1 long edge and
CT-BT-14-216		216"	14"	1 1/4"	180 Lbs.		\$ 1,547	double face tops shall receive edges on 2 long edges and short
CT-BT-14-252		252"	14"	1 1/4"	210 Lbs.		\$ 1,952	edges banded on end units only. Tops longer than 108" shall
CT-BT-14-288		288"	14"	1 1/4"	240 Lbs.		\$ 2,139	be joined together using tight joined fasteners.
								NOTES:
CT-BT-26-36	Double Face, 26" Depth	36"	26"	1 1/4"	60 Lbs.		\$ 590	
CT-BT-26-72	·	72"	26"	1 1/4"	120 Lbs.		\$ 846	*Canopy tops do not include any hardware.
CT-BT-26-108		108"	26"	1 1/4"	180 Lbs.		\$ 1,065	
CT-BT-26-144		144"	26"	1 1/4"	240 Lbs.		\$ 1,641	*When ordering tops exact dimensions must be specified,
CT-BT-26-180		180"	26"	1 1/4"	300 Lbs.		\$ 1,881	nominal dimensions are inadequate.
CT-BT-26-216		216"	26"	1 1/4"	360 Lbs.		\$ 2,107	
CT-BT-26-252		252"	26"	1 1/4"	420 Lbs.		\$ 2,722	
CT-BT-26-288		288"	26"	1 1/4"	480 Lbs.		\$ 2,946	
CT-BT-30-36 CT-BT-30-72 CT-BT-30-108 CT-BT-30-144 CT-BT-30-180 CT-BT-30-216 CT-BT-30-252 CT-BT-30-288	Double Face, 30" Depth	36" 72" 108" 144" 180" 216" 252" 288"	30" 30" 30" 30" 30" 30" 30"	1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4"	75 Lbs. 150 Lbs. 225 Lbs. 300 Lbs. 375 Lbs. 450 Lbs. 525 Lbs. 600 Lbs.		\$ 676 \$ 1,049 \$ 1,127 \$ 1,772 \$ 2,153 \$ 2,224 \$ 2,829 \$ 3,281	



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Delicato - Canopy Top:							Canopy tops shall be 1-1/4" thick 3-ply high density particle core. Top shall receive a .050" thick plastic laminate surface
	CT-DL-14-36	Single Face, 14" Depth	36"	14"	1 1/4"	30 Lbs.		\$ 474	and a backer sheet of .020" thick for balanced construction.
	CT-DL-14-72	<i>y</i> , ,	72″	14"	1 1/4"	60 Lbs.		\$ 669	The edges shall be banded with a 1/2" thick x 1-1/4" high solid
	CT-DL-14-108		108"	14"	1 1/4"	90 Lbs.		\$ 871	external band. Edges shall be banded to top after the top and
	CT-DL-14-144		144"	14"	1 1/4"	120 Lbs.		\$ 1,329	bottom laminate sheets have been applied. Single face tops
	CT-DL-14-180		180"	14"	1 1/4"	150 Lbs.		\$ 1,524	shall receive edges on 2 short and 1 long edge and double
	CT-DL-14-216		216"	14"	1 1/4"	180 Lbs.		\$ 1,734	face tops shall receive edges on 2 long edges and short edges
	CT-DL-14-252		252"	14"	1 1/4"	210 Lbs.		\$ 2,193	banded on end units only. Tops longer than 108" shall be
	CT-DL-14-288		288"	14"	1 1/4"	240 Lbs.		\$ 2,387	joined together using tight joined fasteners.
The state of the s									NOTES:
	CT-DL-26-36	Double Face, 26" Depth	36"	26"	1 1/4"	60 Lbs.		\$ 676	
	CT-DL-26-72		72"	26"	1 1/4"	120 Lbs.		\$ 949	*Canopy tops do not include any hardware.
	CT-DL-26-108		108"	26"	1 1/4"	180 Lbs.		\$ 1,189	
	CT-DL-26-144		144"	26"	1 1/4"	240 Lbs.		\$ 1,765	*When ordering tops exact dimensions must be specified,
	CT-DL-26-180		180"	26"	1 1/4"	300 Lbs.		\$ 2,115	nominal dimensions are inadequate.
	CT-DL-26-216		216"	26"	1 1/4"	360 Lbs.		\$ 2,363	
	CT-DL-26-252		252"	26"	1 1/4"	420 Lbs.		\$ 3,039	
	CT-DL-26-288		288"	26"	1 1/4"	480 Lbs.		\$ 3,281	
	CT DL 20 2/	Double Face 20" Dooth	J / "	30"	1 1/4"	7F l b.c		\$ 753	
	CT-DL-30-36 CT-DL-30-72	Double Face, 30" Depth	36" 72"		1 1/4"	75 Lbs. 150 Lbs.			
	CT-DL-30-72 CT-DL-30-108		7 Z 1 08"	30″ 30″	1 1/4"	225 Lbs.		\$ 1,182 \$ 1,259	
	CT-DL-30-108		144"	30"	1 1/4"	300 Lbs.		\$ 1,239	
	CT-DL-30-144 CT-DL-30-180		180"	30"	1 1/4"	375 Lbs.		\$ 1,763	
	CT-DL-30-160 CT-DL-30-216		216"	30"	1 1/4"	450 Lbs.		\$ 2,417	
	CT-DL-30-210 CT-DL-30-252		252"	30"	1 1/4"	525 Lbs.		\$ 3,227	
	CT-DL-30-232 CT-DL-30-288		288"	30"	1 1/4"	600 Lbs.		\$ 3,227	
	C1-DL-30-200		200	50	1 / Т	000 LD3.		, Э,ОЭТ	



MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Element - Canopy Top:							Canopy tops shall be 1-1/4" thick 3-ply high density particle core. Top shall receive a .050" thick plastic laminate surface
CT-EL-14-36	Single Face, 14" Depth	36"	14"	1 1/4"	30 Lbs.		\$ 452	and a backer sheet of not less than .020" thick for balanced
CT-EL-14-72	,	72"	14"	1 1/4"	60 Lbs.		\$ 637	construction. The edges shall be banded with a 1/4" thick x
CT-EL-14-108		108"	14"	1 1/4"	90 Lbs.		\$ 831	1-1/4" high solid external band. Edges shall be banded to top
CT-EL-14-144		144"	14"	1 1/4"	120 Lbs.		\$ 1,259	after laminate sheets have been applied. All edges are eased.
CT-EL-14-180		180"	14"	1 1/4"	150 Lbs.		\$ 1,454	Single face tops shall receive edges on 2 short and 1 long
CT-EL-14-216		216"	14"	1 1/4"	180 Lbs.		\$ 1,664	edge and double face tops shall receive edges on 2 long sides
CT-EL-14-252		252"	14"	1 1/4"	210 Lbs.		\$ 2,091	only. Tops longer than 108" shall be joined together using
CT-EL-14-288		288"	14"	1 1/4"	240 Lbs.		\$ 2,277	tight joined fasteners.
								NOTES:
CT-EL-26-36	Double Face, 26" Depth	36"	26"	1 1/4"	60 Lbs.		\$ 629	
CT-EL-26-72		72"	26"	1 1/4"	120 Lbs.		\$ 895	*Canopy tops do not include hardware.
CT-EL-26-108		108"	26"	1 1/4"	180 Lbs.		\$ 1,127	
CT-EL-26-144		144"	26"	1 1/4"	240 Lbs.		\$ 1,680	*When ordering tops, exact dimensions are required. Nominal
CT-EL-26-180		180"	26"	1 1/4"	300 Lbs.		\$ 2,014	dimensions are inadequate.
CT-EL-26-216		216"	26"	1 1/4"	360 Lbs.		\$ 2,246	
CT-EL-26-252		252"	26"	1 1/4"	420 Lbs.		\$ 2,899	
CT-EL-26-288		288"	26"	1 1/4"	480 Lbs.		\$ 3,148	
CT-EL-30-36	Double Face, 30" Depth	36"	30"	1 1/4"	75 Lbs.		\$ 715	
CT-EL-30-36 CT-EL-30-72	Double Face, 30 Depth	72″	30"	1 1/4"	150 Lbs.		\$ 1,119	
CT-EL-30-72 CT-EL-30-108		108"	30"	1 1/4"	225 Lbs.		\$ 1,119	
CT-EL-30-144		144"	30"	1 1/4"	300 Lbs.			
CT-EL-30-144 CT-EL-30-180		180"	30"	1 1/4"	300 Lbs. 375 Lbs.		\$ 1,889 \$ 2,301	
CT-EL-30-180 CT-EL-30-216			30″	1 1/4"	450 Lbs.		\$ 2,301	
CT-EL-30-216 CT-EL-30-252		216"		1 1/4"	525 Lbs.			
		252"	30″ 30″	1 1/4"			\$ 3,077	
CT-EL-30-288		288"	30	1 ' / 4	600 Lbs.		\$ 3,482	



MODEL NUMBER PRO	ODUCT WIDTH	DEPTH	I HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
Ror	nda - Canopy Top:						Canopy tops shall be 1-1/4" thick 3-ply high density particle core. Top shall receive a .050" thick plastic laminate surface
CT-RD-14-36 S	Single Face, 14" Depth 36"	14"	1 1/4"	30 Lbs.		\$ 498	and a backer sheet of .020" thick for balanced construction.
CT-RD-14-72	72"	14"	1 1/4"	60 Lbs.		\$ 684	The edges shall be banded with a 3/4" thick x 1-1/4" high solid
CT-RD-14-108	108"	14"	1 1/4"	90 Lbs.		\$ 910	external band with top and bottom edges radiused 1/2"
CT-RD-14-144	144"	14"	1 1/4"	120 Lbs.		\$ 1,360	forming a full bullnose edge detail. Edges shall be banded
CT-RD-14-180	180"	14"	1 1/4"	150 Lbs.		\$ 1,578	to top after the top and bottom laminate sheets have been
CT-RD-14-216	216"	14"	1 1/4"	180 Lbs.		\$ 1,795	applied. Edges shall be butt joined together. Single face tops
CT-RD-14-252	252"	14"	1 1/4"	210 Lbs.		\$ 2,263	shall receive edges on 2 short and 1 long edge and double
CT-RD-14-288	288"	14"	1 1/4"	240 Lbs.		\$ 2,473	face tops shall receive edges on 2 long edges and short edges banded on end units only. Tops longer than 108" shall be joined together using tight joined fasteners.
CT-RD-26-36	Double Face, 26" Depth 36"	26"	1 1/4"	60 Lbs.		\$ 692	
CT-RD-26-72	72"	26"	1 1/4"	120 Lbs.		\$ 971	NOTES:
CT-RD-26-108	108"	26"	1 1/4"	180 Lbs.		\$ 1,236	
CT-RD-26-144	144"	26"	1 1/4"	240 Lbs.		\$ 1,827	*Canopy tops do not include any hardware.
CT-RD-26-180	180"	26"	1 1/4"	300 Lbs.		\$ 2,193	
CT-RD-26-216	216"	26"	1 1/4"	360 Lbs.		\$ 2,441	*When ordering tops exact dimensions must be specified,
CT-RD-26-252	252"	26"	1 1/4"	420 Lbs.		\$ 3,148	nominal dimensions are inadequate.
CT-RD-26-288	288"	26"	1 1/4"	480 Lbs.		\$ 3,397	
CT-RD-30-36 D	Double Face, 30" Depth 36"	30"	1 1/4"	75 Lbs.		\$ 793	
CT-RD-30-72	72"	30"	1 1/4"	150 Lbs.		\$ 1,229	
CT-RD-30-108	108"	30"	1 1/4"	225 Lbs.		\$ 1,282	
CT-RD-30-144	144"	30"	1 1/4"	300 Lbs.		\$ 2,053	
CT-RD-30-180	180"	30"	1 1/4"	375 Lbs.		\$ 2,519	
CT-RD-30-216	216"	30"	1 1/4"	450 Lbs.		\$ 2,628	
CT-RD-30-252	252"	30"	1 1/4"	525 Lbs.		\$ 3,343	
CT-RD-30-288	288"	30"	1 1/4"	600 Lbs.		\$ 3,770	



Aspen - End Panel: FFAP-4810	
EPAP-4812	
FP.AP-4812	h density
EPAP-8610 Single Face, 66" Height 10" 11/4" 66" 16 Lbs. 1 Cu.Ft 5 971 shall be externally banded top and bottom of edges. The Vision of EPAP-6610 Single Face, 66" Height 10" 11/4" 66" 16 Lbs. 1 Cu.Ft 5 816 edges will be banded with 1/4" thick x 1-1/4 for 16 Lbs. 1 Cu.Ft 5 941 hardwood, all panel edges and corners will FPAP-8614 FPAP-8614 10" 11/4" 78" 20 Lbs. 2 Cu.Ft 5 1,049 NOTES: EPAP-7810 Single Face, 78" Height 10" 11/4" 78" 20 Lbs. 2 Cu.Ft 5 1,081 FPAP-817 17" 11/4" 78" 20 Lbs. 2 Cu.Ft 5 1,081 FPAP-818 17" 11/4" 78" 20 Lbs. 2 Cu.Ft 5 1,081 FPAP-8614 11/4" 11/4" 96" 20 Lbs. 2 Cu.Ft 5 1,151 FPAP-8612 12" 11/4" 96" 20 Lbs. 2 Cu.Ft 5 1,151 FPAP-8612 14" 11/4" 96" 20 Lbs. 2 Cu.Ft 5 1,151 FPAP-8612 14" 11/4" 96" 20 Lbs. 2 Cu.Ft 5 1,289 FPAP-8614 14" 11/4" 48" 28 Lbs. 1 Cu.Ft 5 1,281 FPAP-8624 14" 11/4" 48" 28 Lbs. 2 Cu.Ft 5 1,251 FPAP-8628 28" 11/4" 48" 28 Lbs. 2 Cu.Ft 5 1,517 FPAP-8628 28" 11/4" 48" 28 Lbs. 2 Cu.Ft 5 1,517 FPAP-8628 28" 11/4" 48" 28 Lbs. 2 Cu.Ft 5 1,517 FPAP-8628 28" 11/4" 66" 32 Lbs. 2 Cu.Ft 5 1,517 FPAP-8628 28" 11/4" 66" 32 Lbs. 3 Cu.Ft 5 1,563 FPAP-8624 28" 11/4" 66" 32 Lbs. 3 Cu.Ft 5 1,563 FPAP-8628 28" 11/4" 66" 32 Lbs. 3 Cu.Ft 5 1,664 FPAP-8628 28" 11/4" 66" 32 Lbs. 3 Cu.Ft 5 1,664 FPAP-8624 28" 11/4" 66" 32 Lbs. 3 Cu.Ft 5 1,664 FPAP-8624 28" 11/4" 66" 32 Lbs. 3 Cu.Ft 5 1,664 FPAP-8624 28" 11/4" 66" 32 Lbs. 3 Cu.Ft 5 1,664 FPAP-8624 24" 11/4" 66" 32 Lbs. 3 Cu.Ft 5 1,664 FPAP-8624 24" 11/4" 66" 32 Lbs. 3 Cu.Ft 5 1,664 FPAP-8624 24" 11/4" 78" 40 Lbs. 3 Cu.Ft 5 1,664 FPAP-8624 24" 11/4" 78" 40 Lbs. 3 Cu.Ft 5 1,664 FPAP-8624 24" 11/4" 78" 40 Lbs. 3 Cu.Ft 5 1,664 FPAP-8624 24" 11/4" 78" 40 Lbs. 3 Cu.Ft 5 1,661 FPAP-8624 24" 11/4" 78" 40 Lbs. 3 Cu.Ft 5 1,661 FPAP-8624 24" 11/4" 78" 40 Lbs. 3 Cu.Ft 5 1,661 FPAP-8624 24" 11/4" 78" 40 Lbs. 3 Cu.Ft 5 1,661 FPAP-8624 24" 11/4" 78" 40 Lbs. 3 Cu.Ft 5 1,661 FPAP-8624 24" 11/4" 78" 40 Lbs. 3 Cu.Ft 5 1,661 FPAP-8624 24" 11/4" 78" 40 Lbs. 3 Cu.Ft 5 1,661 FPAP-8624 24" 11/4" 78" 40 Lbs. 3 Cu.Ft 5 1,661 FPAP-8624 24" 11/4" 78" 40 Lbs. 3 Cu.Ft 5 1,661 FPAP	
EP-AP-6610 Single Face, 66" Height 10" 11/4" 66" 16 Lbs. 1 Cu. Ft 5 94 FP-AP-6614 17" 11/4" 66" 16 Lbs. 1 Cu. Ft 5 94 FP-AP-6614 17" 11/4" 66" 16 Lbs. 1 Cu. Ft 5 94 FP-AP-6614 10" 11/4" 78" 20 Lbs. 2 Cu. Ft 5 1,049 NOTES: P-AP-7810 Single Face, 78" Height 10" 11/4" 78" 20 Lbs. 2 Cu. Ft 5 1,081 FP-AP-7817 17" 11/4" 78" 20 Lbs. 2 Cu. Ft 5 1,081 FP-AP-7818 14" 11/4" 78" 20 Lbs. 2 Cu. Ft 5 1,081 FP-AP-7818 14" 11/4" 78" 20 Lbs. 2 Cu. Ft 5 1,081 FP-AP-9610 FP-AP-9612 14" 11/4" 96" 20 Lbs. 2 Cu. Ft 5 1,093 FP-AP-9614 14" 11/4" 96" 20 Lbs. 2 Cu. Ft 5 1,298 FP-AP-9614 14" 11/4" 48" 28 Lbs. 2 Cu. Ft 5 1,298 FP-AP-828 28" 11/4" 48" 28 Lbs. 2 Cu. Ft 5 1,251 14" 11/4" 48" 28 Lbs. 2 Cu. Ft 5 1,251 14" 11/4" 48" 28 Lbs. 2 Cu. Ft 5 1,251 14" 11/4" 48" 28 Lbs. 2 Cu. Ft 5 1,251 14" 11/4" 48" 28 Lbs. 2 Cu. Ft 5 1,251 14" 14	ith 2-1/2" wide
EP-AP-6612 EP-AP-6614 EP-AP-6614 EP-AP-7810 EP-AP-7810 EP-AP-7810 EP-AP-78112 EP-AP-78112 EP-AP-78112 EP-AP-78114 EP-AP-78114 EP-AP-78115 EP-AP-78115 EP-AP-78115 EP-AP-78115 EP-AP-78116 EP-AP-78116 EP-AP-78116 EP-AP-78117 EP-AP-78117 EP-AP-78117 EP-AP-78117 EP-AP-78118	
EP-AP-6614 14" 11/4" 66" 16 Lbs. 1 Cu.Ft \$ 1,049	
P-AP-7810 Single Face, 78" Height 10" 11/4" 78" 20 Lbs. 2 Cu.Ft \$ 1,031	TO CEISCUI.
EP-AP-7812	
EP-AP-7814	
EP-AP-7814 14" 11/4" 78" 20 Lbs. 2 Cu.Ft \$ 1,220 *When ordering panels exact dimensions m nominal dimensions are inadequate. EP-AP-9610 Single Face, 96" Height 10" 11/4" 96" 20 Lbs. 2 Cu.Ft \$ 1,003 EP-AP-9612 12" 11/4" 96" 20 Lbs. 2 Cu.Ft \$ 1,151 EP-AP-9614 14 11/4" 96" 20 Lbs. 2 Cu.Ft \$ 1,151 EP-AP-9614 20" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,298 EP-AP-4820 Double Face, 48" Height 24" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,251 EP-AP-4824 28" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,423 EP-AP-4828 28" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,423 EP-AP-6620 Double Face, 66" Height 20" 11/4" 66" 32 Lbs. 2 Cu.Ft \$ 1,375 EP-AP-6620 Double Face, 66" Height 20" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,563 EP-AP-6628 28" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,563 EP-AP-6629 Double Face, 78" Height 20" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,383 EP-AP-7824 24" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,383 EP-AP-7824 24" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,610 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,610 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 4 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 4 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 4 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 4 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 4 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 4 Cu.Ft \$ 1,841 EP-AP-7828 28"	
#When ordering panels exact dimensions mominal dimensions are inadequate. EP-AP-9610 EP-AP-9612 12" 11/4" 96" 20 Lbs. 2 Cu.Ft \$ 1,151 EP-AP-9614 10" 11/4" 96" 20 Lbs. 2 Cu.Ft \$ 1,151 EP-AP-9614 11/4" 96" 20 Lbs. 2 Cu.Ft \$ 1,151 EP-AP-9614 11/4" 96" 20 Lbs. 2 Cu.Ft \$ 1,298 EP-AP-4820 Double Face, 48" Height 20" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,251 EP-AP-4828 28" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,251 EP-AP-4828 28" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,423 EP-AP-4830 Double Face, 66" Height 20" 11/4" 66" 32 Lbs. 2 Cu.Ft \$ 1,375 EP-AP-6620 Double Face, 66" Height 24" 11/4" 66" 32 Lbs. 2 Cu.Ft \$ 1,375 EP-AP-6621 28" 11/4" 66" 32 Lbs. 2 Cu.Ft \$ 1,563 EP-AP-6630 30" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,563 EP-AP-6630 30" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,563 EP-AP-7824 24" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,383 EP-AP-7824 24" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,841 EP-AP-7828 28" 11/4" 78" 40 Lbs. 40	
EP-AP-9610 Single Face, 96" Height 10" 11/4" 96" 20 Lbs. 2 Cu.Ft \$1,003 nominal dimensions are inadequate. EP-AP-9612 EP-AP-9614 10" 11/4" 96" 20 Lbs. 2 Cu.Ft \$1,151 EP-AP-9614 10" 11/4" 96" 20 Lbs. 2 Cu.Ft \$1,151 EP-AP-9614 10" 11/4" 96" 20 Lbs. 2 Cu.Ft \$1,251 EP-AP-4820 Double Face, 48" Height 20" 11/4" 48" 28 Lbs. 2 Cu.Ft \$1,251 EP-AP-4828 EP-AP-4828 28" 11/4" 48" 28 Lbs. 2 Cu.Ft \$1,251 EP-AP-4830 30" 11/4" 48" 28 Lbs. 2 Cu.Ft \$1,251 EP-AP-6620 Double Face, 66" Height 20" 11/4" 66" 32 Lbs. 2 Cu.Ft \$1,375 EP-AP-6624 24" 11/4" 66" 32 Lbs. 2 Cu.Ft \$1,375 EP-AP-6628 28" 11/4" 66" 32 Lbs. 3 Cu.Ft \$1,563 EP-AP-6630 Double Face, 78" Height 20" 11/4" 66" 32 Lbs. 3 Cu.Ft \$1,664 EP-AP-7824 24" 11/4" 78" 40 Lbs. 3 Cu.Ft \$1,383 EP-AP-7824 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$1,383 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$1,841	ist be specified,
EP-AP-9612 EP-AP-9614 12" 11/4" 96" 20 Lbs. 2 Cu.Ft \$ 1,151 20 Lbs. 2 Cu.Ft \$ 1,298 EP-AP-9614 EP-AP-9614 20" 11/4" 48" 28 Lbs. 1 Cu.Ft \$ 1,081 28" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,251 28" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,423 28 Lbs. 2 Cu.Ft \$ 1,423 28 Lbs. 2 Cu.Ft \$ 1,517 EP-AP-4820 Double Face, 66" Height 20" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,517 EP-AP-6620 Double Face, 66" Height 20" 11/4" 66" 32 Lbs. 2 Cu.Ft \$ 1,375 28" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,375 28" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,563 30" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,563 30" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,563 31 Cu.Ft \$ 1,563 31 Cu.Ft \$ 1,563 32 Lbs. 3 Cu.Ft \$ 1,563 31 Cu.Ft \$ 1,563 32 Lbs. 3 Cu.Ft \$ 1,563 32 Lbs. 3 Cu.Ft \$ 1,563 31 Cu.Ft \$ 1,563 32 Lbs. 3 Cu.Ft \$ 1,563 31 Cu.Ft \$ 1,563 32 Lbs. 3 Cu.Ft \$ 1,563 31 Cu.Ft \$ 1,563 32 Lbs. 3 Cu.Ft \$ 1,563 32 Lbs. 3 Cu.Ft \$ 1,563 31 Cu.Ft \$ 1,563 32 Lbs. 3 Cu.Ft \$ 1,563 31 Cu.Ft \$ 1,563 32 Lbs. 3 Cu.Ft \$ 1,563 32 Lbs. 3 Cu.Ft \$ 1,563 33 Cu.Ft \$ 1,563 34 Cu.Ft \$ 1,564 35 Cu.Ft \$ 1,564 46 Lbs. 3 Cu.Ft \$ 1,383 46 Lbs. 3 Cu.Ft \$ 1,383 47 Lbs. 3 Cu.Ft \$ 1,481	·
EP-AP-9614 Double Face, 48" Height 20" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,081 EP-AP-4824 24" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,251 EP-AP-4828 28" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,251 EP-AP-4830 30" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,423 EP-AP-6620 Double Face, 66" Height 20" 11/4" 66" 32 Lbs. 2 Cu.Ft \$ 1,375 EP-AP-6624 24" 11/4" 66" 32 Lbs. 2 Cu.Ft \$ 1,375 EP-AP-6628 28" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,563 EP-AP-6630 Double Face, 78" Height 20" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,664 EP-AP-7820 Double Face, 78" Height 20" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,383 EP-AP-7824 24" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,610 EP-AP-7828 50 Los. 3 Cu.Ft \$ 1,610 EP-AP-7828 51 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,610 EP-AP-7828 51,641	
EP-AP-4820 Double Face, 48" Height 20" 111/4" 48" 28 Lbs. 1 Cu.Ft \$ 1,081 EP-AP-4824 28" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,251 EP-AP-4828 28" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,423 EP-AP-4830 30" 11/4" 48" 28 Lbs. 2 Cu.Ft \$ 1,517 EP-AP-6620 Double Face, 66" Height 20" 11/4" 66" 32 Lbs. 2 Cu.Ft \$ 1,375 EP-AP-6624 24" 11/4" 66" 32 Lbs. 2 Cu.Ft \$ 1,375 EP-AP-6628 28" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,563 EP-AP-6630 Double Face, 78" Height 20" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,383 EP-AP-7820 Double Face, 78" Height 20" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,383 EP-AP-7824 24" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,610 EP-AP-7828 28" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,610 EP-AP-7828 28" 11/4" 78" 40 Lbs. 4 Cu.Ft \$ 1,841	
EP-AP-4828	
EP-AP-6620 Double Face, 66" Height 20" 11/4" 66" 32 Lbs. 2 Cu.Ft \$ 1,182 EP-AP-6624 24" 11/4" 66" 32 Lbs. 2 Cu.Ft \$ 1,375 EP-AP-6628 28" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,563 EP-AP-6630 Double Face, 78" Height 20" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,383 EP-AP-7824 24" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,610 EP-AP-7828 28" 11/4" 78" 40 Lbs. 4 Cu.Ft \$ 1,610	
EP-AP-6620 Double Face, 66" Height 20" 11/4" 66" 32 Lbs. 2 Cu.Ft \$ 1,182 EP-AP-6624 24" 11/4" 66" 32 Lbs. 2 Cu.Ft \$ 1,375 EP-AP-6628 28" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,563 EP-AP-6630 Double Face, 78" Height 20" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,664 EP-AP-7820 Double Face, 78" Height 24" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,383 EP-AP-7824 24" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,610 EP-AP-7828 28" 11/4" 78" 40 Lbs. 4 Cu.Ft \$ 1,841	
EP-AP-6624	
EP-AP-6624 24" 11/4" 66" 32 Lbs. 2 Cu.Ft \$ 1,375 EP-AP-6628 28" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,563 EP-AP-6630 Double Face, 78" Height 20" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,383 EP-AP-7824 24" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,610 EP-AP-7828 28" 11/4" 78" 40 Lbs. 4 Cu.Ft \$ 1,841	
EP-AP-6628 EP-AP-6630 EP-AP-6630 Double Face, 78" Height 20" 11/4" 78" EP-AP-7824 EP-AP-7828 EP-AP-7828 28" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,563 32 Lbs. 3 Cu.Ft \$ 1,664 40 Lbs. 3 Cu.Ft \$ 1,383 40 Lbs. 3 Cu.Ft \$ 1,610 40 Lbs. 4 Cu.Ft \$ 1,841	
EP-AP-6630 30" 11/4" 66" 32 Lbs. 3 Cu.Ft \$ 1,664 EP-AP-7820 Double Face, 78" Height 20" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,383 EP-AP-7824 24" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,610 EP-AP-7828 28" 11/4" 78" 40 Lbs. 4 Cu.Ft \$ 1,841	
EP-AP-7820 Double Face, 78" Height 20" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,383 EP-AP-7824 24" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,610 EP-AP-7828 28" 11/4" 78" 40 Lbs. 4 Cu.Ft \$ 1,841	
EP-AP-7824 24" 1 ¹ / ₄ " 78" 40 Lbs. 3 Cu.Ft \$ 1,610 EP-AP-7828 28" 1 ¹ / ₄ " 78" 40 Lbs. 4 Cu.Ft \$ 1,841	
EP-AP-7828 28" 1 ¹ / ₄ " 78" 40 Lbs. 4 Cu.Ft \$ 1,841	
FP_AP_7830 30′ 1 ¹ / ₄ ″ 78″ 40 lbs 4 Cu Ft \$ 1.952	
LI 7 (1 - 7 O D)	
FRARO(20	
EP-AP-9620 Double Face, 96" Height 20" 1 ¹ / ₄ " 96" 40 Lbs. 3 Cu.Ft \$ 1,486	
EP-AP-9624 24" 1 ¹ / ₄ " 96" 40 Lbs. 3 Cu.Ft \$ 1,734	
EP-AP-9628 28" 1 ¹ / ₄ " 96" 40 Lbs. 4 Cu.Ft \$ 1,983	
EP-AP-9630 30" 1 ¹ / ₄ " 96" 40 Lbs. 4 Cu.Ft \$ 2,107	



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Aspen II, Simple Shaker End Panel:							PANEL CONSTRUCTION:
100000000000000000000000000000000000000									End panels constructed from 1" thick high density
100000000000000000000000000000000000000	EP-AP2-4810	Single Face, 48" Height	10"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 839	particleboard core, with grade "A" veneer faces. All edges
10000000	EP-AP2-4812		12"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 957	banded with 2-1/2" wide x 1-1/4" thick solid hardwood. All
	EP-AP2-4814		14"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 1,058	panel edges and corners will be eased.
	ED AD2 //10	Circula Face //" Hairlah	1.0"	1 //	/ / "	1 / 1 -	1 ([+	¢ 0.4.1	NOTES:
1000	EP-AP2-6610	Single Face, 66" Height	10"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 941	NOTES:
	EP-AP2-6612		12"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 1,058	
	EP-AP2-6614		14"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 1,182	*End panels do include any hardware.
	EP-AP2-7810	Single Face, 78" Height	10"	1″	78"	20 Lbs.	2 Cu.Ft	\$ 1,127	*When ordering panels exact dimensions must be specified,
	EP-AP2-7812	g ·, · - · ·g	12"	1 "	78"	20 Lbs.	2 Cu.Ft	\$ 1,275	nominal dimensions are inadequate.
	EP-AP2-7814		14"	1 "	78"	20 Lbs.	2 Cu.Ft	\$ 1,416	Homman annensions are madequate.
	LI 7 (I Z 7 O I I			'	7.0	20 LD3.	2 Cd.I t	\$ 1,110	
	EP-AP2-9610	Single Face, 96" Height	10"	1 "	96"	20 Lbs.	2 Cu.Ft	\$ 1,212	
	EP-AP2-9612	<i>y</i> , <i>y</i>	12"	1 "	96"	20 Lbs.	2 Cu.Ft	\$ 1,375	
The second secon	EP-AP2-9614		14	1 "	96"	20 Lbs.	2 Cu.Ft	\$ 1,540	
					,	20 225.	2 33 1	Ų 1,72 l 0	
	EP-AP2-4820	Double Face, 48" Height	20"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 1,236	
	EP-AP2-4824		24"	1 "	48"	28 Lbs.	2 Cu.Ft	\$ 1,423	
	EP-AP2-4828		28"	1 "	48"	28 Lbs.	2 Cu.Ft	\$ 1,593	
	EP-AP2-4830		30"	1 "	48"	28 Lbs.	2 Cu.Ft	\$ 1,680	
	ED AD2 //20	Davida Fara //// Haida	20"	1 //		22.11-	2.65*	ć 1 202	
	EP-AP2-6620	Double Face, 66" Height	20"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,393	
	EP-AP2-6624		24"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,586	
	EP-AP2-6628		28"	1 "	66"	32 Lbs.	3 Cu.Ft	\$ 1,788	
	EP-AP2-6630		30"	1 "	66"	32 Lbs.	3 Cu.Ft	\$ 1,889	
	EP-AP2-7820	Double Face, 78" Height	20"	1 "	78"	40 Lbs.	3 Cu.Ft	\$ 1,687	
	EP-AP2-7824	2 3 d.a.e. 1 d.e.e., 7 0 1 1 e.e.g. 1.	24"	1"	78"	40 Lbs.	3 Cu.Ft	\$ 1,929	
	EP-AP2-7828		28"	1 "	78"	40 Lbs.	4 Cu.Ft	\$ 2,177	
	EP-AP2-7830		30′	1"	78"	40 Lbs.	4 Cu.Ft	\$ 2,301	
	LI -/\l Z-103U		30	I	/ O	TU LUS.	T CU.FL	\$ 2,301	
	EP-AP2-9620	Double Face, 96" Height	20"	1 "	96"	40 Lbs.	3 Cu.Ft	\$ 1,841	
	EP-AP2-9624		24"	1 "	96"	40 Lbs.	3 Cu.Ft	\$ 2,184	
	EP-AP2-9628		28"	1 "	96"	40 Lbs.	4 Cu.Ft	\$ 2,370	
	EP-AP2-9630		30"	1 "	96"	40 Lbs.	4 Cu.Ft	\$ 2,504	
				-			. =	7 -/- 3 .	



EP-BA-4812 EP-BA-4814 12" 11/4" 48" 14 Lbs. 1 Cu.Ft \$ 1,680 with grade "A" select very se	
EP-BA-4812	l:
EP-BA-4814 EP-BA-6610 Single Face, 66" Height 10" 11/4" 66" EP-BA-6612	m 3/4" thick 3-ply particleboard core
EP-BA-6610 Single Face, 66" Height 10" 11/4" 66" 16 Lbs. 1 Cu.Ft \$ 1,935 Bottom member is 1-1/4 EP-BA-6612 12" 11/4" 66" 16 Lbs. 1 Cu.Ft \$ 2,100 be fitted with a horizon EP-BA-6614 14" 11/4" 66" 16 Lbs. 1 Cu.Ft \$ 2,293 All spaces are then mite angled solid hardwood EP-BA-7810 Single Face, 78" Height 10" 11/4" 78" 20 Lbs. 2 Cu.Ft \$ 2,037 edges of panel frame at EP-BA-7812 12" 11/4" 78" 20 Lbs. 2 Cu.Ft \$ 2,254 EP-BA-7814 14" 11/4" 78" 20 Lbs. 2 Cu.Ft \$ 2,463 NOTES:	eneers both faces. Panels are framed on
EP-BA-6610 Single Face, 66" Height 10" 11/4" 66" 16 Lbs. 1 Cu.Ft \$ 1,935 Bottom member is 1-1/4	1-1/4" thick x 2" wide solid hardwood.
EP-BA-6612	
EP-BA-6614 EP-BA-7810 EP-BA-7812 EP-BA-7814 EP-BA-9610 Single Face, 78" Height 10" 11/4" 78" 16 Lbs. 1 Cu.Ft \$ 2,293 All spaces are then mite angled solid hardwood angled solid hardwood 20 Lbs. 2 Cu.Ft \$ 2,037 edges of panel frame and 20 Lbs. 2 Cu.Ft \$ 2,254 EP-BA-7814 EP-BA-9610 Single Face, 96" Height 10" 11/4" 78" 20 Lbs. 2 Cu.Ft \$ 2,463 NOTES:	
EP-BA-7810 Single Face, 78" Height 10" 11/4" 78" 20 Lbs. 2 Cu.Ft \$ 2,037 edges of panel frame at EP-BA-7812 EP-BA-7814 14" 11/4" 78" 20 Lbs. 2 Cu.Ft \$ 2,254 EP-BA-7814 14" 11/4" 78" 20 Lbs. 2 Cu.Ft \$ 2,463 NOTES:	ntal 1/2" thick x 2" wide stile member.
EP-BA-7810 Single Face, 78" Height 10" 11/4" 78" 20 Lbs. 2 Cu.Ft \$ 2,037 edges of panel frame at EP-BA-7812 20 Lbs. 2 Cu.Ft \$ 2,254 EP-BA-7814 14" 11/4" 78" 20 Lbs. 2 Cu.Ft \$ 2,463 NOTES:	er framed with 7/16" thick x 3/4" wide I trim creating a raised frame effect. All
EP-BA-7812	
EP-BA-7814 14" 1 ¹ / ₄ " 78" 20 Lbs. 2 Cu.Ft \$ 2,463 NOTES: EP-BA-9610 Single Face, 96" Height 10" 1 ¹ / ₄ " 96" 20 Lbs. 2 Cu.Ft \$ 2,612 *End Panels do not incl	
	lude anv hardware.
L -D/0-701Z	J
	s exact dimensions must be specified, e inadequate.
EP-BA-4820 Double Face, 48" Height 20" 1 ¹ / ₄ " 48" 28 Lbs. 1 Cu.Ft \$ 2,791	
EP-BA-4824 24" 1 ¹ / ₄ " 48" 28 Lbs. 2 Cu.Ft \$ 2,884	
EP-BA-4828 28" 1 ¹ / ₄ " 48" 28 Lbs. 2 Cu.Ft \$ 2,992	
EP-BA-4830 30" 1 ¹ / ₄ " 48" 28 Lbs. 2 Cu.Ft \$ 3,116	
EP-BA-6620 Double Face, 66" Height 20" 1 ¹ / ₄ " 66" 32 Lbs. 2 Cu.Ft \$ 2,946	
EP-BA-6624 24" 1 ¹ / ₄ " 66" 32 Lbs. 2 Cu.Ft \$ 3,095	
EP-BA-6628 28" 1 ¹ / ₄ " 66" 32 Lbs. 3 Cu.Ft \$ 3,234	
EP-BA-6630 30" 1 ¹ / ₄ " 66" 32 Lbs. 3 Cu.Ft \$ 3,529	
EP-BA-7820 Double Face, 78" Height 20" 1 ¹ / ₄ " 78" 40 Lbs. 3 Cu.Ft \$ 2,504	
EP-BA-7824 24" 1 ¹ / ₄ " 78" 40 Lbs. 3 Cu.Ft \$ 2,876	
EP-BA-7828 28" 1 ¹ / ₄ " 78" 40 Lbs. 4 Cu.Ft \$ 3,265	
EP-BA-7830 30' 1 ¹ / ₄ " 78" 40 Lbs. 4 Cu.Ft \$ 3,708	
EP-BA-9620 Double Face, 96" Height 20" 1 ¹ / ₄ " 96" 40 Lbs. 3 Cu.Ft \$ 3,010	
EP-BA-9624 24" 1 ¹ / ₄ " 96" 40 Lbs. 3 Cu.Ft \$ 3,521	
EP-BA-9628 28" 1 ¹ / ₄ " 96" 40 Lbs. 4 Cu.Ft \$ 4,027	
EP-BA-9630 30" 1 ¹ / ₄ " 96" 40 Lbs. 4 Cu.Ft \$ 4,524	



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Beta - End Panel:							PANEL CONSTRUCTION:
1911	EP-BT-4810	Single Face, 48" Height	10"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 241	Panels constructed from 3/4" thick 3-ply particleboard core
	EP-BT-4812		12"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 273	with grade "A" select veneers both faces. All edges banded
	EP-BT-4814		14"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 304	with 1/4" thick solid external banding.
	EP-BT-6610	Single Face, 66" Height	10"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 281	NOTES:
	EP-BT-6612		12"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 328	
	EP-BT-6614		14"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 366	*End Panels do not include any hardware.
	EP-BT-7810	Single Face, 78" Height	10"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 342	*When ordering panels exact dimensions must be specified,
	EP-BT-7812	5 ,	12"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 397	nominal dimensions are inadequate.
	EP-BT-7814		14"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 459	1
								•	OPTION: High pressure plastic laminate both faces and
	EP-BT-9610	Single Face, 96" Height	10"	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 381	laminate self edged.
	EP-BT-9612	g,	12"	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 443	
	EP-BT-9614		14	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 505	
	2. 2. 70				,	20 235.		Ų J O J	
	EP-BT-4810P	Single Face, 48" Height	10"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 256	
	EP-BT-4812P	Laminate, Self Edge	12"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 288	
	EP-BT-4814P	, 3	14"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 319	
	EP-BT-6610P	Single Face, 66" Height	10"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 296	
	EP-BT-6612P	Laminate, Self Edge	12"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 342	
	EP-BT-6614P	, 3	14"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 389	
	EP-BT-7810P	Single Face, 78" Height	10"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 359	
	EP-BT-7812P	Laminate, Self Edge	12"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 420	
	EP-BT-7814P	,	14"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 483	
	EP-BT-9610P	Single Face, 96″ Height	10"	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 405	
	EP-BT-9612P	Laminate, Self Edge	12"	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 466	
	EP-BT-9614P	Laminate, Jen Lage	14	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 536	
	LI-DI-701TI		1 1	/ +	, 0	ZU LD3.	1 Cu.1 t	7 7 7 0	



MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT		WEIGHT	VOLUME	PRICE	DESCRIPTION
	Beta - End Panel:				_				PANEL CONSTRUCTION:
EP-BT-4820	Double Face, 48" Height	20"	3/4"	48"		28 Lbs.	1 Cu.Ft	\$ 420	Panels constructed from 3/4" thick 3-ply particleboard core
EP-BT-4824		24"	3/4"	48"		28 Lbs.	1 Cu.Ft	\$ 490	with grade "A" select veneers both faces. All edges banded
EP-BT-4828		28"	3/4"	48"		28 Lbs.	1 Cu.Ft	\$ 560	with 1/4" thick solid external banding.
EP-BT-4830		30"	3/4"	48"		28 Lbs.	1 Cu.Ft	\$ 598	NOTES
ED DT //20	D 11 5 (///11 : 1 :	20"	2 , "			22.11	1.6.5	÷ 400	NOTES:
EP-BT-6620	Double Face, 66" Height	20"	3/4"	66"		32 Lbs.	1 Cu.Ft	\$ 498	45 48 4 4 4 4 4
EP-BT-6624		24"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 576	*End Panels do not include any hardware.
EP-BT-6628		28"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 660	4447
EP-BT-6630		30"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 700	*When ordering panels exact dimensions must be specified, nominal dimensions are inadequate.
EP-BT-7820	Double Face, 78" Height	20"	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 637	
EP-BT-7824		24"	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 753	OPTION: High pressure plastic laminate both faces and
EP-BT-7828		28"	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 856	laminate self edged.
EP-BT-7830		30′	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 918	
EP-BT-9620	Double Face, 96" Height	20"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 715	
EP-BT-9624		24"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 831	
EP-BT-9628		28"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 957	
EP-BT-9630		30"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 1,019	
EP-BT-4820P	Double Face, 48" Height	20"	3/4"	48"		28 Lbs.	1 Cu.Ft	\$ 443	
EP-BT-4824P	Laminate, Self Edge	24"	3/4"	48"		28 Lbs.	1 Cu.Ft	\$ 513	
EP-BT-4828P		28"	3/4"	48"		28 Lbs.	1 Cu.Ft	\$ 590	
EP-BT-4830P		30"	3/4"	48"		28 Lbs.	1 Cu.Ft	\$ 629	
EP-BT-6620P	Double Face, 66" Height	20"	3/4"	66"		32 Lbs.	1 Cu.Ft	\$ 529	
EP-BT-6624P	Laminate, Self Edge	24"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 607	
EP-BT-6628P		28"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 700	
EP-BT-6630P		30"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 739	
EP-BT-7820P	Double Face, 78" Height	20"	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 676	
EP-BT-7824P	Laminate, Self Edge	24"	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 793	
EP-BT-7828P	. 3	28"	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 902	
EP-BT-7830P		30′	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 964	
EP-BT-9620P	Double Face, 96" Height	20"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 753	
EP-BT-9624P	Laminate, Self Edge	24"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 877	
EP-BT-9628P		28"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 1,003	
EP-BT-9630P		30"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 1,073	



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Delicato - End Panel:							PANEL CONSTRUCTION:
	EP-DL-4810	Single Face, 48" Height	10"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 348	Panels constructed from 1" thick 3-ply particleboard core with
	EP-DL-4812		12"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 405	grade "A" select veneers both faces. All edges banded with
10000	EP-DL-4814		14"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 452	1/4" thick solid external banding. All edges will be eased.
	EP-DL-6610	Single Face, 66" Height	10"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 412	NOTES:
	EP-DL-6612		12"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 466	
	EP-DL-6614		14"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 529	*End Panels do not include any hardware.
	EP-DL-7810	Single Face, 78" Height	10"	1 "	78"	20 Lbs.	1 Cu.Ft	\$ 513	*When ordering panels exact dimensions must be specified,
	EP-DL-7812		12"	1 "	78"	20 Lbs.	1 Cu.Ft	\$ 590	nominal dimensions are inadequate.
	EP-DL-7814		14"	1 "	78"	20 Lbs.	1 Cu.Ft	\$ 676	· ·
									OPTION: High pressure plastic laminate both faces with 1/4"
	EP-DL-9610	Single Face, 96" Height	10"	1 "	96"	20 Lbs.	1 Cu.Ft	\$ 560	thick external solid band edges.
	EP-DL-9612	3	12"	1 "	96"	20 Lbs.	1 Cu.Ft	\$ 660	
	EP-DL-9614		14	1"	96"	20 Lbs.	1 Cu.Ft	\$ 753	
	EP-DL-4810PX	Single Face, 48" Height	10"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 381	
	EP-DL-4812PX	Laminate, Wood Edge	12"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 443	
	EP-DL-4814PX	, and a	14"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 490	
	EP-DL-6610PX	Single Face, 66" Height	10"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 452	
	EP-DL-6612PX	Laminate, Wood Edge	12"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 505	
	EP-DL-6614PX		14"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 576	
	EP-DL-7810PX	Single Face, 78" Height	10"	1 "	78"	20 Lbs.	1 Cu.Ft	\$ 560	
	EP-DL-7812PX	Laminate, Wood Edge	12"	1 "	78"	20 Lbs.	1 Cu.Ft	\$ 637	
	EP-DL-7814PX	, and a	14"	1 "	78"	20 Lbs.	1 Cu.Ft	\$ 731	
	EP-DL-9610PX	Single Face, 96" Height	10"	1 "	96"	20 Lbs.	1 Cu.Ft	\$ 607	
	EP-DL-9612PX	Laminate, Wood Edge	12"	1 "	96"	20 Lbs.	1 Cu.Ft	\$ 715	
	EP-DL-9614PX		14	1 "	96"	20 Lbs.	1 Cu.Ft	\$ 816	



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Delicato - End Panel:							PANEL CONSTRUCTION:
	EP-DL-4820 EP-DL-4824	Double Face, 48" Height	20" 24"	1 " 1 "	48" 48"	28 Lbs. 28 Lbs.	1 Cu.Ft 1 Cu.Ft	\$ 590 \$ 692	Panels constructed from 1" thick 3-ply particleboard core with grade "A" select veneers both faces. All edges banded with
1000	EP-DL-4828 EP-DL-4830		28" 30"	1 " 1 "	48" 48"	28 Lbs. 28 Lbs.	1 Cu.Ft 1 Cu.Ft	\$ 793 \$ 846	1/4" thick solid external banding. All edges will be eased.
	EP-DL-6620	Double Face, 66" Height	20"	1 "	66"	32 Lbs.	1 Cu.Ft	\$ 700	NOTES:
	EP-DL-6624 EP-DL-6628		24" 28"	1"	66"	32 Lbs. 32 Lbs.	2 Cu.Ft 2 Cu.Ft	\$ 825 \$ 934	*End Panels do not include any hardware.
	EP-DL-6630		30"	1"	66"	32 Lbs.	2 Cu.Ft	\$ 995	*When ordering panels exact dimensions must be specified, nominal dimensions are inadequate.
	EP-DL-7820 EP-DL-7824	Double Face, 78" Height	20" 24"	1"	78" 78"	40 Lbs. 40 Lbs.	2 Cu.Ft 2 Cu.Ft	\$ 793 \$ 934	OPTION: High pressure plastic laminate both faces with 1/4"
	EP-DL-7828 EP-DL-7830		28" 30'	1 " 1 "	78" 78"	40 Lbs. 40 Lbs. 40 Lbs.	2 Cu.Ft 2 Cu.Ft	\$ 1,065 \$ 1,135	thick external solid band edges.
	EP-DL-9620	Double Face, 96" Height	20"	1"	96"	40 Lbs.	2 Cu.Ft	\$ 887	
	EP-DL-9624 EP-DL-9628 EP-DL-9630		24" 28" 30"	1 " 1 "	96" 96" 96"	40 Lbs. 40 Lbs. 40 Lbs.	2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 1,034 \$ 1,189 \$ 1,268	
	EF-DL-7030		30	I	70	40 LD3.	Z Cu.rt	\$ 1,200	
	EP-DL-4820PX	Double Face, 48" Height	20"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 646	
	EP-DL-4824PX EP-DL-4828PX	Laminate, Wood Edge	24" 28"	1 " 1 "	48" 48"	28 Lbs. 28 Lbs.	1 Cu.Ft 1 Cu.Ft	\$ 753 \$ 864	
	EP-DL-4830PX	Davida Fara //// Haiala	30"	1 //	48"	28 Lbs.	1 Cu.Ft	\$ 918	
	EP-DL-6620PX EP-DL-6624PX	Double Face, 66″ Height Laminate, Wood Edge	20" 24"	1"	66" 66"	32 Lbs. 32 Lbs.	1 Cu.Ft 2 Cu.Ft	\$ 762 \$ 895	
	EP-DL-6628PX EP-DL-6630PX		28" 30"	1"	66" 66"	32 Lbs. 32 Lbs.	2 Cu.Ft 2 Cu.Ft	\$ 1,011 \$ 1,081	
	EP-DL-7820PX	Double Face, 78" Height	20"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 864	
	EP-DL-7824PX EP-DL-7828PX	Laminate, Wood Edge	24" 28"	1"	78" 78"	40 Lbs. 40 Lbs.	2 Cu.Ft 2 Cu.Ft	\$ 1,011 \$ 1,158	
	EP-DL-7830PX		30′	1"	78"	40 Lbs.	2 Cu.Ft	\$ 1,236	
	EP-DL-9620PX EP-DL-9624PX	Double Face, 96″ Height Laminate, Wood Edge	20"	1"	96" 96"	40 Lbs. 40 Lbs.	2 Cu.Ft 2 Cu.Ft	\$ 971 \$ 1,127	
	EP-DL-9628PX EP-DL-9630PX		28" 30"	1"	96" 96"	40 Lbs. 40 Lbs.	2 Cu.Ft 2 Cu.Ft	\$ 1,298 \$ 1,383	



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Element - End Panel:							PANEL CONSTRUCTION:
	EP-EL-4810	Single Face, 48" Height	10"	1 1/4"	48"	14 Lbs.	1 Cu.Ft	\$ 389	Panels constructed from 1-1/4" thick 3-ply particleboard core
	EP-EL-4812	3	12"	1 1/4"	48"	14 Lbs.	1 Cu.Ft	\$ 443	with grade "A" select veneers both faces. All edges banded
	EP-EL-4814		14"	1 1/4"	48"	14 Lbs.	1 Cu.Ft	\$ 498	with 1/4" thick solid external banding. All edges will be eased. Two horizontal embedded 1/2" wide steel bars will be applied
	EP-EL-6610	Single Face, 66" Height	10"	1 1/4"	66"	16 Lbs.	1 Cu.Ft	\$ 459	5" evenly spaced at upper end panel portion.
	EP-EL-6612	single race, oo rieigin	12"	1 1/4"	66"	16 Lbs.	1 Cu.Ft	\$ 522	3 everily spaced at apper end painer portion.
	EP-EL-6614		14"	1 1/4"	66"	16 Lbs.	1 Cu.Ft	\$ 583	NOTES:
	EP-EL-7810	Single Face, 78″ Height	10"	1 1/4"	78"	20 Lbs.	2 Cu.Ft	\$ 568	*End panels do not include any mounting hardware.
	EP-EL-7812	g :, : - : :g.:-	12"	1 1/4"	78"	20 Lbs.	2 Cu.Ft	\$ 660	p =
	EP-EL-7814		1 4"	1 1/4"	78"	20 Lbs.	2 Cu.Ft	\$ 753	*When ordering panels exact dimensions are required, nominal dimensions are inadequate.
THE RESIDENCE THE PROPERTY OF THE PARTY OF T	EP-EL-9610	Single Face, 96" Height	10"	1 1/4"	96"	20 Lbs.	2 Cu.Ft	\$ 622	Hommer annersions are medegate.
	EP-EL-9612	single race, 70 rieight	12"	1 1/4"	96"	20 Lbs.	2 Cu.Ft	\$ 731	
参加 专作的 100 图 200	EP-EL-9614		14	1 1/4"	96"	20 Lbs.	2 Cu.Ft	\$ 839	
	EP-EL-4820	Double Face, 48" Height	20"	1 1/4"	48"	28 Lbs.	1 Cu.Ft	\$ 660	
	EP-EL-4824		24"	1 1/4"	48"	28 Lbs.	2 Cu.Ft	\$ 777	
	EP-EL-4828		28"	1 1/4"	48"	28 Lbs.	2 Cu.Ft	\$ 895	
	EP-EL-4830		30"	1 1/4"	48"	28 Lbs.	2 Cu.Ft	\$ 949	
	EP-EL-6620	Double Face, 66" Height	20"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 785	
	EP-EL-6624		24"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 925	
	EP-EL-6628		28"	1 1/4"	66"	32 Lbs.	3 Cu.Ft	\$ 1,049	
	EP-EL-6630		30"	1 1/4"	66"	32 Lbs.	3 Cu.Ft	\$ 1,119	
	EP-EL-7820	Double Face, 78" Height	20"	1 1/4"	78"	40 Lbs.	3 Cu.Ft	\$ 941	
	EP-EL-7824		24"	1 1/4"	78"	40 Lbs.	3 Cu.Ft	\$ 1,095	
	EP-EL-7828		28"	1 1/4"	78"	40 Lbs.	4 Cu.Ft	\$ 1,251	
	EP-EL-7830		30'	1 1/4"	78"	40 Lbs.	4 Cu.Ft	\$ 1,329	
	EP-EL-9620	Double Face, 96" Height	20"	1 1/4"	96"	40 Lbs.	3 Cu.Ft	\$ 1,027	
	EP-EL-9624		24"	1 1/4"	96"	40 Lbs.	3 Cu.Ft	\$ 1,229	
	EP-EL-9628		28"	1 1/4"	96"	40 Lbs.	4 Cu.Ft	\$ 1,375	
	EP-EL-9630		30"	1 1/4"	96"	40 Lbs.	4 Cu.Ft	\$ 1,469	



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
10000		Fusion - End Panel:							PANEL CONSTRUCTION:
	EP-FS-4810	Single Face, 48" Height	10"	1 1/2"	48"	14 Lbs.	1 Cu.Ft	\$ 731	Panels constructed from 1-1/2" thick 3-ply particleboard core
	EP-FS-4812	, , , , , , , , , , , , , , , , , , ,	12"	1 1/2"	48"	14 Lbs.	1 Cu.Ft	\$ 785	with grade "A" select veneers both faces. All edges banded
	EP-FS-4814		14"	1 1/2"	48"	14 Lbs.	1 Cu.Ft	\$ 839	with 1/4" thick solid external banding. Vertical sides will be machined and fitted with key-hole lock fastners in order to
	EP-FS-6610	Single Face, 66" Height	10"	1 1/2"	66"	16 Lbs.	1 Cu.Ft	\$810	receive 1-1/2" x 1-1/2" square tubular steel posts. Single faced
	EP-FS-6612	3	12"	1 1/2"	66"	16 Lbs.	1 Cu.Ft	\$ 877	panel receives one post, double faced panel receives two.
	EP-FS-6614		14"	1 1/2"	66"	16 Lbs.	1 Cu.Ft	\$ 934	
									NOTES:
	EP-FS-7810	Single Face, 78" Height	10"	1 1/2"	78"	20 Lbs.	2 Cu.Ft	\$ 971	
	EP-FS-7812	3	12"	1 1/2"	78"	20 Lbs.	2 Cu.Ft	\$ 1,058	*End panels do not include any mounting hardware.
	EP-FS-7814		14"	1 1/2"	78"	20 Lbs.	2 Cu.Ft	\$ 1,143	
									*When ordering panels exact dimensions are required,
	EP-FS-9610	Single Face, 96" Height	10"	1 1/2"	96"	20 Lbs.	2 Cu.Ft	\$ 1,049	nominal dimensions are inadequate.
	EP-FS-9612	, , , , , , , , , , , , , , , , , , ,	12"	1 1/2"	96"	20 Lbs.	2 Cu.Ft	\$ 1,143	'
	EP-FS-9614		14	1 1/2"	96"	20 Lbs.	2 Cu.Ft	\$ 1,236	
	EP-FS-4820 EP-FS-4824 EP-FS-4828 EP-FS-4830	Double Face, 48″ Height	20" 24" 28" 30"	1 ¹ /2" 1 ¹ /2" 1 ¹ /2" 1 ¹ /2"	48" 48" 48"	28 Lbs. 28 Lbs. 28 Lbs. 28 Lbs.	1 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 1,158 \$ 1,268 \$ 1,375 \$ 1,431	
	LI -I 3- 1030		30	1 / 2	10	20 LD3.	Z Cu.i t	٦ ١,١٥١	
	EP-FS-6620	Double Face, 66" Height	20"	1 1/2"	66"	32 Lbs.	2 Cu.Ft	\$ 1,313	
	EP-FS-6624	,	24"	1 1/2"	66"	32 Lbs.	2 Cu.Ft	\$ 1,447	
	EP-FS-6628		28"	1 1/2"	66"	32 Lbs.	3 Cu.Ft	\$ 1,571	
	EP-FS-6630		30"	1 1/2"	66"	32 Lbs.	3 Cu.Ft	\$ 1,641	
								. ,	
	EP-FS-7820	Double Face, 78" Height	20"	1 1/2"	78"	40 Lbs.	3 Cu.Ft	\$ 1,624	
	EP-FS-7824	, ,	24"	1 1/2"	78"	40 Lbs.	3 Cu.Ft	\$ 1,795	
	EP-FS-7828		28"	1 1/2"	78"	40 Lbs.	4 Cu.Ft	\$ 1,958	
	EP-FS-7830		30′	1 1/2"	78"	40 Lbs.	4 Cu.Ft	\$ 2,045	
	,		2 0	. , _			. 23	<i>4 2,013</i>	
	EP-FS-9620	Double Face, 96" Height	20"	1 1/2"	96"	40 Lbs.	3 Cu.Ft	\$ 1,772	
	EP-FS-9624	2 3 4 2 . 2 . 2 . 7 . 7 . 7 . 1 . 1 . 1 . 1 . 1 . 1 . 1	24"	1 1/2"	96"	40 Lbs.	3 Cu.Ft	\$ 1,965	
	EP-FS-9628		28"	1 1/2"	96"	40 Lbs.	4 Cu.Ft	\$ 2,153	
	EP-FS-9630		30"	1 1/2"	96"	40 Lbs.	4 Cu.Ft	\$ 2,246	
	LI 13-7030		50	1 / 4	, 5	IO LOS.	i Cu.i t	Ÿ ∠,∠ I ∪	



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
10 100000		Princeton - End Panel:							PANEL CONSTRUCTION:
	EP-PT-4810	Single Face, 48″ Height	10"	1 1/4"	48"	14 Lbs.	1 Cu.Ft	\$ 793	End panels shall be constructed 1-1/4" thick high density
	EP-PT-4812		12"	1 1/4"	48"	14 Lbs.	1 Cu.Ft	\$ 877	particle core, with premium grade "A" face veneers. The front
	EP-PT-4814		14"	1 1/4"	48"	14 Lbs.	1 Cu.Ft	\$ 971	panel face shall be designed using rift-cut veneers 2" wide running horizontally and vertically around the perimeter of the
	EP-PT-6610	Single Face, 66" Height	10"	1 1/4"	66"	16 Lbs.	1 Cu.Ft	\$ 887	panel meeting at mitered corners, thus giving a framed panel
	EP-PT-6612	g,	12"	1 1/4"	66"	16 Lbs.	1 Cu.Ft	\$ 988	effect. Panels are framed on top and two vertical sides with
	EP-PT-6614		14"	1 1/4"	66"	16 Lbs.	1 Cu.Ft	\$ 1,095	1/8" thick x 1-1/4" wide solid hardwood, having the top edge overlapping the vertical edges. The center of the double face
	EP-PT-7810	Single Face, 78" Height	10"	1 1/4"	78"	20 Lbs.	2 Cu.Ft	\$ 1,081	panel is routed to insert a 3/16" wide x 1/8" deep solid black
	EP-PT-7812	single race, 70 meight	12"	1 1/4"	78"	20 Lbs.	2 Cu.Ft	\$ 1,205	inlay. The inlay will end 2" from the top and bottom of the
	EP-PT-7814		14"	1 1/4"	78"	20 Lbs.	2 Cu.Ft	\$ 1,336	panel. Single face end panel shall not receive black inlay. The base shall consist of a 1-3/8" thick x 4" high solid hardwood
	EP-PT-9610	Single Face, 96" Height	10"	1 1/4"	96"	20 Lbs.	2 Cu.Ft	\$ 1,166	with 1/4" ins-step front and two sides, flush at back.
	EP-PT-9612	single race, 70 rieight	12"	1 1/4"	96"	20 Lbs.	2 Cu.Ft	\$ 1,313	with 171 lits-step from and two sides, hash at back.
	EP-PT-9614		14	1 1/4"	96"	20 Lbs.	2 Cu.Ft	\$ 1,447	NOTES:
									*End Panels do not include any hardware.
HUIDATE BURNO	EP-PT-4820	Double Face, 48" Height	20"	1 1/4"	48"	28 Lbs.	1 Cu.Ft	\$ 1,158	
	EP-PT-4824		24"	1 1/4"	48"	28 Lbs.	2 Cu.Ft	\$ 1,313	*When ordering panels exact dimensions must be specified,
	EP-PT-4828		28"	1 1/4"	48"	28 Lbs.	2 Cu.Ft	\$ 1,469	nominal dimensions are inadequate.
	EP-PT-4830		30"	1 1/4"	48"	28 Lbs.	2 Cu.Ft	\$ 1,547	
	EP-PT-6620	Double Face, 66" Height	20"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 1,323	
	EP-PT-6624	, ,	24"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 1,486	
	EP-PT-6628		28"	1 1/4"	66"	32 Lbs.	3 Cu.Ft	\$ 1,671	
	EP-PT-6630		30"	1 1/4"	66"	32 Lbs.	3 Cu.Ft	\$ 1,748	
	EP-PT-7820	Double Face, 78" Height	20"	1 1/4"	78"	40 Lbs.	3 Cu.Ft	\$ 1,624	
	EP-PT-7824		24"	1 1/4"	78"	40 Lbs.	3 Cu.Ft	\$ 1,851	
	EP-PT-7828		28"	1 1/4"	78"	40 Lbs.	4 Cu.Ft	\$ 2,076	
	EP-PT-7830		30′	1 1/4"	78"	40 Lbs.	4 Cu.Ft	\$ 2,184	
	EP-PT-9620	Double Face, 96" Height	20"	1 1/4"	96"	40 Lbs.	3 Cu.Ft	\$ 1,780	
	EP-PT-9624	_	24"	1 1/4"	96"	40 Lbs.	3 Cu.Ft	\$ 2,029	
	EP-PT-9628		28"	1 1/4"	96"	40 Lbs.	4 Cu.Ft	\$ 2,270	
	EP-PT-9630		30"	1 1/4"	96"	40 Lbs.	4 Cu.Ft	\$ 2,401	



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Ronda - End Panel:							PANEL CONSTRUCTION:
100000	EP-RD-4810	Single Face, 48" Height	10"	11/4"	48"	14 Lbs.	1 Cu.Ft	\$ 366	Panels constructed from 1-1/4" thick 3-ply particleboard core
	EP-RD-4812		12"	1 1/4"	48"	14 Lbs.	1 Cu.Ft	\$ 420	with grade "A" select veneers both faces. All edges banded
10000	EP-RD-4814		14"	1 1/4"	48"	14 Lbs.	1 Cu.Ft	\$ 474	with 3/4" thick x 1-1/4" solid external banding. All edges will be radiused to a full bullnose detail and all four corners
	EP-RD-6610	Single Face, 66" Height	10"	1 1/4"	66"	16 Lbs.	1 Cu.Ft	\$ 428	radiused 1/2". Edges shall be butt joined together
	EP-RD-6612	3	12"	1 1/4"	66"	16 Lbs.	1 Cu.Ft	\$ 490	
	EP-RD-6614		14"	1 1/4"	66"	16 Lbs.	1 Cu.Ft	\$ 552	NOTES:
	EP-RD-7810	Single Face, 78" Height	10"	1 1/4"	78"	20 Lbs.	1 Cu.Ft	\$ 545	*End Panels do not include any hardware.
	EP-RD-7812		12"	1 1/4"	78"	20 Lbs.	1 Cu.Ft	\$ 629	
	EP-RD-7814		14"	1 1/4"	78"	20 Lbs.	1 Cu.Ft	\$ 707	*When ordering panels exact dimensions must be specified, nominal dimensions are inadequate.
	EP-RD-9610	Single Face, 96" Height	10"	1 1/4"	96"	20 Lbs.	1 Cu.Ft	\$ 598	
	EP-RD-9612		12"	1 1/4"	96"	20 Lbs.	1 Cu.Ft	\$ 692	OPTIONS: High pressure plastic laminate both faces with 3/4"
	EP-RD-9614		14	1 1/4"	96"	20 Lbs.	1 Cu.Ft	\$ 785	external bullnose edges.
	EP-RD-4810P	Single Face, 48" Height	10"	1 1/4"	48"	14 Lbs.	1 Cu.Ft	\$ 405	
	EP-RD-4812P	Laminate, Bullnose Edge	12"	1 1/4"	48"	14 Lbs.	1 Cu.Ft	\$ 466	
	EP-RD-4814P		14"	1 1/4"	48"	14 Lbs.	1 Cu.Ft	\$ 529	
	EP-RD-6610P	Single Face, 66" Height	10"	1 1/4"	66"	16 Lbs.	1 Cu.Ft	\$ 474	
	EP-RD-6612P	Laminate, Bullnose Edge	12"	1 1/4"	66"	16 Lbs.	1 Cu.Ft	\$ 545	
	EP-RD-6614P		14"	1 1/4"	66"	16 Lbs.	1 Cu.Ft	\$ 614	
	EP-RD-7810P	Single Face, 78" Height	10"	1 1/4"	78"	20 Lbs.	1 Cu.Ft	\$ 598	
	EP-RD-7812P	Laminate, Bullnose Edge	12"	1 1/4"	78"	20 Lbs.	1 Cu.Ft	\$ 700	
	EP-RD-7814P	<u> </u>	14"	1 1/4"	78"	20 Lbs.	1 Cu.Ft	\$ 785	
	EP-RD-9610P	Single Face, 96" Height	10"	1 1/4"	96"	20 Lbs.	1 Cu.Ft	\$ 660	
	EP-RD-9612P	Laminate, Bullnose Edge	12"	1 1/4"	96"	20 Lbs.	1 Cu.Ft	\$ 762	
	EP-RD-9614P		14	1 1/4"	96"	20 Lbs.	1 Cu.Ft	\$ 871	



MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Ronda - End Panel:							PANEL CONSTRUCTION:
EP-RD-4820 EP-RD-4824 EP-RD-4828	Double Face, 48" Height	20" 24" 28"	1 ¹ /4" 1 ¹ /4" 1 ¹ /4"	48" 48" 48"	28 Lbs. 28 Lbs. 28 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 637 \$ 739 \$ 839	Panels constructed from 1-1/4" thick 3-ply particleboard core with grade "A" select veneers both faces. All edges banded with 3/4" thick x 1-1/4" solid external banding. All edges will
EP-RD-4830		30"	1 / 4"	48"	28 Lbs.	1 Cu.Ft	\$ 895	be radiused to a full bullnose detail and all four corners radiused 1/2". Edges shall be butt joined together.
EP-RD-6620	Double Face, 66" Height	20"	1 1/4"	66"	32 Lbs.	1 Cu.Ft	\$ 746	
EP-RD-6624		24"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 864	NOTES:
EP-RD-6628		28"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 988	
EP-RD-6630		30"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 1,042	*End Panels do not include any hardware.
EP-RD-7820	Double Face, 78" Height	20"	1 1/4"	78″	40 Lbs.	2 Cu.Ft	\$ 964	*When ordering panels exact dimensions must be specified,
EP-RD-7824		24"	1 1/4"	78"	40 Lbs.	2 Cu.Ft	\$ 1,112	nominal dimensions are inadequate.
EP-RD-7828		28"	1 1/4"	78"	40 Lbs.	2 Cu.Ft	\$ 1,275	
EP-RD-7830		30'	1 1/4"	78"	40 Lbs.	2 Cu.Ft	\$ 1,360	OPTIONS: High pressure plastic laminate both faces with 3/4" external bullnose edges.
EP-RD-9620	Double Face, 96" Height	20"	1 1/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,027	
EP-RD-9624		24"	1 1/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,189	
EP-RD-9628		28"	1 1/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,360	
EP-RD-9630		30"	1 1/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,447	
EP-RD-4820P	Double Face, 48" Height	20"	1 1/4"	48"	28 Lbs.	1 Cu.Ft	\$ 707	
EP-RD-4824P	Laminate, Bullnose Edge	24"	1 1/4"	48"	28 Lbs.	1 Cu.Ft	\$816	
EP-RD-4828P		28"	1 1/4"	48"	28 Lbs.	1 Cu.Ft	\$ 925	
EP-RD-4830P		30"	1 1/4"	48"	28 Lbs.	1 Cu.Ft	\$ 988	
EP-RD-6620P	Double Face, 66" Height	20"	1 1/4"	66"	32 Lbs.	1 Cu.Ft	\$ 825	
EP-RD-6624P	Laminate, Bullnose Edge	24"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 957	
EP-RD-6628P		28"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 1,088	
EP-RD-6630P		30"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 1,151	
EP-RD-7820P	Double Face, 78" Height	20"	1 1/4"	78"	40 Lbs.	2 Cu.Ft	\$ 1,065	
EP-RD-7824P	Laminate, Bullnose Edge	24"	1 1/4"	78"	40 Lbs.	2 Cu.Ft	\$ 1,229	
EP-RD-7828P	-	28"	1 1/4"	78"	40 Lbs.	2 Cu.Ft	\$ 1,406	
EP-RD-7830P		30′	1 1/4"	78"	40 Lbs.	2 Cu.Ft	\$ 1,500	
EP-RD-9620P	Double Face, 96" Height	20"	1 1/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,135	
EP-RD-9624P	Laminate, Bullnose Edge	24"	1 1/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,313	
EP-RD-9628P	_	28"	1 1/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,500	
EP-RD-9630P		30"	1 1/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,593	



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Vista - End Panel:							PANEL CONSTRUCTION:
	EP-VT-4810	Single Face, 48" Height	10"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 1,027	Panels constructed from 3/4" thick 3-ply particleboard core
	EP-VT-4812	5 ,	12"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 1,095	with grade "A" select veneers both faces. Panels are framed on
	EP-VT-4814		14"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 1,166	two vertical sides with 1" thick x 2-1/2" wide solid
									hardwood. Top member is 1" thick x 2-1/2" wide and bottom
	EP-VT-6610	Single Face, 66" Height	10"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 1,119	member is 1" thick x 5" wide. The panel will then be fitted with
100000000	EP-VT-6612		12"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 1,198	a horizontal 1/4" thick x 2-1/2" wide stile member.
	EP-VT-6614		14"	1"	66"	16 Lbs.	1 Cu.Ft	\$ 1,275	Upper panel portion square frame with three 1/4" thick x 3/4" wide vertical slats. All edges of panel frame will be eased.
	EP-VT-7810	Single Face, 78" Height	10"	1 "	78"	20 Lbs.	2 Cu.Ft	\$ 1,282	wide vertical states. All eages of patrict frame will be eased.
	EP-VT-7812	single race, 70 meight	12"	1 "	78"	20 Lbs.	2 Cu.Ft	\$ 1,383	NOTES:
	EP-VT-7814		14"	1 "	78"	20 Lbs.	2 Cu.Ft	\$ 1,486	110123.
	LI VI 7011			'	7 0	20 203.	2 Cd.1 t	Ų 1,100	*End Panels do not include any hardware.
	EP-VT-9610	Single Face, 96" Height	10"	1 "	96"	20 Lbs.	2 Cu.Ft	\$ 1,360	End raneis do not include any hardware.
	EP-VT-9612	single race, 70 meight	12"	1 "	96"	20 Lbs.	2 Cu.Ft	\$ 1,478	*When ordering panels exact dimensions must be specified,
	EP-VT-9614		14	1 "	96"	20 Lbs.	2 Cu.Ft	\$ 1,593	nominal dimensions are inadequate.
	EP-VT-4820	Double Face, 48" Height	20"	1"	48"	28 Lbs.	1 Cu.Ft	\$ 1,369	
	EP-VT-4824		24"	1 "	48"	28 Lbs.	2 Cu.Ft	\$ 1,500	
	EP-VT-4828		28"	1 "	48"	28 Lbs.	2 Cu.Ft	\$ 1,633	
	EP-VT-4830		30"	1 "	48"	28 Lbs.	2 Cu.Ft	\$ 1,703	
	EP-VT-6620	Double Face, 66" Height	20"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,517	
	EP-VT-6624		24"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,671	
	EP-VT-6628		28"	1 "	66"	32 Lbs.	3 Cu.Ft	\$ 1,827	
	EP-VT-6630		30"	1 "	66"	32 Lbs.	3 Cu.Ft	\$ 1,912	
	EP-VT-7820	Double Face, 78" Height	20"	1 "	78"	40 Lbs.	3 Cu.Ft	\$ 1,865	
	EP-VT-7824	3	24"	1 "	78"	40 Lbs.	3 Cu.Ft	\$ 2,014	
	EP-VT-7828		28"	1 "	78"	40 Lbs.	4 Cu.Ft	\$ 2,215	
	EP-VT-7830		30'	1 "	78"	40 Lbs.	4 Cu.Ft	\$ 2,324	
	EP-VT-9620	Double Face, 96" Height	20"	1 "	96"	40 Lbs.	3 Cu.Ft	\$ 1,952	
	EP-VT-9624	·	24"	1 "	96"	40 Lbs.	3 Cu.Ft	\$ 2,184	
	EP-VT-9628		28"	1 "	96"	40 Lbs.	4 Cu.Ft	\$ 2,410	
	EP-VT-9630		30"	1"	96"	40 Lbs.	4 Cu.Ft	\$ 2,535	
								. , -	



MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT		WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall, Unfinished Insert - End Panel:				_				PANEL CONSTRUCTION:
EP-SWU-4810 EP-SWU-4812 EP-SWU-4814	Single Face, 48" Height	10" 12" 14"	3/4" 3/4" 3/4"	48" 48" 48"		14 Lbs. 14 Lbs. 14 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 281 \$ 319 \$ 359	Panels constructed from 3/4" thick 3-ply medium density fiberboard with grade "A" select veneers both faces. All edges banded with 1/4" thick solid external banding. All edges will be eased. Grooved slots are unfinished.
EP-SWU-6610 EP-SWU-6612 EP-SWU-6614	Single Face, 66" Height	10" 12" 14"	3/4" 3/4" 3/4"	66" 66" 66"		16 Lbs. 16 Lbs. 16 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 335 \$ 389 \$ 443	NOTES: *End Panels do not include any hardware.
EP-SWU-7810 EP-SWU-7812 EP-SWU-7814	Single Face, 78" Height	10" 12" 14"	3/4" 3/4" 3/4"	78" 78" 78"		20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 405 \$ 474 \$ 552	*When ordering panels exact dimensions must be specified, nominal dimensions are inadequate.
EP-SWU-9610 EP-SWU-9612 EP-SWU-9614	Single Face, 96" Height	10" 12" 14	3/4" 3/4" 3/4"	96" 96" 96"		20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 459 \$ 536 \$ 622	*3/4" thick panels are for wall mount applications and 1" thick panels are for steel shelving mount applications. *High pressure plastic laminate both faces with 1/4" thick
EP-SWU-4810PX EP-SWU-4812PX EP-SWU-4814PX	Single Face, 48" Height Laminate, Wood Edge	10" 12" 14"	3/4" 3/4" 3/4"	48" 48" 48"		14 Lbs. 14 Lbs. 14 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 296 \$ 335 \$ 373	external solid band edge
EP-SWU-6610PX EP-SWU-6612PX EP-SWU-6614PX	Single Face, 66" Height Laminate, Wood Edge	10" 12" 14"	3/4" 3/4" 3/4"	66" 66" 66"		16 Lbs. 16 Lbs. 16 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 348 \$ 412 \$ 466	
EP-SWU-7810PX EP-SWU-7812PX EP-SWU-7814PX	Single Face, 78" Height Laminate, Wood Edge	10" 12" 14"	3/4" 3/4" 3/4"	78" 78" 78"		20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 428 \$ 498 \$ 576	
EP-SWU-9610PX EP-SWU-9612PX EP-SWU-9614PX	Single Face, 96" Height Laminate, Wood Edge	10" 12" 14	3/4" 3/4" 3/4"	96" 96" 96"		20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 483 \$ 560 \$ 646	



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Slatwall, Unfinished Insert - End Panel:							PANEL CONSTRUCTION:
		Erra Farrer.							Panels constructed from 3/4" thick 3-ply medium density
	EP-SWU-4820	Double Face, 48" Height	20"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 498	fiberboard with grade "A" select veneers both faces. All edges
	EP-SWU-4824	, 5	24"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 583	banded with 1/4" thick solid external banding. All edges will
	EP-SWU-4828		28"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 669	be eased. Grooved slots are unfinished.
	EP-SWU-4830		30"	3/4"	48"	28 Lbs.	1 Cu.Ft	° 715	
									NOTES:
	EP-SWU-6620	Double Face, 66" Height	20"	3/4"	66"	32 Lbs.	1 Cu.Ft	\$ 607	
	EP-SWU-6624		24"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 700	*End Panels do not include any hardware.
	EP-SWU-6628		28"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 810	
	EP-SWU-6630		30"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 856	*When ordering panels exact dimensions must be specified,
									nominal dimensions are inadequate.
	EP-SWU-7820	Double Face, 78" Height	20"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 762	·
	EP-SWU-7824	<u> </u>	24"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 910	*3/4" thick panels are for wall mount applications and 1" thick
	EP-SWU-7828		28"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 1,034	panels are for steel shelving mount applications.
AND DESCRIPTION OF THE PERSON	EP-SWU-7830		30'	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 1,105	
									*High pressure plastic laminate both faces with 1/4" thick
	EP-SWU-9620	Double Face, 96" Height	20"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 871	external solid band edge
CONTRACTOR OF THE PARTY OF THE	EP-SWU-9624	<u> </u>	24"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,019	
	EP-SWU-9628		28"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,174	
	EP-SWU-9630		30"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,251	
	EP-SWU-4820PX	Double Face, 48" Height	20"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 522	
	EP-SWU-4824PX	Laminate, Wood Edge	24"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 607	
	EP-SWU-4828PX		28"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 700	
	EP-SWU-4830PX		30"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 746	
				2			4.6.5	.	
	EP-SWU-6620PX	Double Face, 66" Height	20"	3/4"	66"	32 Lbs.	1 Cu.Ft	\$ 629	
	EP-SWU-6624PX	Laminate, Wood Edge	24"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 739	
	EP-SWU-6628PX		28"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 846	
	EP-SWU-6630PX		30"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 895	
	EP-SWU-7820PX	Double Face, 78" Height	20"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 800	
	EP-SWU-7824PX		24"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 941	
	EP-SWU-7828PX	Laminate, Wood Edge	28"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 1,081	
			20 30′	3/4"					
	EP-SWU-7830PX		50	-/4	78"	40 Lbs.	2 Cu.Ft	\$ 1,151	
	EP-SWU-9620PX	Double Face, 96" Height	20"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 910	
	EP-SWU-9624PX	Laminate, Wood Edge	24"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,065	
	EP-SWU-9628PX	La	28"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,220	
	EP-SWU-9630PX		30"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,306	
	LI 3 VV O 703017		J 0	, т	, 0	10 203.	2 CG.11	Ş 1,500	



MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	W	/EIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall, Black Plastic Insert - End Panel:								PANEL CONSTRUCTION:
									Panels constructed from 3/4" thick 3-ply medium density
EP-SWP-4810	Single Face, 48" Height	10"	3/4"	48"		4 Lbs.	1 Cu.Ft	\$ 319	fiberboard with grade "A" select veneers both faces. All edges
EP-SWP-4812		12"	3/4"	48"		4 Lbs.	1 Cu.Ft	\$ 366	banded with 1/4" thick solid external banding. All edges will
EP-SWP-4814		14"	3/4"	48"	14	4 Lbs.	1 Cu.Ft	\$ 412	be eased. Grooved slots include black plastic channel inserts.
EP-SWP-6610	Single Face, 66" Height	10"	3/4"	66"	1 6	5 Lbs.	1 Cu.Ft	\$ 389	NOTES:
EP-SWP-6612	3	12"	3/4"	66"	16	6 Lbs.	1 Cu.Ft	\$ 452	
EP-SWP-6614		14"	3/4"	66"	16	5 Lbs.	1 Cu.Ft	\$ 513	*End Panels do not include any hardware.
EP-SWP-7810	Single Face, 78" Height	10"	3/4"	78"	2(O Lbs.	1 Cu.Ft	\$ 466	*When ordering panels exact dimensions must be specified,
EP-SWP-7812	og.e : e.e., , o : .e.g	12"	3/4"	78"		D Lbs.	1 Cu.Ft	\$ 545	nominal dimensions are inadequate.
EP-SWP-7814		14"	3/4"	78"		D Lbs.	1 Cu.Ft	\$ 637	The transfer of the area and area.
									*3/4" thick panels are for wall mount applications and 1" thick
EP-SWP-9610	Single Face, 96" Height	10"	3/4"	96"	20	O Lbs.	1 Cu.Ft	\$ 536	panels are for steel shelving mount applications.
EP-SWP-9612	5 ,	12"	3/4"	96"		O Lbs.	1 Cu.Ft	\$ 629	3 11
EP-SWP-9614		14	3/4"	96"		O Lbs.	1 Cu.Ft	\$ 722	*High pressure plastic laminate both faces with 1/4″ thick external solid band edge
EP-SWP-4810PX	Single Face, 48" Height	10"	3/4"	48"	1 4	4 Lbs.	1 Cu.Ft	\$ 335	
EP-SWP-4812PX	Laminate, Wood Edge	12"	3/4"	48"		4 Lbs.	1 Cu.Ft	\$ 381	
EP-SWP-4814PX	zaminate, wood zage	14"	3/4"	48"		4 Lbs.	1 Cu.Ft	\$ 428	
	Cinala Face //" Haialah	1.0"	3/4"	/ / "	1.7	/	1 6 5*	¢ 40F	
EP-SWP-6610PX EP-SWP-6612PX	Single Face, 66″ Height Laminate, Wood Edge	10" 12"	3/4"	66" 66"		6 Lbs. 6 Lbs.	1 Cu.Ft 1 Cu.Ft	\$ 405 \$ 474	
EP-SWP-6614PX	Laminate, wood Edge	14"	3/4"	66"		5 Lbs. 5 Lbs.	1 Cu.Ft	\$ 536	
EL-2ML-0014LV		14	-/4	00	10	J LUS.	r Cu.rt	\$ 220	
EP-SWP-7810PX	Single Face, 78" Height	10"	3/4"	78"	20	O Lbs.	1 Cu.Ft	\$ 490	
EP-SWP-7812PX	Laminate, Wood Edge	12"	3/4"	78"		O Lbs.	1 Cu.Ft	\$ 568	
EP-SWP-7814PX		14"	3/4"	78"		O Lbs.	1 Cu.Ft	\$ 660	
EP-SWP-9610PX	Single Face 04" Height	10"	3/4"	96"	7.0) lbc	1 Cu.Ft	\$ 560	
EP-SWP-9612PX	Single Face, 96″ Height Laminate, Wood Edge	12"	3/4"	96"		O Lbs. O Lbs.	1 Cu.Ft	\$ 653	
EP-SWP-9614PX	Laminate, wood Edge	14	3/4"	96"		o Lbs. O Lbs.	1 Cu.Ft	\$ 653 \$ 753	
LI -3 WI - 70 I 4 F A		17	/ 4	70	20	J LUS.	ı Cu.i t	در ۱ ډ	



MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIG	iHT	VOLUME	PRICE	DESCRIPTION
	Slatwall, Black Plastic Insert - End Panel:								PANEL CONSTRUCTION:
EP-SWP-4820	Double Face, 48" Height	20"	3/4"	48"	28 Lb	OS.	1 Cu.Ft	\$ 568	Panels constructed from 3/4" thick 3-ply medium density fiberboard with grade "A" select veneers both faces. All edges
EP-SWP-4824		24"	3/4"	48"	28 Lb	S.	1 Cu.Ft	\$ 669	banded with 1/4" thick solid external banding. All edges will
EP-SWP-4828		28"	3/4"	48"	28 Lb	S.	1 Cu.Ft	\$ 770	be eased. Grooved slots include black plastic channel inserts.
EP-SWP-4830		30"	3/4"	48"	28 Lb	S.	1 Cu.Ft	\$ 825	·
									NOTES:
EP-SWP-6620	Double Face, 66" Height	20"	3/4"	66"	32 Lb	S.	1 Cu.Ft	\$ 707	
EP-SWP-6624		24"	3/4"	66"	32 Lb		2 Cu.Ft	\$ 825	*End Panels do not include any hardware.
EP-SWP-6628		28"	3/4"	66"	32 Lb		2 Cu.Ft	\$ 957	J
EP-SWP-6630		30"	3/4"	66"	32 Lb		2 Cu.Ft	\$ 1,011	*When ordering panels exact dimensions must be specified,
								. ,	nominal dimensions are inadequate.
EP-SWP-7820	Double Face, 78" Height	20"	3/4"	78"	40 Lb	2(2 Cu.Ft	\$ 887	
EP-SWP-7824	Doddie Face, 70 Freight	24"	3/4"	78"	40 Lb		2 Cu.Ft	\$ 1,058	*3/4" thick panels are for wall mount applications and 1" thick
EP-SWP-7828		28"	3/4"	78"	40 Lb		2 Cu.Ft	\$ 1,205	panels are for steel shelving mount applications.
EP-SWP-7830		30'	3/4"	78"	40 Lb		2 Cu.Ft	\$ 1,290	parters are for steer stretving mount applications.
LI 3WI 7030		30	7 寸	7 0	TO EX	, s .	2 Cd.1 t	9 1,270	*High pressure plastic laminate both faces with 1/4" thick
EP-SWP-9620	Double Face, 96" Height	20"	3/4"	96"	40 Lb	15	2 Cu.Ft	\$ 1,027	external solid band edge
EP-SWP-9624	Double Face, 70 Fleight	24"	3/4"	96"	40 Lb		2 Cu.Ft	\$ 1,205	external solid balla eage
EP-SWP-9628		28"	3/4"	96"	40 Lb		2 Cu.Ft	\$ 1,393	
EP-SWP-9630		30"	3/4"	96"	40 Lb		2 Cu.Ft	\$ 1,478	
LI -3 WI - 7030		30	7 4	70	TO LL	13.	Z Cu.it	\$ 1,770	
EP-SWP-4820PX	Double Face, 48" Height	20"	3/4"	48"	28 Lb	15	1 Cu.Ft	\$ 590	
EP-SWP-4824PX	Laminate, Wood Edge	24"	3/4"	48"	28 Lb		1 Cu.Ft	\$ 692	
EP-SWP-4828PX	Laminate, wood Luge	28"	3/4"	48"	28 Lb		1 Cu.Ft	\$ 800	
EP-SWP-4830PX		30"	3/4"	48"	28 Lb		1 Cu.Ft	\$ 856	
EL-2ML-4020LV		30	-/4	40	ZO LL	75.	r Cu.rt	\$ 000	
EP-SWP-6620PX	Double Face, 66" Height	20"	3/4"	66"	32 Lb	\ C	1 Cu.Ft	\$ 739	
EP-SWP-6624PX		24"	3/4"	66"	32 Lb		2 Cu.Ft	\$ 864	
EP-SWP-6628PX	Laminate, Wood Edge	28"	3/4"	66"	32 Lb		2 Cu.Ft 2 Cu.Ft	\$ 988	
		30"	3/4"	66"					
EP-SWP-6630PX		30	3/4	00	32 Lb)5.	2 Cu.Ft	\$ 1,049	
EP-SWP-7820PX	Double Face 70" Height	20"	3/4"	78"	40 Lb		2 Cu.Ft	\$ 925	
	Double Face, 78" Height	20"			40 Lb				
EP-SWP-7824PX	Laminate, Wood Edge	24"	3/4"	78"	40 Lb		2 Cu.Ft	\$ 1,088	
EP-SWP-7828PX		28"	3/4"	78"	40 Lb		2 Cu.Ft	\$ 1,251	
EP-SWP-7830PX		30'	3/4"	78"	40 Lb	05.	2 Cu.Ft	\$ 1,336	
ED (\\/\D 0/ 20D\/	Double Face 0/" Height	20"	3/,"	0.4."	10 1 5		2 Cu F+	¢ 1 0/F	
EP-SWP-9620PX	Double Face, 96" Height	20"	3/4"	96"	40 Lb		2 Cu.Ft	\$ 1,065	
EP-SWP-9624PX	Laminate, Wood Edge	24"	3/4"	96"	40 Lb		2 Cu.Ft	\$ 1,251	
EP-SWP-9628PX		28"	3/4"	96"	40 Lb		2 Cu.Ft	\$ 1,439	
EP-SWP-9630PX		30"	3/4"	96"	40 Lb	05.	2 Cu.Ft	\$ 1,540	



MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT		WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall, Extruded Aluminum Insert - End Panel:				_				PANEL CONSTRUCTION:
EP-SWA-4810 EP-SWA-4812	Single Face, 48″ Height	10" 12"	³ / ₄ "	48" 48"		14 Lbs. 14 Lbs.	1 Cu.Ft 1 Cu.Ft	\$ 359 \$ 412	Panels constructed from 3/4" thick 3-ply medium density fiberboard with grade "A" select veneers both faces. All edges banded with 1/4" thick solid external banding. All edges will
EP-SWA-4814		14"	3/4"	48"		14 Lbs.	1 Cu.Ft	\$ 459	be eased. Grooved slots include extruded aluminum channel inserts.
EP-SWA-6610 EP-SWA-6612 EP-SWA-6614	Single Face, 66″ Height	10" 12" 14"	3/4" 3/4" 3/4"	66" 66" 66"		16 Lbs. 16 Lbs. 16 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 436 \$ 513 \$ 590	NOTES:
EP-SWA-7810	Single Face, 78″ Height	10"	3/4"	78″		20 Lbs.	1 Cu.Ft	\$ 529	*End Panels do not include any hardware.
EP-SWA-7812 EP-SWA-7814		12" 14"	3/ ₄ " 3/ ₄ "	78" 78"		20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft	\$ 622 \$ 722	*When ordering panels exact dimensions must be specified, nominal dimensions are inadequate.
EP-SWA-9610 EP-SWA-9612 EP-SWA-9614	Single Face, 96″ Height	10" 12" 14	3/4" 3/4" 3/4"	96" 96" 96"		20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 637 \$ 722 \$ 831	*3/4" thick panels are for wall mount applications and 1" thick panels are for steel shelving mount applications.
ED C.W.A. 4.0.1.0.D.V.	Cinala Fara 40″ Haiala	1.0"	³ / ₄ "	40"		1416	1 Cu.Ft	¢ 277	*High pressure plastic laminate both faces with 1/4″ thick external solid band edge
EP-SWA-4810PX EP-SWA-4812PX EP-SWA-4814PX	Single Face, 48″ Height Laminate, Wood Edge	10" 12" 14"	3/4" 3/4"	48" 48" 48"		14 Lbs. 14 Lbs. 14 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 366 \$ 428 \$ 474	
EP-SWA-6610PX EP-SWA-6612PX EP-SWA-6614PX	Single Face, 66″ Height Laminate, Wood Edge	10" 12" 14"	3/4" 3/4" 3/4"	66" 66" 66"		16 Lbs. 16 Lbs. 16 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 452 \$ 536 \$ 576	
EP-SWA-7810PX EP-SWA-7812PX EP-SWA-7814PX	Single Face, 78″ Height Laminate, Wood Edge	10" 12" 14"	3/4" 3/4" 3/4"	78" 78" 78"		20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 552 \$ 646 \$ 746	
EP-SWA-9610PX EP-SWA-9612PX EP-SWA-9614PX	Single Face, 96″ Height Laminate, Wood Edge	10" 12" 14	3/4" 3/4" 3/4"	96" 96" 96"		20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 660 \$ 746 \$ 864	



MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall, Extruded Aluminum Insert - End Panel:							PANEL CONSTRUCTION:
								Panels constructed from 3/4" thick 3-ply medium density
EP-SWA-4820	Double Face, 48" Height	20"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 646	fiberboard with grade "A" select veneers both faces. All edges
EP-SWA-4824		24"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 762	banded with 1/4" thick solid external banding. All edges will
EP-SWA-4828		28"	³ / ₄ "	48"	28 Lbs.	1 Cu.Ft	\$ 877	be eased. Grooved slots include extruded aluminum channel
EP-SWA-4830		30"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 934	inserts.
EP-SWA-6620	Double Face, 66" Height	20"	3/4"	66"	32 Lbs.	1 Cu.Ft	\$ 810	NOTES:
EP-SWA-6624	, 3	24"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 949	
EP-SWA-6628		28"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 1,095	*End Panels do not include any hardware.
EP-SWA-6630		30"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 1,166	J
								*When ordering panels exact dimensions must be specified,
EP-SWA-7820	Double Face, 78" Height	20"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 1,011	nominal dimensions are inadequate.
EP-SWA-7824	3	24"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 1,205	·
EP-SWA-7828		28"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 1,375	*3/4" thick panels are for wall mount applications and 1" thick
EP-SWA-7830		30'	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 1,478	panels are for steel shelving mount applications.
EP-SWA-9620	Double Face 0/" Height	20"	3/4"	0/"	40 lbs	2 C++ F+	Ċ 1 17 <i>4</i>	*High procesure plactic languages both faces with 1//" thick
EP-SWA-9620 EP-SWA-9624	Double Face, 96" Height	20" 24"	³ / ₄ "	96" 96"	40 Lbs. 40 Lbs.	2 Cu.Ft 2 Cu.Ft	\$ 1,174	*High pressure plastic laminate both faces with 1/4" thick
EP-SWA-9628		28"	3/4"	96"	40 Lbs.	2 Cu.Ft 2 Cu.Ft	\$ 1,383 \$ 1,602	external solid band edge
EP-SWA-9630		30"	³ / ₄ "	96"	40 Lbs.	2 Cu.Ft 2 Cu.Ft	\$ 1,602	
LI -3 W/F /030		50	7 4	70	70 LD3.	2 Cu.i t	\$ 1,710	
EP-SWA-4820PX	Double Face, 48" Height	20"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 669	
EP-SWA-4824PX	Laminate, Wood Edge	24"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 785	
EP-SWA-4828PX		28"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 902	
EP-SWA-4830PX		30"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 971	
EP-SWA-6620PX	Double Face, 66" Height	20"	3/4"	66"	32 Lbs.	1 Cu.Ft	\$ 839	
EP-SWA-6624PX	Laminate, Wood Edge	24"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 988	
EP-SWA-6628PX	3	28"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 1,135	
EP-SWA-6630PX		30"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 1,205	
ED CVV/A 7030DV	Daubla Face 70" Haight	20"	3/4"	70"	40 lbs	2 C++ E+	¢ 1 040	
EP-SWA-7820PX	Double Face, 78" Height	20" 24"	³ / ₄ "	78" 78"	40 Lbs.	2 Cu.Ft	\$ 1,049	
EP-SWA-7824PX	Laminate, Wood Edge		³ / ₄ "		40 Lbs.	2 Cu.Ft	\$ 1,236	
EP-SWA-7828PX EP-SWA-7830PX		28" 30'	³ / ₄ "	78" 78"	40 Lbs. 40 Lbs.	2 Cu.Ft 2 Cu.Ft	\$ 1,423 \$ 1,524	
EF-3WM-/03UFX		30	-/4	/ 0	40 LD3.	Z Cu.Fl	\$ 1,524	
EP-SWA-9620PX	Double Face, 96" Height	20"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,220	
EP-SWA-9624PX	Laminate, Wood Edge	24"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,431	
EP-SWA-9628PX		28"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,648	
EP-SWA-9630PX		30"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,765	



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT		WEIGHT	VOLUME	PRICE	DESCRIPTION
		Slatwall 1", Unfinished Insert - End Panel:				_				PANEL CONSTRUCTION:
	EP-SWU1-4810 EP-SWU1-4812 EP-SWU1-4814	Single Face, 48" Height	10" 12" 14"	1" 1" 1"	48" 48" 48"		14 Lbs. 14 Lbs. 14 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 389 \$ 452 \$ 505	Panels constructed from 1" thick 3-ply medium density fiberboard with grade "A" select veneers both faces. All edges banded with 1/4" thick solid external banding. All edges will be eased. Grooved slots are unfinished.
	EP-SWU1-6610 EP-SWU1-6612 EP-SWU1-6614	Single Face, 66" Height	10" 12" 14"	1" 1" 1"	66" 66" 66"		16 Lbs. 16 Lbs. 16 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 466 \$ 536 \$ 598	NOTES: *End Panels do not include any hardware.
	EP-SWU1-7810 EP-SWU1-7812 EP-SWU1-7814	Single Face, 78" Height	10" 12" 14"	1" 1" 1"	78" 78" 78"		20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 583 \$ 669 \$ 762	*When ordering panels exact dimensions must be specified, nominal dimensions are inadequate.
	EP-SWU1-9610 EP-SWU1-9612 EP-SWU1-9614	Single Face, 96" Height	10" 12" 14	1" 1" 1"	96" 96" 96"		20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 646 \$ 753 \$ 871	*3/4" thick panels are for wall mount applications and 1" thick panels are for steel shelving mount applications. *High pressure plastic laminate both faces with 1/4" thick
MALTINE REPRESENTATION OF THE PARTY.	EP-SWU1-4810PX EP-SWU1-4812PX EP-SWU1-4814PX	Laminate, Wood Edge	10" 12" 14"	1 " 1 " 1 "	48" 48" 48"		14 Lbs. 14 Lbs. 14 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 420 \$ 490 \$ 545	external solid band edge
	EP-SWU1-6610PX EP-SWU1-6612PX EP-SWU1-6614PX	Laminate, Wood Edge	10" 12" 14"	1 " 1 " 1 "	66" 66" 66"		16 Lbs. 16 Lbs. 16 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 505 \$ 576 \$ 653	
	EP-SWU1-7810PX EP-SWU1-7812PX EP-SWU1-7814PX	Laminate, Wood Edge	10" 12" 14"	1" 1" 1"	78" 78" 78"		20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 629 \$ 715 \$ 825	
	EP-SWU1-9610PX EP-SWU1-9612PX EP-SWU1-9614PX	Laminate, Wood Edge	10" 12" 14	1" 1"	96" 96" 96"		20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 692 \$ 810 \$ 925	



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Slatwall 1″, Unfinished Insert - End Panel:							PANEL CONSTRUCTION:
									Panels constructed from 1" thick 3-ply medium density
	EP-SWU1-4820	Double Face, 48" Height	20"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 669	fiberboard with grade "A" select veneers both faces. All edges
	EP-SWU1-4824		24"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 785	banded with 1/4" thick solid external banding. All edges will
	EP-SWU1-4828		28"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 902	be eased. Grooved slots are unfinished.
	EP-SWU1-4830		30"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 957	
									NOTES:
	EP-SWU1-6620	Double Face, 66" Height	20"	1 "	66"	32 Lbs.	1 Cu.Ft	\$ 800	
	EP-SWU1-6624	3	24"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 949	*End Panels do not include any hardware.
	EP-SWU1-6628		28"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,081	
	EP-SWU1-6630		30"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,151	*When ordering panels exact dimensions must be specified,
	2. 00. 0000					32 283.	2 33.1 1	Ų .,	nominal dimensions are inadequate.
	EP-SWU1-7820	Double Face, 78" Height	20"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 918	Homman annensions are madequate.
	EP-SWU1-7824	Double Face, 70 Fleight	24"	1"	78"	40 Lbs.	2 Cu.Ft	\$ 1,088	*3/4" thick panels are for wall mount applications and 1" thick
	EP-SWU1-7828		28"	1"	78"	40 Lbs.	2 Cu.Ft	\$ 1,236	panels are for steel shelving mount applications.
MINISTER SERVICES AND AND ADDRESS OF THE PERSON OF THE PER	EP-SWU1-7830		30′	1"	78"				pariets are for steer siterving mount applications.
	EL-2MO1-1020		30	I	70	40 Lbs.	2 Cu.Ft	\$ 1,323	* High angering placking languages is the factor with 1/4" which
	ED 618/111 07.20	D 11 5 0///11 11	20"	1 //	0 / "	40.11	2.6 5	ć 1 0 4 D	*High pressure plastic laminate both faces with 1/4" thick
	EP-SWU1-9620	Double Face, 96" Height	20"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,042	external solid band edge
	EP-SWU1-9624		24"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,220	
	EP-SWU1-9628		28"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,406	
	EP-SWU1-9630		30"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,500	
	EP-SWU1-4820PX	Double Face, 48" Height	20"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 722	
	EP-SWU1-4824PX		24"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 846	
	EP-SWU1-4828PX		28"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 971	
	EP-SWU1-4830PX		30"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 1,034	
	LI 3WOT 103017		30		10	20 LD3.	r cd.rt	\$ 1,051	
	EP-SWU1-6620PX	Double Face, 66" Height	20"	1 "	66"	32 Lbs.	1 Cu.Ft	\$ 871	
	EP-SWU1-6624PX		24"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,019	
	EP-SWU1-6628PX		28"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,158	
	EP-SWU1-6630PX		30"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,244	
	ED 607/11/1 7020DV	7	20"	1 //	7.0%	40.11	2.6. 5.	÷ 000	
	EP-SWU1-7820PX		20"	"	78"	40 Lbs.	2 Cu.Ft	\$ 988	
	EP-SWU1-7824PX	9	24"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 1,158	
	EP-SWU1-7828PX		28"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 1,336	
	EP-SWU1-7830PX		30′	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 1,423	
	EP-SWU1-9620PX	Double Face, 96" Height	20"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,127	
	EP-SWU1-9624PX	9	24"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,306	
	EP-SWU1-9628PX	9	28"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,508	
	EP-SWU1-9630PX		30"	1"	96"	40 Lbs.	2 Cu.Ft	\$ 1,617	
	EL 3WOT-7030LV		50	1	, 0	IO LD3.	2 Cu.i t	Ψ 1,017	



MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall 1", Black Plastic Insert - End Panel:							PANEL CONSTRUCTION:
EP-SWP1-4810 EP-SWP1-4812 EP-SWP1-4814	Single Face, 48″ Height	10" 12" 14"	1 " 1 " 1 "	48" 48" 48"	14 Lbs. 14 Lbs. 14 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 428 \$ 498 \$ 560	Panels constructed from 1" thick 3-ply medium density fiberboard with grade "A" select veneers both faces. All edges banded with 1/4" thick solid external banding. All edges will be eased. Grooved slots include black plastic channel inserts.
EP-SWP1-6610 EP-SWP1-6612 EP-SWP1-6614	Single Face, 66" Height	10" 12" 14"	1 " 1 " 1 "	66" 66"	16 Lbs. 16 Lbs. 16 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 522 \$ 590 \$ 676	NOTES: *End Panels do not include any hardware.
EP-SWP1-7810 EP-SWP1-7812 EP-SWP1-7814	Single Face, 78" Height	10" 12" 14"	1" 1" 1"	78" 78" 78"	20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 637 \$ 739 \$ 846	*When ordering panels exact dimensions must be specified, nominal dimensions are inadequate.
EP-SWP1-9610 EP-SWP1-9612 EP-SWP1-9614	Single Face, 96″ Height	10" 12" 14	1" 1" 1"	96" 96" 96"	20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 715 \$ 846 \$ 971	*3/4" thick panels are for wall mount applications and 1" thick panels are for steel shelving mount applications. *High pressure plastic laminate both faces with 1/4" thick
EP-SWP1-4810PX EP-SWP1-4812PX EP-SWP1-4814PX	Single Face, 48″ Height Laminate, Wood Edge	10" 12" 14"	1" 1" 1"	48" 48" 48"	14 Lbs. 14 Lbs. 14 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 459 \$ 536 \$ 598	external solid band edge
EP-SWP1-6610PX EP-SWP1-6612PX EP-SWP1-6614PX	Single Face, 66″ Height Laminate, Wood Edge	10" 12" 14"	1 " 1 " 1 "	66" 66" 66"	16 Lbs. 16 Lbs. 16 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 560 \$ 637 \$ 722	
EP-SWP1-7810PX EP-SWP1-7812PX EP-SWP1-7814PX	Single Face, 78″ Height Laminate, Wood Edge	10" 12" 14"	1 " 1 " 1 "	78" 78" 78"	20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 692 \$ 793 \$ 910	
EP-SWP1-9610PX EP-SWP1-9612PX EP-SWP1-9614PX	Single Face, 96" Height Laminate, Wood Edge	10" 12" 14	1" 1"	96" 96" 96"	20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 762 \$ 902 \$ 1,034	



 MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall 1", Black Plastic Insert - End Panel:							PANEL CONSTRUCTION:
EP-SWP1-4820 EP-SWP1-4824 EP-SWP1-4828 EP-SWP1-4830	Double Face, 48" Height	20" 24" 28" 30"	1" 1" 1"	48" 48" 48" 48"	28 Lbs. 28 Lbs. 28 Lbs. 28 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 739 \$ 871 \$ 1,003 \$ 1,073	Panels constructed from 1" thick 3-ply medium density fiberboard with grade "A" select veneers both faces. All edges banded with 1/4" thick solid external banding. All edges will be eased. Grooved slots include black plastic channel inserts. NOTES:
EP-SWP1-6620 EP-SWP1-6624 EP-SWP1-6628 EP-SWP1-6630	Double Face, 66″ Height	20" 24" 28" 30"	1" 1" 1"	66" 66" 66"	32 Lbs. 32 Lbs. 32 Lbs. 32 Lbs.	1 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 910 \$ 1,073 \$ 1,229 \$ 1,306	*End Panels do not include any hardware. *When ordering panels exact dimensions must be specified,
EP-SWP1-7820 EP-SWP1-7824 EP-SWP1-7828 EP-SWP1-7830	Double Face, 78" Height	20" 24" 28" 30'	1" 1" 1"	78" 78" 78" 78"	40 Lbs. 40 Lbs. 40 Lbs. 40 Lbs.	2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 1,042 \$ 1,236 \$ 1,416 \$ 1,508	*3/4" thick panels are for wall mount applications and 1" thick panels are for steel shelving mount applications.
EP-SWP1-9620 EP-SWP1-9624 EP-SWP1-9628 EP-SWP1-9630	Double Face, 96" Height	20" 24" 28" 30"	1" 1" 1" 1"	96" 96" 96" 96"	40 Lbs. 40 Lbs. 40 Lbs. 40 Lbs.	2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 1,198 \$ 1,406 \$ 1,617 \$ 1,727	*High pressure plastic laminate both faces with 1/4″ thick external solid band edge
EP-SWP1-4820PX EP-SWP1-4824PX EP-SWP1-4828PX EP-SWP1-4830PX	Laminate, Wood Edge	20" 24" 28" 30"	1" 1" 1" 1"	48" 48" 48" 48"	28 Lbs. 28 Lbs. 28 Lbs. 28 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 793 \$ 941 \$ 1,073 \$ 1,143	
EP-SWP1-6620PX EP-SWP1-6624PX EP-SWP1-6628PX EP-SWP1-6630PX	Laminate, Wood Edge	20" 24" 28" 30"	1 " 1 " 1 "	66" 66" 66"	32 Lbs. 32 Lbs. 32 Lbs. 32 Lbs.	1 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 971 \$ 1,143 \$ 1,306 \$ 1,393	
EP-SWP1-7820PX EP-SWP1-7824PX EP-SWP1-7828PX EP-SWP1-7830PX	Laminate, Wood Edge	20" 24" 28" 30'	1 " 1 " 1 "	78" 78" 78" 78"	40 Lbs. 40 Lbs. 40 Lbs. 40 Lbs.	2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 1,112 \$ 1,306 \$ 1,508 \$ 1,610	
EP-SWP1-9620PX EP-SWP1-9624PX EP-SWP1-9628PX EP-SWP1-9630PX	Laminate, Wood Edge	20" 24" 28" 30"	1" 1" 1"	96" 96" 96" 96"	40 Lbs. 40 Lbs. 40 Lbs. 40 Lbs.	2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 1,275 \$ 1,493 \$ 1,727 \$ 1,841	



MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall 1", Extruded Aluminum Insert - End Panel:							PANEL CONSTRUCTION:
EP-SWA1-4810 EP-SWA1-4812	Single Face, 48" Height	10" 12"	1 " 1 "	48" 48"	14 Lbs. 14 Lbs.	1 Cu.Ft 1 Cu.Ft	\$ 466 \$ 536	Panels constructed from 1" thick 3-ply medium density fiberboard with grade "A" select veneers both faces. All edges banded with 1/4" thick solid external banding. All edges will
EP-SWA1-4814 EP-SWA1-6610	Single Face //" Height	14"	1"	48"	14 Lbs.	1 Cu.Ft 1 Cu.Ft	\$ 607	be eased. Grooved slots include extruded aluminum channel inserts.
EP-SWA1-6612 EP-SWA1-6614	Single Face, 66" Height	10" 12" 14"	1 " 1 "	66" 66" 66"	16 Lbs. 16 Lbs. 16 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 576 \$ 653 \$ 746	NOTES:
EP-SWA1-7810 EP-SWA1-7812	Single Face, 78" Height	10" 12"	1" 1"	78″ 78″	20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft	\$ 700 \$ 816	*End Panels do not include any hardware. *When ordering panels exact dimensions must be specified,
EP-SWA1-7814		14"	1"	78"	20 Lbs.	1 Cu.Ft	\$ 941	nominal dimensions are inadequate.
EP-SWA1-9610 EP-SWA1-9612 EP-SWA1-9614	Single Face, 96″ Height	10" 12" 14	1 " 1 " 1 "	96" 96" 96"	20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 825 \$ 941 \$ 1,081	*3/4" thick panels are for wall mount applications and 1" thick panels are for steel shelving mount applications.
EP-SWA1-4810PX	Single Face, 48" Height	10"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 490	*High pressure plastic laminate both faces with 1/4" thick external solid band edge
EP-SWA1-4812PX EP-SWA1-4814PX	Laminate, Wood Edge	12" 14"	1 " 1 "	48" 48"	14 Lbs. 14 Lbs.	1 Cu.Ft 1 Cu.Ft	\$ 583 \$ 653	
EP-SWA1-6610PX EP-SWA1-6612PX EP-SWA1-6614PX	Single Face, 66" Height Laminate, Wood Edge	10" 12" 14"	1" 1" 1"	66" 66" 66"	16 Lbs. 16 Lbs. 16 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 607 \$ 700 \$ 793	
EP-SWA1-7810PX EP-SWA1-7812PX EP-SWA1-7814PX	Single Face, 78" Height Laminate, Wood Edge	10" 12" 14"	1" 1" 1"	78" 78" 78"	20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 746 \$ 864 \$ 995	
EP-SWA1-9610PX EP-SWA1-9612PX EP-SWA1-9614PX	Single Face, 96" Height Laminate, Wood Edge	10" 12" 14	1" 1" 1"	96" 96" 96"	20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft	\$ 871 \$ 995 \$ 1,143	



MODEL NUMBER	PRODUCT	WIDTH	DEPTH	H HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall 1", Extruded Aluminum Insert - End Panel:							PANEL CONSTRUCTION:
								Panels constructed from 1" thick 3-ply medium density
EP-SWA1-4820	Double Face, 48" Height	20"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 816	fiberboard with grade "A" select veneers both faces. All edges
EP-SWA1-4824		24"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 964	banded with 1/4" thick solid external banding. All edges will
EP-SWA1-4828		28"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 1,105	be eased. Grooved slots include extruded aluminum channel
EP-SWA1-4830		30"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 1,182	inserts.
EP-SWA1-6620	Double Face, 66" Height	20"	1 "	66"	32 Lbs.	1 Cu.Ft	\$ 1,011	NOTES:
EP-SWA1-6624		24"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,198	
EP-SWA1-6628		28"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,369	*End Panels do not include any hardware.
EP-SWA1-6630		30"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,462	
								*When ordering panels exact dimensions must be specified,
EP-SWA1-7820	Double Face, 78" Height	20"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 1,166	nominal dimensions are inadequate.
EP-SWA1-7824	,	24"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 1,383	'
EP-SWA1-7828		28"	1"	78"	40 Lbs.	2 Cu.Ft	\$ 1,586	*3/4" thick panels are for wall mount applications and 1" thick
EP-SWA1-7830		30′	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 1,695	panels are for steel shelving mount applications.
			,					
EP-SWA1-9620	Double Face, 96" Height	20"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,344	*High pressure plastic laminate both faces with 1/4" thick
EP-SWA1-9624		24"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,586	external solid band edge
EP-SWA1-9628		28"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,834	
EP-SWA1-9630		30"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,952	
ED 618/44 4020DV	D 11 5 40" 11 11	20"	1 //	4.0%	20.11	1.6.5.	Ć 071	
EP-SWA1-4820PX	Double Face, 48" Height	20"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 871	
EP-SWA1-4824PX	9	24"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 1,027	
EP-SWA1-4828PX		28"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 1,174	
EP-SWA1-4830PX		30"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 1,251	
EP-SWA1-6620PX	Double Face, 66" Height	20"	1 "	66"	32 Lbs.	1 Cu.Ft	\$ 1,073	
EP-SWA1-6624PX	Laminate, Wood Edge	24"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,268	
EP-SWA1-6628PX	3	28"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,447	
EP-SWA1-6630PX		30"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,547	
EP-SWA1-7820PX	Double Face, 78" Height	20"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 1,236	
EP-SWA1-7824PX		24"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 1,454	
EP-SWA1-7828PX		28"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 1,680	
EP-SWA1-7830PX		30′	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 1,795	
EP-SWA1-9620PX	Double Face, 96" Height	20"	1 "	96″	40 Lbs.	2 Cu.Ft	\$ 1,431	
EP-SWA1-9624PX		24"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,680	
EP-SWA1-9628PX	9	28"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,935	
EP-SWA1-9630PX		30"	1"	96"	40 Lbs.	2 Cu.Ft	\$ 2,076	
							,	



MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall 1", 3 or 5 Extruded Aluminum Inserts - End Panel:							PANEL CONSTRUCTION:
								Panels constructed from 1" thick 3-ply medium density
EP-SWA3-4810	Single Face, 48" Height	10"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 392	fiberboard with grade "A" select veneers both faces. All edges
EP-SWA3-4812	3 inserts	12"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 447	banded with 1/4" thick solid external banding. All edges will
EP-SWA3-4814		14"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 503	be eased. Grooved slots include 3 or 5 extruded aluminum channel inserts.
EP-SWA5-6610	Single Face, 66" Height	10"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 463	
EP-SWA5-6612	5 inserts	12"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 527	NOTES:
EP-SWA5-6614		14"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 589	
								*48" high end panel receives 3 grooved slots extruded
EP-SWA5-7810	Single Face, 78" Height	10"	1 "	78"	20 Lbs.	1 Cu.Ft	\$ 574	aluminum channel inserts.
EP-SWA5-7812	5 inserts	12"	1 "	78"	20 Lbs.	1 Cu.Ft	\$ 668	
EP-SWA5-7814	554.15	14"	1"	78"	20 Lbs.	1 Cu.Ft	\$ 761	*End Panels do not include any hardware.
EP-SWA5-9610	Single Face, 96" Height	10"	1 "	96"	20 Lbs.	1 Cu.Ft	\$ 628	*When ordering panels exact dimensions must be specified,
EP-SWA5-9612	5 inserts	12"	1 "	96"	20 Lbs.	1 Cu.Ft	\$ 739	nominal dimensions are inadequate.
EP-SWA5-9614		14	1 "	96"	20 Lbs.	1 Cu.Ft	\$ 848	
								*3/4" thick panels are for wall mount applications and 1" thick panels are for steel shelving mount applications.
EP-SWA3-4810PX	Single Face, 48" Height	10"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 416	
EP-SWA3-4812PX	Laminate, Wood Edge	12"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 493	*High pressure plastic laminate both faces with 1/4" thick
EP-SWA3-4814PX	3 inserts	14"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 549	external solid band edge.
EP-SWA5-6610PX	Single Face, 66" Height	10"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 496	
EP-SWA5-6612PX	Laminate, Wood Edge	12"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 574	
EP-SWA5-6614PX	5 inserts	14"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 635	
EP-SWA5-7810PX	Single Face, 78" Height	10"	1 "	78"	20 Lbs.	1 Cu.Ft	\$ 620	
EP-SWA5-7812PX	Laminate, Wood Edge	12"	1 "	78"	20 Lbs.	1 Cu.Ft	\$ 715	
EP-SWA5-7814PX	5 inserts	14"	1 "	78"	20 Lbs.	1 Cu.Ft	\$ 815	
EP-SWA5-9610PX	Single Face, 96" Height	10"	1 "	96"	20 Lbs.	1 Cu.Ft	\$ 674	
EP-SWA5-9612PX	Laminate, Wood Edge	12"	1"	96"	20 Lbs.	1 Cu.Ft	\$ 793	
EP-SWA5-9614PX	5 inserts	14	1 "	96"	20 Lbs.	1 Cu.Ft	\$ 911	



1	M			
			16.76	
	M			
	MA			

MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall 1", 3 or 5 Extruded Aluminum Inserts - End Panel:							PANEL CONSTRUCTION:
								Panels constructed from 1" thick 3-ply medium density
EP-SWA3-4820	Double Face, 48" Height	20"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 668	fiberboard with grade "A" select veneers both faces. All edges
EP-SWA3-4824	3 inserts	24"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 785	banded with 1/4" thick solid external banding. All edges will
EP-SWA3-4828		28"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 903	be eased. Grooved slots include 3 or 5 extruded aluminum
EP-SWA3-4830		30"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 959	channel inserts.
EP-SWA5-6620	Double Face, 66" Height	20"	1"	66"	32 Lbs.	1 Cu.Ft	\$ 793	NOTES:
EP-SWA5-6624	5 inserts	24"	1"	66"	32 Lbs.	2 Cu.Ft	\$ 887	
EP-SWA5-6628	3 111361163	28"	1"	66"	32 Lbs.	2 Cu.Ft	\$ 1,060	*48" high end panel receives 3 grooved slots extruded
EP-SWA5-6630		30"	1"	66"	32 Lbs.	2 Cu.Ft	\$ 1,130	aluminum channel inserts.
E1 -3 W/\J-0030		50	1	00	JZ LD3.	Z Cu.i t	\$ 1,150	didifficial field first is
EP-SWA5-7820	Double Face, 78" Height	20"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 950	*End Panels do not include any hardware.
EP-SWA5-7824	5 inserts	24"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 1,106	
EP-SWA5-7828		28"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 1,263	*When ordering panels exact dimensions must be specified,
EP-SWA5-7830		30'	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 1,343	nominal dimensions are inadequate.
		20"	1 "	0/"	40 1 5 -	2 6 5	¢ 1 027	+2/// blaid, a coale and for well appropriate and in the coal
EP-SWA5-9620	Double Face, 96" Height	20"	1"	96"	40 Lbs.	2 Cu.Ft	\$ 1,037	*3/4" thick panels are for wall mount applications and 1" thick
EP-SWA5-9624	5 inserts	24"	1"	96"	40 Lbs.	2 Cu.Ft	\$ 1,241	panels are for steel shelving mount applications.
EP-SWA5-9628		28"	1"	96"	40 Lbs.	2 Cu.Ft	\$ 1,389	
EP-SWA5-9630		30"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,482	*High pressure plastic laminate both faces with 1/4" thick external solid band edge.
EP-SWA3-4820PX	Double Face, 48" Height	20"	1″	48"	28 Lbs.	1 Cu.Ft	\$ 722	
EP-SWA3-4824PX	Laminate, Wood Edge	24"	1"	48"	28 Lbs.	1 Cu.Ft	\$ 848	
				48"		1 Cu.Ft	\$ 972	
EP-SWA3-4828PX	3 inserts	28"	1"		28 Lbs.			
EP-SWA3-4830PX		30"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 1,028	
EP-SWA5-6620PX	Double Face, 66" Height	20"	1 "	66"	32 Lbs.	1 Cu.Ft	\$ 856	
EP-SWA5-6624PX	Laminate, Wood Edge	24"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 957	
EP-SWA5-6628PX	5 inserts	28"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,139	
EP-SWA5-6630PX		30"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,216	
EP-SWA5-7820PX	Double Face, 78" Height	20"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 1,020	
EP-SWA5-7824PX	Laminate, Wood Edge	24"	1"	78"	40 Lbs.	2 Cu.Ft	\$ 1,176	
EP-SWA5-7828PX	5 inserts	28"	1"	78"	40 Lbs.	2 Cu.Ft	\$ 1,357	
EP-SWA5-7830PX	2 1112C172	30'	1"	78"	40 Lbs.	2 Cu.Ft	\$ 1,443	
EL-2MV2-1020LV		30	ı	70	40 LDS.	Z Cu.rt	\$ 1,445	
EP-SWA5-9620PX	Double Face, 96" Height	20"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,125	
EP-SWA5-9624PX	Laminate, Wood Edge	24"	1"	96"	40 Lbs.	2 Cu.Ft	\$ 1,335	
EP-SWA5-9628PX	5 inserts	28"	1"	96"	40 Lbs.	2 Cu.Ft	\$ 1,490	
EP-SWA5-9630PX	3 11130103	30"	1"	96"	40 Lbs.	2 Cu.Ft	\$ 1,608	



PAL	V		Е	RI	
-----	---	--	---	----	--

MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
GN-502-SH-RH	Range Finder Single Face, Right Hand	5 ³ /4"	3/8"	9"			\$ 503	Grey background, Flush inlayed, clear acrylic signage capable of holding card stock size 5 3/4" x 8 5/8". Signage includes a thumb-sized mouse hole cutout for ease of card stock removal. Please indicate a Left or Right hand application on single face end panels. Double face end panels will receive 2 signages as illustrated.
GN-502-SH-LH	Single Face, Left Hand	5 ³ /4"	3/8"	9"			\$ 503	
GN-502-SH-DF	Double Face	5 ³ /4"	3/8"	9"			\$ 1,005	





MODEL								
NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Magnetic Whiteboard							PANEL CONSTRUCTION:
								End panels constructed from 1" thick high density particleboard
EP-MWB-4810	Single Face, 48" Height	10"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 436	core with white magnetic dry erase board front face. All edges
EP-MWB-4812		12"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 506	banded with 1/4" thick solid external banding. All panel edges
EP-MWB-4814		14"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 565	and corners will be eased.
EP-MWB-6610	Single Face, 66" Height	10"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 514	NOTES:
EP-MWB-6612		12"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 583	
EP-MWB-6614		14"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 661	*End Panels do not include any hardware.
EP-MWB-7810	Single Face, 78" Height	10"	1"	78"	20 Lbs.	2 Cu.Ft	\$ 642	*When ordering panels exact dimensions must be specified,
EP-MWB-7812	<i>,</i> , , , , , , , , , , , , , , , , , ,	12"	1 "	78"	20 Lbs.	2 Cu.Ft	; 738	nominal dimensions are inadequate.
EP-MWB-7814		14"	1"	78"	20 Lbs.	2 Cu.Ft	\$ 845	
							4	
EP-MWB-9610	Single Face, 96" Height	10"	1 "	96"	20 Lbs.	2 Cu.Ft	\$ 700	
EP-MWB-9612	<i>y</i> , <i>y</i>	12"	1 "	96"	20 Lbs.	2 Cu.Ft	\$ 826	
EP-MWB-9614		14	1 "	96"	20 Lbs.	2 Cu.Ft	\$ 942	
EP-MWB-4820	Double Face, 48" Height	20"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 738	
EP-MWB-4824		24"	1 "	48"	28 Lbs.	2 Cu.Ft	\$ 865	
EP-MWB-4828		28"	1 "	48"	28 Lbs.	2 Cu.Ft	\$ 991	
EP-MWB-4830		30"	1 "	48"	28 Lbs.	2 Cu.Ft	\$ 1,058	
EP-MWB-6620	Double Face, 66" Height	20"	1"	66"	32 Lbs.	2 Cu.Ft	\$ 875	
EP-MWB-6624	3	24"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,032	
EP-MWB-6628		28"	1 "	66"	32 Lbs.	3 Cu.Ft	\$ 1,166	
EP-MWB-6630		30"	1 "	66"	32 Lbs.	3 Cu.Ft	\$ 1,244	
EP-MWB-7820	Double Face 70" Height	20"	1 "	78"	40 Lbs.	3 Cu.Ft	\$ 991	
EP-MWB-7824	Double Face, 78" Height	24"	1"	78"	40 Lbs.	3 Cu.Ft	\$ 1,166	
EP-MWB-7828		28"	1"	78"			\$ 1,100	
			1 "		40 Lbs.	4 Cu.Ft		
EP-MWB-7830		30′	I	78"	40 Lbs.	4 Cu.Ft	\$ 1,419	
EP-MWB-9620	Double Face, 96" Height	20"	1 "	96"	40 Lbs.	3 Cu.Ft	\$ 1,109	
EP-MWB-9624	<u> </u>	24"	1 "	96"	40 Lbs.	3 Cu.Ft	\$ 1,293	
EP-MWB-9628		28"	1 "	96"	40 Lbs.	4 Cu.Ft	\$ 1,487	
EP-MWB-9630		30"		96"	40 Lbs.	4 Cu.Ft	\$ 1,586	



	MODEL NUMBER	PRODUCT	WIDTH	DEBTU	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	INUIVIDER	PRODUCT	WIDIH	DEFIR		WEIGHT	VOLUME	PRICE	DESCRIPTION
		Shadow Box							PANEL CONSTRUCTION:
_									Panels constructed from 3/4" thick 3-ply medium densit
	EP-SBA-4810	Single Face, 48" Height	10"	5″	48"			\$ 1,389	fiberboard with grade "A" select veneers both faces. All
	EP-SBA-4812		12"	5″	48"			\$ 1,506	banded with 1/4" thick solid external banding. All edge
	EP-SBA-4814		14"	5″	48"			\$ 1,655	be eased.
	EP-SBA-6610	Single Face, 66" Height	10"	5″	66"			\$ 1,738	NOTES:
	EP-SBA-6612	3	12"	5″	66"			\$ 1,885	
	EP-SBA-6614		14"	5″	66"			\$ 2,057	*End Panels do not include any hardware.
	EP-SBA-7810	Single Face, 78" Height	10"	5″	78″			\$ 1,830	*When ordering panels exact dimensions must be speci
	EP-SBA-7812	single race, 70 magne	12"	5″	78"			\$ 2,024	nominal dimensions are inadequate.
	EP-SBA-7814		14"	5″	78"			\$ 2,211	nonlinal afficiations are fridacquate.
	L1 -3D/ (-7 0 1 +		1 7	J	70			2 2,211	*Single Face units:
	EP-SBA-9610	Single Face, 96" Height	10"	5″	96"			\$ 2,344	- 48" high unit consists of 4 sloped metal displays with I
	EP-SBA-9612	single race, 70 Height	12"	5″	96"			\$ 2,554	- 66" high unit consists of 5 sloped metal displays with I
					96"				
	EP-SBA-9614		1 4	5″	96			\$ 2,757	 - 78" high unit consists of 6 sloped metal displays with I - 96" high unit consists of 7 sloped metal displays with I
	EP-SBA-4820	Double Face, 48" Height	20"	5″	48"			\$ 2,506	*Double Face units:
	EP-SBA-4824	Dodasie Feles, To Trength	24"	5″	48"			\$ 2,589	- 48" high unit consists of 8 sloped metal displays with li
	EP-SBA-4828		28"	5″	48"			\$ 2,686	- 66" high unit consists of 10 sloped metal displays with
	EP-SBA-4830		30"	5″	48"			\$ 2,797	- 78" high unit consists of 12 sloped metal displays with
	L1 -3D/ (-+030		30	J	70			2 2,1 11	- 96" high unit consists of 14 sloped metal displays with
	EP-SBA-6620	Double Face, 66" Height	20"	5″	66"			\$ 2,645	- 70 Trigit drift corrsists of 14 sloped metal displays with
	EP-SBA-6624	Double Face, oo Tielgiit	24"	5″	66"			\$ 2,728	
	EP-SBA-6628		28"		66"			\$ 2,726 \$ 2,827	
				5"					
	EP-SBA-6630		30"	5″	66"			\$ 2,939	
	EP-SBA-7820	Double Face, 78" Height	20"	5″	78"			\$ 2,783	
	EP-SBA-7824		24"	5"	78"			\$ 2,868	
	EP-SBA-7828		28"	5″	78"			\$ 2,965	
	EP-SBA-7830		30′	5″	78"			\$ 3,075	
	EP-SBA-9620	Double Face, 96" Height	20"	5″	96"			\$ 2,924	
	EP-SBA-9624	,	24"	5″	96"			\$ 3,008	
	EP-SBA-9628		28"	5″	96"			\$ 3,105	
	EP-SBA-9630		30"	5″	96"			\$ 3,703	



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT		WEIGHT	VOLUME	PRICE	DESCRIPTION
		Shadow Box Mix				-				PANEL CONSTRUCTION:
		STIGOV BOX WIX								TAINEE CONSTRUCTION.
										Panels constructed from 3/4" thick 3-ply medium density
	EP-SBB-4810	Single Face, 48" Height	10"	5″	48"				\$ 1,360	fiberboard with grade "A" select veneers both faces. All edges
Maria and a second	EP-SBB-4812		12"	5″	48"				\$ 1,478	banded with 1/4" thick solid external banding. All edges will
	EP-SBB-4814		14"	5″	48"				\$ 1,621	be eased.
	EP-SBB-6610	Single Face, 66" Height	10"	5″	66"				\$ 1,704	NOTES:
The state of the s	EP-SBB-6612	g ·, · · ·g. · ·	12"	5"	66"				\$ 1,848	
	EP-SBB-6614		14"	5"	66"				\$ 2,018	*End Panels do not include any hardware.
	2, 322 0011			2					\$ 2,010	End remels do not melade any hardware.
	EP-SBB-7810	Single Face, 78" Height	10"	5″	78"				\$ 1,793	*When ordering panels exact dimensions must be specified,
	EP-SBB-7812		12"	5"	78"				\$ 1,984	nominal dimensions are inadequate.
	EP-SBB-7814		14"	5"	78"				\$ 2,168	
										*Single Face units:
	EP-SBB-9610	Single Face, 96" Height	10"	5"	96"				\$ 2,298	- 48" high unit consists of 2 sloped metal displays with lip &
	EP-SBB-9612		12"	5"	96"				\$ 2,505	2 open cubbies with lip
	EP-SBB-9614		14	5"	96"				\$ 2,703	- 66" high unit consists of 3 sloped metal displays with lip &
										2 open cubbies with lip
										- 78" high unit consists of 3 sloped metal displays with lip &
The same of the sa	EP-SBB-4820	Double Face, 48" Height	20"	5"	48"				\$ 2,456	3 open cubbies with lip
	EP-SBB-4824		24"	5"	48"				\$ 2,538	- 96" high unit consists of 4 sloped metal displays with lip &
	EP-SBB-4828		28"	5"	48"				\$ 2,634	3 open cubbies with lip
	EP-SBB-4830		30"	5"	48"				\$ 2,743	
										*Double Face units:
	EP-SBB-6620	Double Face, 66" Height	20"	5"	66"				\$ 2,592	- 48" high unit consists of 4 sloped metal displays with lip &
	EP-SBB-6624		24"	5"	66"				\$ 2,675	4 open cubbies with lip
	EP-SBB-6628		28"	5"	66"				\$ 2,772	- 66" high unit consists of 5 sloped metal displays with lip &
	EP-SBB-6630		30"	5″	66"				\$ 2,881	5 open cubbies with lip
	ED 6DD 7020	5 11 5 70" 11 11	20"	- "	7.0"				ć 2 720	- 78" high unit consists of 6 sloped metal displays with lip &
	EP-SBB-7820	Double Face, 78" Height	20"	5″	78"				\$ 2,729	6 open cubbies with lip
	EP-SBB-7824		24"	5″	78"				\$ 2,811	- 96" high unit consists of 7 sloped metal displays with lip &
	EP-SBB-7828		28"	5″	78"				\$ 2,906	7 open cubbies with lip
	EP-SBB-7830		30′	5″	78"				\$ 3,015	
	EP-SBB-9620	Double Face, 96" Height	20"	5″	96"				\$ 2,867	
	EP-SBB-9624	2 sable race, 75 rieight	24"	5″	96"				\$ 2,949	
	EP-SBB-9628		28"	5″	96"				\$ 3,044	
	EP-SBB-9630		30"	5″	96"				\$ 3,156	
	E. 300 7030		50	J	, ,				٠,١٥٥	



Palmieri Furniture Limited ("Palmieri") warrants that its products and collections are free from defects in materials and workmanship for the life of the product, except as set forth below. Palmieri Limited Lifetime Warranty is valid from the date of delivery.

Exceptions to the Limited Lifetime Warranty: Seating: two (2) years

Goods sold hereunder are covered by a Limited Lifetime Warranty, free against defects in material and workmanship provided the goods and services are subjected to normal use and service. The applicable warranty period commences from shipping date to Purchaser of any item of the goods, whichever occurs first, or any other warranty period otherwise stipulated in writing by Palmieri under this sale. For components not supplied by Palmieri, the original manufacturer's warranty shall apply to the extent assignable by Palmieri. The obligation under this warranty is limited to the repair or replacement, at Palmieri's option, of defective parts F.O.B. point of shipment provided that prompt notice of any defect is given by Purchaser to Palmieri in writing within the applicable warranty period and that upon the Purchaser's return of the defective parts to Palmieri or, if designated by Palmieri, to the location where the works are made, properly packed and with transportation charges prepaid by Purchaser, an inspection thereof shall reveal to Palmieri's satisfaction that Purchaser's claim is valid under the terms of this warranty. Purchaser shall assume all responsibility and expense for dismantling, removal, re-installation and freight in connection with the foregoing. The same obligations and conditions extend to replacement parts furnished by Palmieri hereunder.

Palmieri does not assume liability for installation, labour or consequential damages. Palmieri makes no warranty other than the one set forth herein. All other warranties, legal, expressed or implied, including but not limited to any expressed or implied warranty of merchantability, of fitness for the intended use thereof or against infringement are hereby expressly excluded. The applicable warranty ceases to be effective if the goods are altered or repaired other than by persons authorized or approved by Palmieri to perform such work. Repairs or replacement deliveries do not interrupt or prolong the term of the warranty. The warranty ceases to be effective if Purchaser fails to handle and use the goods sold hereunder in a safe and reasonable manner and in accordance with any written instructions from the manufacturers.

Warranty Does Not Apply To Product Failure Or Loss Resulting From:

Abuse, misuse or accident, alteration or modification of product by customer or third party, normal wear and tear, improper installation, handling or incorrect use. The substitution of part components or hardware not approved or authorized by Palmieri, acts of God, unauthorized repairs, improper storage, and environmental conditions such as irregular temperature control either inside or outside the environment.

Warranty Provides Exclusive Remedies:

If a product fails under ordinary use as a result of a defect in material or workmanship, Palmieri will: (A) repair, or (B) replace the furniture. The replacement or repair of the Furniture or Seating will be at the discretion of Palmieri. If the defect or workmanship cannot be remedied on site, repairs can be made at the factory. (C) If the product repair or replacement is not commercially practicable or cannot be remade in a timely manner Palmieri will refund the purchase price of the affected product. A product "Defect" means: an inadequacy in the materials or workmanship of the product that (A) existed at the time when you received the product from Palmieri or Palmieri authorized Reseller and (B) causes a failure of the product to perform under ordinary use in accordance with the materials and documentation accompanying the product. "Ordinary Use" means: use of the product (A) in accordance with all applicable local, state or federal laws, codes and regulations and (B) in accordance with manufacturer recommendations and or instructions in the materials and documentation accompanying the product or through shop drawings. A "Palmieri Authorized Reseller" means: any dealer that is legally permitted to conduct business in the jurisdiction where the product is sold and is duly authorized by Palmieri to sell the product.

Warranty work must be approved by authorized personnel of Palmieri Furniture Limited in Richmond Hill, Ontario, Canada.

A copy of the original purchase order must accompany all claims.

Warranty Does Not Cover:

Matching of colours, stains, textures, grains and any other variations in materials. Select and Custom Surfaces and materials are only warranted for their application on the specified product and are not covered by our warranty, except as warranted by the original supplier, for quality, colorfastness, shade variations or abrasion and textiles purchased for Palmieri product.

This limited warranty is the sole remedy for product defect and no other express or implied warranty is provided. Warranty is not transferable and valid only for the original purchaser acquiring a product from Palmieri or a Palmieri authorized reseller for the purchaser's own use and not for resale, remarketing or distribution. Limited Lifetime Warranty (25 years)

GENERAL

The following Terms and Conditions of Quote and Sale shall apply to any sale of goods and services by Palmieri Furniture Limited (hereinafter called "Palmieri"). Purchaser shall be deemed to have full knowledge of the terms and conditions herein and such terms and conditions shall be binding if either the goods and services referred to herein are delivered to and accepted by Purchaser, or if Purchaser does not within five (5) days from the date hereof deliver to Palmieri written objection to said terms and conditions or any part thereof.

In the event of any conflict or inconsistency between the terms and conditions of sale herein and the terms and conditions contained in Purchaser's order or in any other form issued by Purchaser, whether or not any such form has been acknowledged or accepted by Palmieri, Palmieri's terms and conditions herein shall prevail. No waiver, alteration or modification of these terms and conditions shall be binding upon Palmieri unless made in writing and signed by a duly authorized representative of Palmieri.

1. QUOTATIONS / PRODUCT QUOTED

Unless otherwise stated, Palmieri's quotations shall be null and void unless accepted by Purchaser within thirty (30) days from the date of quotation. Quotes may be subject to change before order placement, due to increased material costs and or other factors that could impact the final cost of production and our final understanding of the product required. If the items quoted do not reflect the intended product requirements of the customer, Palmieri will not be held responsible for increased costs for those product changes. We reserve the right to edit or re-quote any portion of a previously submitted quotation subject to our final understanding of the product required by the client.

2. PALMIERI DRAWINGS

Palmieri provides drawings for Custom & Standard product we produce to our clients upon request. We consider these drawings to be Private and Confidential and are provided for the sole purpose and use of our clients to understand the product we are providing. The use of these confidential materials is limited to the transaction between the parties and at no point are these confidential materials to be sent to any of our competitors or parties quoting for the same purpose.

A minimum \$ 85.00 NET Engineering Administrative Fee will apply for Custom Product Drawings

(Note: The first set of Custom product drawings will be free of charge)

A minimum \$ 120.00 NET Engineering Administrative Fee will apply for all Standard Product Drawings

3. TERMS OF PAYMENT

For authorized customers; Orders at a \$ 75,000.00 threshold will require a mandatory 25% deposit. Orders over and above \$ 100,000.00 requires a mandatory (25%) deposit at time of order, a mandatory (25%) deposit prior to product shipment and the balance to be paid within thirty (30) days of date of shipment. Payment not be made to Palmieri when due, Palmieri reserves the right to charge Purchaser with interest on such overdue payments. Interest of 2% per month (24% per annum) is charged on all overdue accounts, unless otherwise specified. The charging of such interest shall not be construed as obligating Palmieri to grant any extension of time in the terms of payment. All goods remain the property of Palmieri, until balance is paid in full to Palmieri.

4. TITLE

Title to the goods or any part thereof shall not pass from Palmieri to Purchaser until all payments due hereunder have been duly made, except as otherwise expressly stipulated herein. The goods shall be and remain personal or moveable property, notwithstanding their mode of attachment to realty or other property. If default is made in any of the payments herein, Purchaser agrees that Palmieri may retain all payments which have been made on account of the purchase price as liquidated damages, and Palmieri shall be free to enter the premises where the goods may be located and remove them as Palmieri's property, without prejudice to Palmieri's right to recover any further expenses or damages Palmieri may suffer by reason of such nonpayment.

5. TAXES

Prices do not include Goods & Services Tax, Provincial or Municipal sales, use, value-added or similar tax. All applicable taxes are extra. Our Harmonized Sales Tax (HST) registration number is R104055066.

6. THE AGREEMENT

An acceptance and official confirmation of Purchasers' order by signing Palmieri's Order Confirmation the Purchaser therefore is accepting terms and conditions as expressed herein Palmieri's Terms and Conditions of Quote and Sale by Palmieri and shall constitute the complete agreement, subject to the terms and conditions of sale herein set forth, and shall supersede all previous quotations, orders or agreements.

7. LEAD TIME / DELIVERY / DELAYS

Lead time is determined only when final material/finish selection and drawing approvals are received by Palmieri from the client. The accuracy of Palmieri's lead times, is created to the best of our ability with the information provided to us. Confirmed lead time is conveyed to the client by means of Order Confirmation. They do not preclude the client from checking the accuracy of your requirement and our Order Confirmation. Any noted discrepancies are to be reported immediately to Palmieri Customer Service Department for correction and reissue of revised Order Confirmation. By signing and dating the Order Confirmation the client accepts the terms and conditions of quote and sale.

Lead time on our Order Confirmation do not account for delays that could potentially occur for special materials specified by the client that are outside of our standard finishes and materials program that are out of our control and will affect the lead time on the order. Palmieri will notify the client immediately when these delays occur and adjust the lead time accordingly.

Delivery schedules are approximate and are based on prevailing market conditions applicable respectively at

the time of Palmieri's quotation and Palmieri's acceptance of clients' order, if certain portions of an order are completed by the quoted lead time while other portions have experienced delays outside of our control. The client may choose to part ship the order at their discretion and expense. Otherwise the entire order will ship with the delayed portion at a later date. Palmieri may extend delivery schedules or may, at its option, cancel Purchaser's order in full or in part without liability other than to return any deposit or prepayment which is unearned by reason of the cancellation.

8. CHANGES AND CANCELLATION

Orders accepted by Palmieri are not subject to changes or cancellation by Purchaser without the written consent of Palmieri. In such cases where Palmieri authorizes changes or cancellation, Palmieri reserves the right to charge the Purchaser with reasonable costs based upon expenses already incurred and commitments made by Palmieri, including, without limitation, any labour done, material purchased and also including Supplier's usual overhead and reasonable profit and cancellation charges from Palmieri's suppliers. Palmieri will communicate to the Purchaser additional costs incurred by way of Revised Order Confirmation. Revised Order Confirmation will include applicable costs incurred and modification to lead times (if applicable). The Purchaser must provide Palmieri written confirmation of additional costs, before any changes can be processed on the order.

A minimum charge of \$ 100.00 NET Change Order Request fee will apply

A minimum charge of \$ 150.00 NET Cancel Order Request fee will apply

9. SHIPPING LOCATION / SHIPPING QUOTES / COST OF TRANSPORTATION

Unless otherwise stated, all prices are F.O.B. our factory in Richmond Hill, Ontario, Canada.

Customary methods of transportation shall be selected by Palmieri and such transportation will be at Purchaser's expense. Shipping quotations are made at time of furniture quotation and are outside the control of Palmieri. Shipping quotes are valid for ten (10) business days from the time of quote. We do our best to maintain shipping costs as quoted, however all shipping weights and cubic feet shown are approximate only, various construction materials and packaging methods may add to the weights given. All quoted prices, unless otherwise stated on the quotation, are based on the current exchange rates, tariffs, fuel surcharges and costs of manufacture and are subject to change by Palmieri with or without notice until Purchaser's acceptance. Palmieri does not assume responsibility or liability for shipping costs, product during transit, or variances from the shipping weights or cubic feet shown in our specification guides. Special methods of transportation will be used upon Purchaser's request and at Purchaser's additional expense, provided reasonable notice of Purchaser's transportation requirements are given by Purchaser to Palmieri prior to shipment. Palmieri will notify the client prior to shipping product if shipping costs as quoted change, at which point the client must approve the adjusted shipping costs.

10. RECEIVING PRODUCT / REPORTING DAMAGE / STORAGE OF PRODUCT

Upon receipt of Palmieri product, the receiver of the goods must immediately inspect the product to ensure it is free of shipping damage. If the product is deemed in good order, the receiver of the product must ensure to sign off on the accompanying carriers Bill of lading in good condition. Except for obligations stated under "Warranty" herein, Palmieri's responsibility for the product ceases once the product has been received and signed off in good order and is the full responsibility of the receiver and subsequently the owner.



In the event shipping damage is discovered during receipt of shipment, it is the responsibility of the receiver to ensure all noted damage is recorded on the carrier's Bill of Lading prior to sign off. All noted shipping damage claims must be reported to Palmieri within **24 hours** of receipt of the product onsite, failure to do so will result in the claim being deemed null and void. All shipping damage claims are to be reported directly to Palmieri's Shipping Manager. Please call our toll free number at **1-800-413-4440 ext. 33** or submit the claim by Fax directly to **1-905-731-9878**. Palmieri will not accept any shipping damage claims submitted **after 24 hours** and it shall be conclusively presumed that the goods were delivered in good condition.

Storage of product, Palmieri will not be held responsible for any potential damages or shortages for product shipped and received by Purchaser and is subsequently placed into storage and not inspected within 24 hours of receipt.

11. INSTALLATION / SHORTAGES / BACK CHARGES

Unless otherwise expressly stipulated, the goods shall be installed by and at the risk and expense of Purchaser.

In the event that Palmieri is requested to supervise such installation, Palmieri's responsibility shall be limited to exercising that degree of skill customary in the trade in supervising installations of the same type. Purchaser shall remain responsible for all other aspects of the work including compliance with the local regulations. It is the responsibility of the Purchaser to ensure hardware and parts are received in good order. Packing slip and hardware list to be provided by Palmieri with every order at time of shipping. Purchaser has the responsibility to notify Palmieri immediately without delay of issues that arise; subsequently Palmieri will take action to provide prompt resolution.

Shortages must be reported to Palmieri within <u>24 hours</u> of receipt of the goods and failure to do so may be at the expense of the Purchaser.

If deemed missing hardware and parts short shipped from the factory, Palmieri will arrange to ship freight prepaid to destination. Palmieri will only be responsible for replacement costs of missing hardware and parts, any labour costs incurred will be the responsibility of the Purchaser and will not be approved by Palmieri.

Back Charges will only be approved if we deemed a defect in the material or workmanship is found during the installation period resulting in a return trip to the job-site to complete installation. It shall remain the sole discretion of Palmieri to approve (A) repair or (B) replace the furniture and any labour costs incurred by the Purchaser.

12. FORCE MAJEURE

Palmieri shall not be responsible or liable for any loss or damage incurred by Purchaser herein resulting from causes beyond the reasonable control of Palmieri including, but without limitation, abuse, misuse or accident, alteration or modification of product by customer or third party, normal wear and tear, improper installation, handling or incorrect use, unauthorized repairs, the substitution of part components or hardware not approved or authorized by Palmieri, improper storage, and environmental conditions such as irregular temperature control either inside or outside the environment, acts of God, fire, flood, delays in transportation, or the failure of Palmieri's suppliers to meet their delivery promises. The acceptance of delivery of the goods by Purchaser shall constitute a waiver of all claims for loss or damage due to any delay whatsoever.

13. RETURNED GOODS

No goods may be returned to Palmieri for a credit or exchanged without Palmieri's prior written consent.

Palmieri reserves the right to accept all returns and subject to a handling/restocking charge or to decline all returns. Even after Palmieri has authorized the return of goods for credit, Palmieri reserves the right to adjust the amount of any credit given to Purchaser on return of the goods based on the conditions of the goods on arrival in Palmieri's warehouse. Credit for returned goods will be issued to Purchaser only where such goods are returned by Purchaser and not by any subsequent owner of the goods. Goods will be considered for return only if they are in their original condition and packaging. Palmieri Goods Return Authorization Form to be issued and must accompany all shipments returning back to the factory. Return freight must be prepaid by Purchaser. A minimum 20% re-stocking fee will apply.

create. communicate. collaborate.

Palmieri Furniture Ltd.

 1230 Reid Street
 T: 905 731 9300

 Richmond Hill
 F: 905 731 9878

 Ontario Canada L4B 1C4
 TF: 800 413 4440

E: info@palmierifurniture.com W: www.palmierifurniture.com

