











	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	PT-IT-DS-4P	4 Person Index Table Double Sided Double Tier	60"	48"	52 <sup>3</sup> / <sub>4</sub> "	440 Lbs.	64 Cu Ft	\$ 9,856	<p><b>WORK SURFACE:</b> Tops are constructed of 2" thick built-up particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Two long edges of the rectangular tables will be banded with a 2" wide x 1<sup>1</sup>/<sub>4</sub>" thick solid hardwood external edge and tapered creating a 7" chamfered knife edge. The side shall be externally banded with 1<sup>1</sup>/<sub>8</sub>" thick x 2" high solid hardwood. All edges are eased.</p>
	PT-IT-DS-6P	6 Person Index Table Double Sided Double Tier	90"	48"	52 <sup>3</sup> / <sub>4</sub> "	470 Lbs.	96 Cu Ft	\$ 10,854	<p><b>SUPERSTRUCTURE:</b> 23<sup>3</sup>/<sub>4</sub>" high side panels, mid panel, back panels and shelves constructed from 3<sup>3</sup>/<sub>4</sub>" veneer plywood. Top of the side and back panels shall be banded with a 3<sup>3</sup>/<sub>4</sub>" thick x 2" high solid, the two vertical edges shall be banded with 1<sup>1</sup>/<sub>8</sub>" thick hardwood. Panels shall be tapered down from a top dimension of 17" wide to 20" wide at the bottom. The center of the panel is routed to accept a 1<sup>1</sup>/<sub>8</sub>" deep x 3<sup>3</sup>/<sub>16</sub>" wide solid ebony inlay. Fixed shelf 8<sup>3</sup>/<sub>4</sub>" deep shall be fitted 13" clear above table.</p> <p><b>END PANELS:</b> Panel frame construction consists of a 3" thick built-up particleboard core with plain sliced veneer interior face. End panels shall be designed with a 4<sup>1</sup>/<sub>4</sub>" wide x 1<sup>1</sup>/<sub>2</sub>" deep indentation separating two raised panel faces. The center of the panel is routed to accept a 1<sup>1</sup>/<sub>8</sub>" deep x 3<sup>3</sup>/<sub>16</sub>" wide solid ebony inlay. Front face of panels shall be designed using rift sawn veneers 2" wide running horizontally and vertically around the perimeter meeting at mitered corners, Panels are framed on top and two vertical sides with 1<sup>1</sup>/<sub>8</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood. Podium base construction consists of a 3<sup>1</sup>/<sub>2</sub>" thick built-up particleboard core with 1<sup>1</sup>/<sub>4</sub>" thick x 4" high solid hardwood mitered on four sides of the panel and throughout the indentation.</p>

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	PT-PAC-1-29	1 Person PAC Tables: Sitting Height	36"	36"	37"	135 Lbs.	13 Cu Ft	\$ 6,065	<p><b>WORK SURFACE:</b> Tops are constructed of 2" thick built-up particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge of the rectangular tables will be banded with a 2" wide x 1 1/4" thick solid hardwood external edge and tapered creating a 7" chamfered knife edge. The rear and sides shall be externally banded with 1/8" thick x 2" high solid hardwood. All edges are eased.</p> <p><b>WOOD DIVIDERS:</b> Sloped side dividers constructed of 3/4" thick x 8" high solid hardwood and back divider constructed of 3/4" thick x 7 3/4" high veneer particleboard, top edge banded with 1/4" external hardwood.</p> <p><b>END PANELS:</b> Panel frame construction consists of a 2 1/2" thick built-up particleboard core with plain sliced veneer interior face. Front face of panels shall be designed using rift sawn veneers 2" wide running horizontally and vertically around the perimeter meeting at mitered corners. Panels are framed on top and two vertical sides with 1/8" thick x 2 1/2" wide solid hardwood. The center of the panel is routed to accept a 1/8" deep x 3/16" wide solid ebony inlay. Podium base construction consists of a 3" thick built-up particleboard core with 1/4" thick x 4" high solid hardwood mitered corners.</p> <p><b>WORK SURFACE HEIGHT:</b> Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> <p><b>ELECTRICAL ACCESSORIES:</b> Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p>
	PT-PAC-1-32	Wheelchair Accessible	36"	36"	40"	135 Lbs.	16 Cu Ft	\$ 6,090	
	PT-PAC-1-39	Standing Height	36"	36"	47"	140 Lbs.	23 Cu Ft	\$ 6,168	
	PT-PAC-2-29	2 Person PAC Tables: Sitting Height	72"	36"	37"	205 Lbs.	27 Cu Ft	\$ 6,528	
	PT-PAC-2-32	Wheelchair Accessible	72"	36"	40"	205 Lbs.	33 Cu Ft	\$ 6,560	
	PT-PAC-2-39	Standing Height	72"	36"	47"	210 Lbs.	46 Cu Ft	\$ 6,631	
	PT-PAC-3-29	3 Person PAC Tables: Sitting Height	90"	36"	37"	260 Lbs.	34 Cu Ft	\$ 7,056	
	PT-PAC-3-32	Wheelchair Accessible	90"	36"	40"	260 Lbs.	41 Cu Ft	\$ 7,087	
	PT-PAC-3-39	Standing Height	90"	36"	47"	270 Lbs.	58 Cu Ft	\$ 7,159	

MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION	
	2 Person (1 Place Back to Back) PAC Tables:							<b>WORK SURFACE:</b> Tops are constructed of 2" thick built-up particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Two long edges of the rectangular tables will be banded with a 2" wide x 1 1/4" thick solid hardwood external edge and tapered creating a 7" chamfered knife edge. The rear and sides shall be externally banded with 1/8" thick x 2" high solid hardwood. All edges are eased.  <b>WOOD DIVIDERS:</b> Sloped side dividers constructed of 3/4" thick x 8" high solid hardwood and back divider constructed of 3/4" thick x 7 3/4" high veneer particleboard, top edge banded with 1/4" external hardwood.  <b>END PANELS:</b> Panel frame construction consists of a 3" thick built-up particleboard core with plain sliced veneer interior face. End panels shall be designed with a 4 1/4" wide x 1/2" deep indentation separating two raised panel faces. The center of the panel is routed to accept a 1/8" deep x 3/16" wide solid ebony inlay. Front face of panels shall be designed using rift sawn veneers 2" wide running horizontally and vertically around the perimeter meeting at mitered corners. Panels are framed on top and two vertical sides with 1/8" thick x 2 1/2" wide solid hardwood. Podium base construction consists of a 3 1/2" thick built-up particleboard core with 1/4" thick x 4" high solid hardwood mitered on four sides of the panel and throughout the indentation.  <b>WORK SURFACE HEIGHT:</b> Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.  <b>ELECTRICAL ACCESSORIES:</b> Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.	
	PT-PAC-1D-29	Sitting Height	36"	60"	37"	260 Lbs.	22 Cu Ft		\$ 9,541
	PT-PAC-1D-32	Wheelchair Accessible	36"	60"	40"	260 Lbs.	27 Cu Ft		\$ 9,592
PT-PAC-1D-39	Standing Height	36"	60"	47"	270 Lbs.	38 Cu Ft	\$ 9,727		
	4 Person (2 Place Back to Back) PAC Tables:								
	PT-PAC-2D-29	Sitting Height	72"	60"	37"	400 Lbs.	45 Cu Ft	\$ 10,358	
	PT-PAC-2D-32	Wheelchair Accessible	72"	60"	40"	400 Lbs.	54 Cu Ft	\$ 10,409	
PT-PAC-2D-39	Standing Height	72"	60"	47"	410 Lbs.	77 Cu Ft	\$ 10,538		
	6 Person (3 Place Back to Back) PAC Tables:								
	PT-PAC-3D-29	Sitting Height	90"	60"	37"	500 Lbs.	56 Cu Ft	\$ 11,060	
	PT-PAC-3D-32	Wheelchair Accessible	90"	60"	40"	500 Lbs.	68 Cu Ft	\$ 11,112	
PT-PAC-3D-39	Standing Height	90"	60"	47"	520 Lbs.	96 Cu Ft	\$ 11,240		

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	PT-R42	Round Reading Tables	42"	42"	29"	90 Lbs.	8 Cu Ft	\$ 3,361	<p><b>WORK SURFACE:</b> Rectangle and Square Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges 1 5/8" thick x 2 1/4" wide solid external hardwood knife profile with 3/8" rounded point and shall be mitered and radiused at corners. Circular tables shall receive a 1 1/4" thick x 2 1/4" wide solid wood edge band and fabricated in four sections with eased edges.</p> <p><b>APRON:</b> Apron rails for circular and square tables are 3/4" thick x 3 3/8" wide solid hardwood and mechanically fastened between legs.</p> <p><b>WORK SURFACE HEIGHT:</b> Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p>
	PT-R48		48"	48"	29"	100 Lbs.	10 Cu Ft	\$ 3,522	
	PT-4242	Square Reading Tables	42"	42"	29"	90 Lbs.	8 Cu Ft	\$ 2,826	
	PT-4848		48"	48"	29"	100 Lbs.	10 Cu Ft	\$ 3,000	
	PT-6036	60" Wide Rectangle Reading Tables	60"	36"	29"	170 Lbs.	10 Cu Ft	\$ 3,451	
	PT-6048		60"	48"	29"	230 Lbs.	13 Cu Ft	\$ 3,657	
	PT-7236	72" Wide Rectangle Reading Tables	72"	36"	29"	200 Lbs.	12 Cu Ft	\$ 3,618	
	PT-7248		72"	48"	29"	270 Lbs.	15 Cu Ft	\$ 3,843	
	PT-8436	84" Wide Rectangle Reading Tables	84"	36"	29"	250 Lbs.	13 Cu Ft	\$ 3,791	
PT-8448	84"		48"	29"	280 Lbs.	18 Cu Ft	\$ 4,023		
PT-9636	96" Wide Rectangle Reading Tables	96"	36"	29"	310 Lbs.	15 Cu Ft	\$ 3,959		
PT-9648		96"	48"	29"	320 Lbs.	20 Cu Ft	\$ 4,211		

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	PT-6048-PB	60" Wide Rectangle Panel Base Reading Table	60"	48"	29"	250 Lbs.	21 Cu Ft	\$ 7,783	<p><b>WORK SURFACE:</b> Tops are constructed of 2" thick built-up particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Two long edges of the rectangular tables will be banded with a 2" wide x 1 1/4" thick solid hardwood external edge and tapered creating a 7" chamfered knife edge. The side shall be externally banded with 1/8" thick x 2" high solid hardwood. All edges are eased.</p> <p><b>END PANELS:</b> Panel frame construction consists of a 3" thick built-up particleboard core with plain sliced veneer interior face. End panels shall be designed with a 4 1/4" wide x 1/2" deep indentation separating two raised panel faces. The center of the panel is routed to accept a 1/8" deep x 3/16" wide solid ebony inlay. Front face of panels shall be designed using rift sawn veneers 2" wide running horizontally and vertically around the perimeter meeting at mitered corners. Panels are framed on top and two vertical sides with 1/8" thick x 2 1/2" wide solid hardwood. Podium base construction consists of a 3 1/2" thick built-up particleboard core with 1/4" thick x 4" high solid hardwood mitered on four sides of the panel and throughout the indentation.</p>
	PT-7248-PB	72" Wide Rectangle Panel Base Reading Table	72"	48"	29"	310 Lbs.	30 Cu Ft	\$ 7,893	
	PT-8448-PB	84" Wide Rectangle Panel Base Reading Table	84"	48"	29"	250 Lbs.	21 Cu Ft	\$ 8,279	
	PT-9648-PB	96" Wide Rectangle Panel Base Reading Table	96"	48"	29"	330 Lbs.	34 Cu Ft	\$ 8,388	