





















	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	FL-CS-3630-KN-2SQ	COMPUTER STATIONS, Knife Edge with Dividers 1-Place Starter	36"	30"	29"			\$ 3,251	<p>Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet.</p>  <p>Knife Edge is 2-1/4" wide x 1-3/4" high solid wood, with a 45 miter chamfer with 1/8" radius corners.</p> <p>Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated.</p> <p>Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem.</p>
	FL-CS-3630-KN-2SQ-AD	Adder	36"	30"	29"			\$ 2,990	
	FL-CS-3630-KN-2SQ-2P	COMPUTER STATIONS, Knife Edge with Dividers 2-Place	72"	30"	29"			\$ 6,241	 <p>Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface.</p> <p>NOTE: For all Fluid Workstations the list price includes the Acrylic Surround Screen(s), Grommet(s), and J-Channel Wire Management.</p> <p>Electrical and accessory options are available for purchase, see page 168-173 for details.</p>
	FL-CS-3630-KN-2SQ-3P	COMPUTER STATIONS, Knife Edge with Dividers 3-Place	108"	30"	29"			\$ 9,232	

MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
 FL-CS-D-7230-KN-2SQ FL-CS-D-7230-KN-2SQ-AD	COMPUTER STATIONS, Knife Edge with Dividers 2-Place						\$ 4,184	Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet.   Knife Edge is 2-1/4" wide x 1-3/4" high solid wood, with a 45 miter chamfer with 1/8" radius corners.  Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated.  Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem.    Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface.  NOTE: For all Fluid Workstations the list price includes the Acrylic Surround Screen(s), Grommet(s), and J-Channel Wire Management.  Electrical and accessory options are available for purchase, see page 168-173 for details.
	Starter	72"	30"	29"			\$ 3,850	
Adder	72"	30"	29"					
 FL-CS-D-7230-KN-2SQ-4P	COMPUTER STATIONS, Knife Edge with Dividers 4-Place						\$ 8,035	
		144"	30"	29"				
 FL-CS-D-7230-KN-2SQ-6P	COMPUTER STATIONS, Knife Edge with Dividers 6-Place						\$ 11,885	
		216"	30"	29"				

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	FL-CS-2D-3660-KN-2SQ	COMPUTER STATIONS, Knife Edge with Dividers 2-Place (Back to Back) Starter	36"	60"	29"			\$ 3,914	<p>Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet.</p>  <p>Knife Edge is 2-1/4" wide x 1-3/4" high solid wood, with a 45 miter chamfer with 1/8" radius corners.</p> <p>Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated.</p> <p>Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem.</p>  <p>Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface.</p> <p>NOTE: For all Fluid Workstations the list price includes the Acrylic Surround Screen(s), Grommet(s), and J-Channel Wire Management.</p> <p>Electrical and accessory options are available for purchase, see page 168-173 for details.</p>
	FL-CS-2D-3660-KN-2SQ-AD	Adder	36"	60"	29"			\$ 3,602	
	FL-CS-2D-3660-KN-2SQ-4P	COMPUTER STATIONS, Knife Edge with Dividers 4-Place (Back to Back)	72"	60"	29"			\$ 4,270	
	FL-CS-2D-3660-KN-2SQ-6P	COMPUTER STATIONS, Knife Edge with Dividers 6-Place (Back to Back)	108"	60"	29"			\$ 7,872	

MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
 FL-CS4D-7260-KN-2SQ FL-CS4D-7260-KN-2SQ-AD	COMPUTER STATIONS, Knife Edge with Dividers 4-Place (Back to Back)	72"	60"	29"			\$ 5,185	Constructed of 1-1/8" thick 3-ply particleboard core, with 0.050" thick high pressure plastic laminate sheet on top surface. Bottom surface laminated with a 0.20" thick backing sheet.   Knife Edge is 2-1/4" wide x 1-3/4" high solid wood, with a 45 miter chamfer with 1/8" radius corners.  Consists of two sets of steel legs and a top horizontal stretcher, constructed of 2" x 2" tubular 16 gauge steel. All metal is epoxy powder coated.  Leveler: Legs are fitted with a threaded base to accept a 1-5/8" diameter cushioned glide, complete with a 1-1/2 x 3/8" threaded stem.
	Starter Adder	72"	60"	29"			\$ 4,769	
 FL-CS4D-7260-KN-2SQ-8P	COMPUTER STATIONS, Knife Edge with Dividers 8-Place (Back to Back)	144"	60"	29"			\$ 9,954	  Clean with a non-abrasive cleanser. Do not use powdered cleaning solutions as they may scratch the surface.
 FL-CS4D-7260-KN-2SQ-12P	COMPUTER STATIONS, Knife Edge with Dividers 12-Place (Back to Back)	216"	60"	29"			\$ 14,723	NOTE: For all Fluid Workstations the list price includes the Acrylic Surround Screen(s), Grommet(s), and J-Channel Wire Management.  Electrical and accessory options are available for purchase, see page 168-173 for details.