



MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
--------------	---------	---	---	---	--------	--------	------------	-------------

BA-NP	Newspaper Table	39"	27"	30"	180 Lbs.	30 Cu Ft	\$ 4,812	
-------	-----------------	-----	-----	-----	----------	----------	----------	--

TABLE RACK:
Open frame construction consists of 7/8" thick x 3" wide solid hardwood, all edges eased with newspaper stick holders fitted on either side of rack to accommodate 10 wood newspaper sticks.

APRON RAIL:
Two 3/4" thick x 2" high solid hardwood rail shall be fitted between the panels on either side.

END PANELS:
Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and two vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.

NOTE: List price shown is available for any of the 6 Bannister panel frame versions.

MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
--------------	---------	---	---	---	--------	--------	------------	-------------

BA-AS	Atlas Stand	30"	29"	45"	260 Lbs.	32 Cu Ft	\$ 6,670	
-------	-------------	-----	-----	-----	----------	----------	----------	--



TOP:

Sloped top is constructed from 1 1/4" thick 3-ply particleboard core. Slope top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge banded with a 3/4" thick x 1 3/4" high book support lip.

CONSTRUCTION ASSEMBLY

Cabinet construction consists of a 3/4" thick 3-ply particleboard core back with plain sliced veneer both faces, five 3/4" thick 3-ply particleboard core pull-out shelves with 3/4" thick x 1-3/4" high solid wood retainer lip operating on bottom mounted single extension drawer runners.

END PANELS:

Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 2" arched top member and a 1 1/2" thick x 4 1/2" wide bottom with an arched end. Center frame will be fitted with three horizontal and two vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.

NOTE: List price shown is available for any of the 6 Bannister panel frame versions.



MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
--------------	---------	---	---	---	--------	--------	------------	-------------

BA-DC	Dictionary Stand	27"	22"	45"	180 Lbs.	15 Cu Ft	\$ 4,758	
-------	------------------	-----	-----	-----	----------	----------	----------	--

TOP:
Sloped top is constructed from 1 1/4" thick 3-ply particleboard core. Slope top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge banded with a 3/4" thick x 1 3/4" high book support lip.




CONSTRUCTION ASSEMBLY
Cabinet construction consists of a 3/4" thick 3-ply particleboard core back with plain sliced veneer both faces, five 3/4" thick 3-ply particleboard core pull-out shelves with 3/4" thick x 1-3/4" high solid wood retainer lip operating on bottom mounted single extension drawer runners.









END PANELS:
Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 2" arched top member and a 1 1/2" thick x 4 1/2" wide bottom with an arched end. Center frame will be fitted with three horizontal and two vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.




NOTE: List price shown is available for any of the 6 Bannister panel frame versions.






MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
BA-DP	Display Table	66 1/2"	34 1/2"	39"	245 Lbs.	20 Cu Ft	\$ 12,826	<p>DISPLAY CASE CONSTRUCTION: Wood frame is constructed of 1 1/2" thick x 1 1/2" wide solid hardwood with 1/4" thick glass on all 4 sides and top with all edges eased. One long back side of the case is equipped with sliding glass doors complete with lock. Display case size: 30" deep x 62" wide x 10" high.</p> <p>WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.</p> <p>END PANELS: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and two vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>NOTE: List price shown is available for any of the 6 Bannister panel frame versions.</p>
BA-DP-FB	Display Table with Fabric Bottom	66 1/2"	34 1/2"	39"	170 Lbs.	20 Cu Ft	\$ 13,860	



	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	BA-SC-S	1 Person Study Carrel Table	36"	24"	47"			\$ 8,076	<p>WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.</p> <p>SUPERSTRUCTURE: 18" high Side panels, mid panel, back panels and shelves constructed from 3/4" veneer plywood. Top and front edge of rack and shelves are banded with 1/4" solid hardwood, all edges eased. Fixed shelf 8 3/4" deep shall be fitted 14 1/4" clear above table.</p> <p>END PANELS: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and two vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>NOTE: List price shown is available for any of the 6 Bannister panel frame versions.</p>
	BA-SC-D	2 Person Study Carrel Table	36"	48"	47"			\$ 11,031	
	BA-SC-O	4 Person Study Carrel Table	69 1/2"	48"	47"			\$ 14,482	

MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		Single Face Carrel Version 1: Acrylic Style:						<p>WORK SURFACE: Tops are constructed of 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge shall receive a 1 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point. Work surface is 28" deep x 29" high.</p> <p>END PANELS: Version 1 - Acrylic Style: Panel frame construction consists of two 1 1/2" x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 2" arched top member and a 1 1/2" thick x 4 1/2" wide bottom with an arched end. Center frame will be fitted with two horizontal and two vertical 1 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then fitted with 3/8" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p>Version 1 - Molding Style: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 2" arched top member and a 1 1/2" thick x 4 1/2" wide bottom with an arched end. Center frame will be fitted with two horizontal and two vertical 1 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>BACK PANEL: Back is constructed of 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces and the top edge is banded with a 1 1/16" thick x 2 1/4" wide solid hardwood.</p>
BA-MC-V1A-36-SS	36" Starter	38"	30 3/4"	48"	200 Lbs.	10 Cu Ft	\$ 7,114	
BA-MC-V1A-36-SA	36" Adder	36 1/2"	30 3/4"	48"	150 Lbs.	7 Cu Ft	\$ 5,038	
BA-MC-V1A-48-SS	48" Starter	50"	30 3/4"	48"	230 Lbs.	11 Cu Ft	\$ 7,292	
BA-MC-V1A-48-SA	48" Adder	48 1/2"	30 3/4"	48"	180 Lbs.	8 Cu Ft	\$ 5,216	
		Double Face Carrel Version 1: Acrylic Style:						
BA-MC-V1A-36-DS	36" Starter	38"	60"	48"	350 Lbs.	14 Cu Ft	\$ 10,813	
BA-MC-V1A-36-DA	36" Adder	36 1/2"	60"	48"	240 Lbs.	11 Cu Ft	\$ 7,082	
BA-MC-V1A-48-DS	48" Starter	50"	60"	48"	410 Lbs.	16 Cu Ft	\$ 11,093	
BA-MC-V1A-48-DA	48" Adder	48 1/2"	60"	48"	310 Lbs.	12 Cu Ft	\$ 7,362	
		Single Face Carrel Version 1: Molding Style:						
BA-MC-V1M-36-SS	36" Starter	38"	30 3/4"	48"	200 Lbs.	10 Cu Ft	\$ 7,516	
BA-MC-V1M-36-SA	36" Adder	36 1/2"	30 3/4"	48"	150 Lbs.	7 Cu Ft	\$ 5,038	
BA-MC-V1M-48-SS	48" Starter	50"	30 3/4"	48"	230 Lbs.	11 Cu Ft	\$ 7,697	
BA-MC-V1M-48-SA	48" Adder	48 1/2"	30 3/4"	48"	180 Lbs.	8 Cu Ft	\$ 5,216	
		Double Face Carrel Version 1: Molding Style:						
BA-MC-V1M-36-DS	36" Starter	38"	60"	48"	350 Lbs.	14 Cu Ft	\$ 11,730	
BA-MC-V1M-36-DA	36" Adder	36 1/2"	60"	48"	240 Lbs.	11 Cu Ft	\$ 7,082	
BA-MC-V1M-48-DS	48" Starter	50"	60"	48"	410 Lbs.	16 Cu Ft	\$ 12,019	
BA-MC-V1M-48-DA	48" Adder	48 1/2"	60"	48"	310 Lbs.	12 Cu Ft	\$ 7,362	

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	BA-PAC-1-V1A-29	1 Person PAC Table, V1 Acrylic: Sitting Height	36"	36"	37"	130 Lbs.	12 Cu Ft	\$ 6,126	<p>WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.</p> <p>SUPERSTRUCTURE: Side panels constructed of 3/4" thick x 8" high solid hardwood and back panels constructed of 3/4" x 7 3/4" high veneer plywood core, top edge banded with 1/4" external hardwood.</p> <p>END PANELS: Panel frame construction consists of two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and two vertical 1 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then fitted with 3/8" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p>ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p>
	BA-PAC-1-V1A-32	Wheelchair Accessible	36"	36"	40"	130 Lbs.	12 Cu Ft	\$ 6,234	
	BA-PAC-1-V1A-39	Standing Height	36"	36"	47"	135 Lbs.	12 Cu Ft	\$ 6,522	
	BA-PAC-2-V1A-29	2 Person PAC Table, V1 Acrylic: Sitting Height	72"	36"	37"	200 Lbs.	23 Cu Ft	\$ 7,051	
	BA-PAC-2-V1A-32	Wheelchair Accessible	72"	36"	40"	200 Lbs.	23 Cu Ft	\$ 7,168	
	BA-PAC-2-V1A-39	Standing Height	72"	36"	47"	205 Lbs.	23 Cu Ft	\$ 7,478	
	BA-PAC-3-V1A-29	3 Person PAC Table, V1 Acrylic: Sitting Height	90"	36"	37"	250 Lbs.	28 Cu Ft	\$ 7,758	
	BA-PAC-3-V1A-32	Wheelchair Accessible	90"	36"	40"	250 Lbs.	28 Cu Ft	\$ 7,867	
	BA-PAC-3-V1A-39	Standing Height	90"	36"	47"	260 Lbs.	28 Cu Ft	\$ 8,194	

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	BA-PAC-1-V1M-29	1 Person PAC Table, V1 Molding: Sitting Height	36"	36"	37"	130 Lbs.	12 Cu Ft	\$ 6,747	<p>WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.</p> <p>SUPERSTRUCTURE: Side panels constructed of 3/4" thick x 8" high solid hardwood and back panels constructed of 3/4" x 7 3/4" high veneer plywood core, top edge banded with 1/4" external hardwood.</p> <p>END PANELS: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and two vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p>
	BA-PAC-1-V1M-32	Wheelchair Accessible	36"	36"	40"	130 Lbs.	12 Cu Ft	\$ 6,864	
	BA-PAC-1-V1M-39	Standing Height	36"	36"	47"	135 Lbs.	12 Cu Ft	\$ 7,159	
	BA-PAC-2-V1M-29	2 Person PAC Table, V1 Molding: Sitting Height	72"	36"	37"	200 Lbs.	23 Cu Ft	\$ 7,673	
	BA-PAC-2-V1M-32	Wheelchair Accessible	72"	36"	40"	200 Lbs.	23 Cu Ft	\$ 7,790	
	BA-PAC-2-V1M-39	Standing Height	72"	36"	47"	205 Lbs.	23 Cu Ft	\$ 8,122	
	BA-PAC-3-V1M-29	3 Person PAC Table, V1 Molding: Sitting Height	90"	36"	37"	250 Lbs.	28 Cu Ft	\$ 8,372	
	BA-PAC-3-V1M-32	Wheelchair Accessible	90"	36"	40"	250 Lbs.	28 Cu Ft	\$ 8,496	
	BA-PAC-3-V1M-39	Standing Height	90"	36"	47"	260 Lbs.	28 Cu Ft	\$ 8,838	

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	BA-R36	Round Reading Table	36" Dia.		29"	70 Lbs.	4 Cu Ft	\$ 3,157	<p>WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.</p> <p>APRON: Apron rails for circular and square tables are 3/4" thick x 3 3/8" wide solid hardwood and mechanically fasted between legs.</p> <p>WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p>
	BA-R42		42" Dia.		29"	90 Lbs.	5 Cu Ft	\$ 3,490	
	BA-R48		48" Dia.		29"	100 Lbs.	6 Cu Ft	\$ 3,700	
	BA-3636	Square Reading Table	36"	36"	29"	70 Lbs.	4 Cu Ft	\$ 3,575	
	BA-4242		42"	42"	29"	90 Lbs.	6 Cu Ft	\$ 3,965	
	BA-4848		48"	48"	29"	100 Lbs.	6 Cu Ft	\$ 4,143	

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	BA-V1A-6036	Rectangle Reading Table Version 1A – Acrylic	60"	36"	29"	175 Lbs.	9 Cu Ft	\$ 6,461	<p>WORK SURFACE: Tops are constructed of 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.</p> <p>END PANELS: Version 1A: Panel frame construction consists of two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and three vertical 1 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then fitted with 3/8" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p>Version 1M: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and three vertical 1 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>Version 1S: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and three vertical 1 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All edges of panel frame are eased.</p>
	BA-V1A-6042		60"	42"	29"	160 Lbs.	7 Cu Ft	\$ 6,723	
	BA-V1A-6048		60"	48"	29"	230 Lbs.	9 Cu Ft	\$ 6,989	
	BA-V1A-7236	72"	36"	29"	190 Lbs.	8 Cu Ft	\$ 6,732		
	BA-V1A-7242	72"	42"	29"	215 Lbs.	10 Cu Ft	\$ 7,003		
	BA-V1A-7248	72"	48"	29"	230 Lbs.	10 Cu Ft	\$ 7,284		
	BA-V1A-8436	84"	36"	29"	230 Lbs.	8 Cu Ft	\$ 7,003		
	BA-V1A-8442	84"	42"	29"	245 Lbs.	9 Cu Ft	\$ 7,292		
	BA-V1A-8448	84"	48"	29"	290 Lbs.	10 Cu Ft	\$ 7,573		
	BA-V1A-9636	96"	36"	29"	290 Lbs.	10 Cu Ft	\$ 7,276		
BA-V1A-9642	96"	42"	29"	310 Lbs.	12 Cu Ft	\$ 7,573			
BA-V1A-9648	96"	48"	29"	320 Lbs.	12 Cu Ft	\$ 7,867			
	BA-V1M-6036	Rectangle Reading Table Version 1M – Molding	60"	36"	29"	175 Lbs.	9 Cu Ft	\$ 6,747	
	BA-V1M-6042		60"	42"	29"	160 Lbs.	7 Cu Ft	\$ 7,028	
	BA-V1M-6048		60"	48"	29"	230 Lbs.	9 Cu Ft	\$ 7,750	
	BA-V1M-7236	72"	36"	29"	190 Lbs.	8 Cu Ft	\$ 7,020		
	BA-V1M-7242	72"	42"	29"	215 Lbs.	10 Cu Ft	\$ 7,314		
	BA-V1M-7248	72"	48"	29"	230 Lbs.	10 Cu Ft	\$ 8,045		
	BA-V1M-8436	84"	36"	29"	230 Lbs.	8 Cu Ft	\$ 7,292		
	BA-V1M-8442	84"	42"	29"	245 Lbs.	9 Cu Ft	\$ 7,593		
	BA-V1M-8448	84"	48"	29"	290 Lbs.	10 Cu Ft	\$ 8,333		
	BA-V1M-9636	96"	36"	29"	290 Lbs.	10 Cu Ft	\$ 7,562		
BA-V1M-9642	96"	42"	29"	310 Lbs.	12 Cu Ft	\$ 7,874			
BA-V1M-9648	96"	48"	29"	320 Lbs.	12 Cu Ft	\$ 8,628			